



hp OpenView storage data protector 6.0 supported devices

Version: Draft

Date: February 1st, 2006

This matrix displays support for both Storage Area Network (SAN) environments and direct attached storage connections. All media technologies and devices listed as supported with HP-UX, Windows, AIX, Tru64, Linux, Netware, OpenVMS and Solaris are supported in both a SAN environment and in a direct attached storage connection. Support listed for SNI Unix, SCO Unix and MPE is valid only for direct attached storage SCSI-to-SCSI connections. Data Protector supports only library and drive combinations supported by the hardware vendor.

The tables below list the media technology and backup devices that are certified and supported with Data Protector 6.0. If both the media technology and the device/library are listed as supported upon the operating system on which it is to be connected, Data Protector 6.0 support exists.

For example, to employ a HP Surestore 2/20 containing HP LTO Ultrium drives with Data Protector 6.0 upon HP-UX, from checking the two tables below you will see that both the device and media technology are supported. Therefore, this is a supported Data Protector 6.0 configuration.

Although other devices may work with Data Protector 6.0, Hewlett-Packard only supports those listed within this document.

Explanation of symbols used within the matrix:

✓ refers to full Hewlett-Packard support.

● refers to devices that have been qualified as interoperable in HP-UX environments and supported with Data Protector 6.0. Please refer to HP [‘third party mass storage devices’](#). Only those devices listed on the ‘third party mass storage devices’ matrix are supported with Data Protector 6.0.

☑ refers to ‘Referenced Support’. Some combinations have been qualified as interoperable in HP-UX environments and supported with Data Protector 6.0. Please refer to HP [‘third party mass storage devices’](#). For all other combinations Referenced Support incorporates full Hewlett-Packard support for Data Protector 6.0 only. For any device related issues, please contact the corresponding product vendor first.

In addition, be aware of the following:

- For all devices listed below, please check the hardware I/O bus configuration with your device vendor to make sure your device also supports the I/O bus architecture.
- Windows 2003 StorPort port driver is supported with Windows 2003 SP1 class drivers. Windows 2003 tape and robotic class drivers need to be enabled.
- Data Protector 6.0 supports mixed media libraries. For further information please refer to the Data Protector 6.0 Administrator’s Guide.
- Tape pools recycle management and a spare pool configuration is not supported when the tape library is populated with incompatible media from the same media type.
- The IBM AIX and SNI Unix media agent supports drives only; the library robotic must be connected to a system that supports a Data Protector Media Agent with robotic support i.e. an HP-UX, Sun Solaris, Linux or a Windows system.

- On HP-UX libraries with more than one SCSI interface, the robotic control is not supported on an EISA-SCSI card.
- STK ACSLS libraries are supported on HP-UX, Windows, Solaris and AIX media agents. However, it is possible for all other Data Protector media agents to control ACSLS robotics indirectly through a HP-UX, Windows, Solaris and AIX media agent.
- ADIC DAS libraries are supported on the HP-UX and AIX media agents. However, it is possible for all other Data Protector media agents to control DAS robotics indirectly through a HP-UX and AIX media agent.
- On Novell Netware, fibre channel attached devices must not have SCSI ID (or target ID) higher than 15.
- Data Protector Magazine support is supported only with DDS and DLT tape drives.
- Some devices do not support SCSI auto-configuration and must be configured manually.
- Data Protector allows the sharing of multi-drive libraries (with more than one SCSI-II interface) between multiple systems and multiple cells, the robotic control running on an HP-UX, Windows, OpenVMS or Sun Solaris system.
- A library's drives and robotics can be shared between multiple cells using the Manager-of-Managers server cell and CMMDB (Centralized Media Management Database).
- The library extension license is required for supporting a library with more than 60 slots.
- Robotics on Solaris is supported only when attached through SCSI or ACSLS. Fibre channel connectivity is not supported.
- Magnetic Optical WORM (Write once read many) media is not supported with Data Protector. Although all magneto-optical drives do support magneto-optical WORM (write once read many) media, only the magneto-optical re-writable media is supported with Data Protector.
- Data Protector 6.0 supports HP Ultrium Data Cartridges Write-Once Read-Many (WORM) and STK VoSale WORM media.

- It is recommended that no more than 512 drives and 1500 slots be configured for each logical library in Data Protector 6.0.
- On Windows 2000 and Novell Netware the following SCSI interface cards are supported:
 - HP: 268351-B21, 129803-B21, 374654-B21 ,154457-B21, C7474A, 284688-B21, A7059A, A7060A, 348757-B21
 - Adaptec: 29320, 2940UW, 2940U, 2940, 2944W, 2944UW, 2940U2W(LVDS), 3940, 770X family, 780X family, 29160, 39160
 - Symbios/LSI: 22915, 22903, 8751, 8951, and SYM8952; on-board SCSI chips 53C875 and 53C895
 - AMD
 - Compaq Smart Array 5i

new	drive technology	configure with Data Protector media type	HP-UX PA	HP-UX IA	Windows 2000/XP/2003(32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell Netware	MPE	Tru64	OpenVMS	
																	File Library Device
Standalone\Jukebox File Device	'File'	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
HP Rewritable MO disk	'Optical'	✓	✓	✓	✓	✓											
HP Rewritable UDO disk	'Optical'	✓	✓	✓	✓	✓											
DDS-2	'DDS'	✓					✓	✓			✓		✓				✓ ¹²

new	drive technology	configure with Data Protector media type	HP-UX PA	HP-UX IA	Windows 2000/XP/2003(32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell Netware	MPE	Tru64	OpenVMS
	DDS-3	'DDS'	✓		✓		✓	✓	✓		✓		✓	✓		
	DDS-4	'DDS'	✓	✓	✓	✓	✓	✓	✓				✓			
	DAT72	'DDS'	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓		✓	
	DAT24 USB	'DDS'			✓	✓			✓	✓						
	DAT40 USB	'DDS'			✓	✓			✓	✓						
	DAT72 USB	'DDS'			✓	✓			✓	✓						
	DLT4000	'DLT'	✓		✓		✓	✓	✓		✓		✓	✓		
	DLT7000	'DLT'	✓		✓		✓	✓			✓	✓	✓		✓	✓
	DLT8000	'DLT'	✓	✓	✓	✓	✓	✓	✓				✓	✓	✓	✓ ¹²
	DLT1	'DLT'	✓		✓		✓	✓	✓							
	DLT VS80	'DLT'	✓	✓	✓	✓	✓	✓	✓				✓			
	DLT VS160	'DLT'	✓	✓	✓	✓	✓	✓	✓	✓			✓		✓	
	DLT V-4	'DLT'	☑	☑	✓	✓		✓	✓	✓			✓		✓	
	SuperDLT 220	'SuperDLT'	✓	✓	✓	✓	✓	✓	✓				✓		✓	✓ ¹²
	SuperDLT 320	'SuperDLT'	✓	✓	✓	✓	✓	✓	✓	✓			✓		✓	✓

new	drive technology	configure with Data Protector media type	HP-UX PA	HP-UX IA	Windows 2000/XP/2003(32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell Netware	MPE	Tru64	OpenVMS
	Quantum SuperDLT600	"SuperDLT"			✓	✓	✓	✓	✓	✓			✓		✓	✓
	HP SuperDLT600	"SuperDLT"	✓	✓	✓	✓	✓	✓	✓	✓			✓		✓	✓
	AIT-1	'AIT'		✓		✓										
	AIT-2	'AIT'			✓			✓	✓				✓		✓	✓ ¹²
	AIT-3	'AIT'	<input checked="" type="checkbox"/> ¹⁶		✓	✓		✓	✓	✓			✓			
	AIT-4	'AIT'	<input checked="" type="checkbox"/> ¹⁶		✓	✓	✓	✓	✓	✓		✓	✓		✓	
	Super-AIT	'SAIT'	<input checked="" type="checkbox"/> ¹⁶		✓	✓	✓		✓	✓						
	DTF-1	'DTF'	<input checked="" type="checkbox"/>		✓											
	DTF-2	'DTF'	<input checked="" type="checkbox"/>		✓											
	HP LTO Ultrium 215	'LTO-Ultrium'	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓			
	HP LTO Ultrium 230	'LTO-Ultrium'	✓	✓	✓	✓	✓	✓	✓	✓			✓			
	HP StorageWorks Ultrium 232	'LTO-Ultrium'	✓	✓	✓	✓	✓	✓	✓	✓			✓			
	HP StorageWorks Ultrium 448	'LTO-Ultrium'	✓	✓	✓	✓	✓	✓	✓	✓			✓			
	HP LTO Ultrium 460	'LTO-Ultrium'	✓	✓	✓	✓	✓	✓	✓	✓			✓		✓	✓ ¹²
	HP StorageWorks Ultrium 960	'LTO-Ultrium'	✓	✓	✓	✓	✓	✓	✓	✓			✓		✓	✓ ¹²

new	Hewlett-Packard	capacity drive/slot	HP-UX PA	HP-UX IA	Windows 2000/XP/2003(32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64	OpenVMS
	Model															
	Optical jukebox 2200mx	1-10 drives 238 slots	✓		✓											
	Optical 30ux standalone	30GB	✓	✓	✓	✓										
	Optical Jukebox 700ux	1-2 drives 24 slots	✓	✓	✓	✓										
	Optical Jukebox 1000ux	2 drives 32 slots	✓	✓	✓	✓										
	Optical Jukebox 1100ux	2 drives 38 slots	✓	✓	✓	✓										
	Optical Jukebox 1900ux	4 drives 64 slots	✓	✓	✓	✓										
	Optical Jukebox 2300ux	2 drives 76 slots	✓	✓	✓	✓										
	Optical Jukebox 3800ux	4-6 drives 128 slots	✓	✓	✓	✓										
	Optical Jukebox 7100ux	4-10 drives 238 slots	✓	✓	✓	✓										
	DAT/DDS-2 standalone	4 GB	✓				✓	✓			✓		✓			
	DAT/DDS-3 standalone	12 GB	✓		✓		✓	✓	✓		✓		✓	✓		
	DAT/DDS2 autoloader	1 drive 6 slots					✓	✓ ⁴			✓ ⁴		✓			
	DAT/DDS-2 autoloader (48AL)	1 drive 6 slots	✓				✓	✓ ⁴			✓ ⁴		✓			
	DAT/DDS-3 autoloader	1 drive 6 slots	✓		✓		✓	✓ ⁴	✓		✓ ⁴		✓			

new	Hewlett-Packard	capacity drive/slot	HP-UX PA	HP-UX IA	Windows 2000/XP/2003(32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64	OpenVMS
	Model															
	Surestore 2/28 DLT library	2 drives 28 slots	✓		✓		✓	14								
	Surestore 2/48, 4/48 DLT library	2 - 4 drives 48 slots	✓		✓		✓	14	✓							
	Surestore 3/30 DLT library	1 - 3 drives 30 slots			✓			14								
	Surestore 6/100 DLT library	1 - 6 drives 40 - 100 sl.			✓			14								
	Surestore 10/588 DLT library	1 -10 drives 252-588sl.			✓			14								
	DDS-2/DAT8 standalone	4 GB	✓				✓	✓			✓		✓			
	Advanced DLT library	1- 6 drives 40 -100 sl.	✓				✓	14								
	Advanced DLT library	1-10 drives 252-588 sl.	✓				✓	14								
	StorageWorks DAT24 SCSI standalone	12 GB	✓		✓		✓	✓	✓		✓		✓	✓		
	Smart Storage DDS-3 standalone	12 GB	✓		✓		✓	✓	✓		✓		✓	✓		
	StorageWorks DAT40 SCSI standalone	20 GB	✓	✓	✓	✓	✓	✓	✓				✓			
	Smart Storage DDS-4 standalone	20 GB	✓	✓	✓	✓	✓	✓	✓				✓			
	StorageWorks DAT72 SCSI standalone	72 GB	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓		✓	
	StorageWorks DAT24 USB standalone	12 GB			✓	✓				✓						

new	Hewlett-Packard	capacity drive/slot	HP-UX PA	HP-UX IA	Windows 2000/XP/2003(32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64	OpenVMS
	Model															
	StorageWorks DAT40 USB standalone	20 GB			✓	✓				✓						
	StorageWorks DAT72 USB standalone	72 GB			✓	✓				✓						
	Surestore DLT4000 standalone	20 GB	✓		✓		✓	✓	✓		✓		✓	✓		
	Smart Storage DLT4000 standalone	20 GB	✓		✓		✓	✓	✓		✓		✓	✓		
	Surestore DLT7000 standalone	40 GB	✓		✓		✓	✓			✓	✓	✓		✓	✓ ¹²
	Smart Storage DLT7000 standalone	40 GB	✓		✓		✓	✓			✓	✓	✓		✓	✓ ¹²
	Surestore DLT8000 standalone	80 GB	✓	✓	✓	✓	✓	✓	✓				✓	✓	✓	✓ ¹²
	Smart Storage DLT8000 standalone	80 GB	✓	✓	✓	✓	✓	✓	✓				✓	✓	✓	✓ ¹²
	Surestore DLT1 standalone	40GB	✓		✓		✓	✓	✓							
	DLT VS80 standalone	80 GB	✓	✓	✓	✓	✓	✓	✓				✓			
	HP StorageWorks VS160 Standalone	160GB	✓	✓	✓	✓	✓		✓	✓			✓		✓	
	Surestore Ultrium 215 standalone	200GB	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓			✓ ¹²
	Surestore Ultrium 230 standalone	200GB	✓	✓	✓	✓	✓	✓	✓	✓			✓			✓ ¹²
	HP StorageWorks Ultrium 232 standalone	200GB	✓	✓	✓	✓	✓	✓	✓	✓			✓			

new	Hewlett-Packard Model	capacity drive/slot	HP-UX PA	HP-UX IA	Windows 2000/XP/ 2003(32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64	OpenVMS
	HP StorageWorks Ultrium 448 standalone	400GB	✓	✓	✓	✓	✓	✓	✓	✓			✓			
	HP StorageWorks Ultrium 460 standalone	400GB	✓	✓	✓	✓	✓	✓	✓	✓			✓			✓ ¹²
	HP StorageWorks Ultrium 960 standalone	800GB	✓	✓	✓	✓	✓	✓	✓	✓			✓		✓	✓ ¹²
	Surestore DAT24x6i/e autoloader	1 drive 6 slots	✓		✓		✓	✓ ⁴	✓		✓ ⁴		✓	✓		
	Surestore DAT40x6i/e Autoloader	1 drive 6 slots	✓	✓	✓	✓	✓		✓				✓			
	Smart Storage DDS-3 autoloader	1 drive 6 slots	✓		✓		✓	✓	✓		✓ ⁴		✓	✓		
	Smart Storage DDS-4 autoloader	1 drive 6 slots	✓		✓		✓		✓				✓			
	Tape Array 5300	4 drives	✓		✓		✓	✓	✓				✓			
	Tape Array 5500	5 drives	✓		✓		✓	✓	✓				✓			
	Surestore 1/9 autoloader	1 drive 9 slots	✓		✓		✓	14	✓							
	Surestore 1/20 tape library	1 drive 20 slots	✓	✓	✓	✓	✓	14	✓				✓	✓		
	Surestore 2/20 tape library	2 drives 20 slots	✓	✓	✓	✓	✓	14	✓				✓	✓		
	Surestore 2/40 tape library	2 drives 40 slots	✓	✓	✓	✓	✓	14	✓				✓	✓		
	Surestore 4/40 tape library	4 drives 40 slots	✓	✓	✓	✓	✓	14	✓				✓	✓		

new	Hewlett-Packard Model	capacity drive/slot	HP-UX PA	HP-UX IA	Windows 2000/XP/ 2003(32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64	OpenVMS
	Surestore 2/60 tape library	2 drives 60 slots	✓	✓	✓	✓	✓	14	✓				✓	✓		
	Surestore 4/60 tape library	4 drives 60 slots	✓	✓	✓	✓	✓	14	✓				✓	✓		
	Surestore 6/60 tape library	6 drives 60 slots	✓	✓	✓	✓	✓	14	✓				✓	✓		
	Surestore 6/80 tape library	6 drives 80 slots	✓	✓	✓	✓	✓	14	✓				✓	✓		
	Surestore 8/80 tape library	8 drives 80 slots	✓	✓	✓	✓	✓	14	✓				✓	✓		
	Surestore 6/100 tape library	6 drives 100 slots	✓	✓	✓	✓	✓	14	✓				✓	✓		
	Surestore 4/100 tape library	4 drives 100 slots	✓	✓	✓	✓	✓	14	✓				✓	✓		
	Surestore 10/100 tape library	10 drives 100 slots	✓	✓	✓	✓	✓	14	✓				✓	✓		
	Surestore 6/120 tape library	6 drives 120 slots	✓	✓	✓	✓	✓	14	✓				✓	✓		
	Surestore 6/140 tape library	6 drives 140 slots	✓	✓	✓	✓	✓	14	✓				✓	✓		
	Surestore 10/180 Inc. mixed media support	6-10 drives 180 slots	✓		✓		✓	14	✓				✓		✓	
	Surestore 20/700 Inc. mixed media support	20 drives 700 slots	✓		✓		✓	14	✓				✓		✓	

new	Hewlett-Packard Model	capacity drive/slot	HP-UX PA	HP-UX IA	Windows 2000/XP/ 2003(32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64	OpenVMS
	DLT 40/80 standalone	40-80GB	✓		✓ ⁶		✓	✓	✓				✓	✓		
	SDLT 220 standalone	220GB	✓	✓	✓ ⁶	✓	✓	✓	✓				✓		✓	✓ ¹²
	SDLT 320 standalone	320GB	✓	✓	✓ ⁶	✓	✓	✓	✓	✓			✓ ¹⁰		✓	✓ ¹²
	SDLT 600 standalone	600GB	✓	✓	✓ ⁶	✓	✓	✓	✓	✓			✓		✓	✓ ¹²
	StorageWorks AIT 35/70	35-70GB			✓ ⁶											
	StorageWorks AIT 50/100	50-100GB			✓ ⁶			✓	✓						✓	
	StorageWorks AIT 100/200	100-200GB			✓ ⁶			✓								
	DAT 12/24	12-24GB			✓ ⁶			✓								
	DAT 20/40	20-40GB			✓ ⁶			✓								
	20/40 GB 8 Cassette Autoloader	1 drive 8 slots			✓ ⁶											
	StorageWorks DAT40x6 Autoloader	1 drive 6 slots	✓		✓	✓	✓		✓				✓			
	StorageWorks DAT72x6 Autoloader	1 drive 6 slots	✓	✓	✓	✓	✓		✓	✓			✓			
	DLT1 1280 SuperLoader	1 drive 16 slots			✓ ⁶											
	1/8 series tape autoloader with DLT VS80 tape drive	1 drive 8 slots	✓	✓	✓	✓	✓		✓	✓			✓			
	1/8 series tape autoloader with Ultrium 230 tape drive	1 drive 8 slots	✓	✓	✓	✓	✓		✓	✓			✓			

new	Hewlett-Packard	capacity drive/slot	HP-UX PA	HP-UX IA	Windows 2000/XP/2003(32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64	OpenVMS
	Model															
	1/8 series tape autoloader with Ultrium 232 tape drive	1 drive 8 slots	✓	✓	✓	✓	✓		✓	✓			✓			
	1/8 series tape autoloader with Ultrium 448 tape drive	1 drive 8 slots	✓	✓	✓	✓	✓		✓	✓			✓			
	1/8 series tape autoloader with Ultrium 460 tape drive	1 drive 8 slots	✓	✓	✓	✓	✓		✓	✓			✓		✓	
	1/8 series tape autoloader with Ultrium 960 tape drive	1 drive 8 slots	✓	✓	✓	✓			✓	✓					✓	
	1/8 series tape autoloader with SDLT320 tape drive	1 drive 8 slots	✓	✓	✓	✓	✓		✓	✓			✓		✓	
	HP StorageWorks SSL1016 DLT1 tape autoloader	1 drive 16 slots	✓		✓								✓			
	HP StorageWorks SSL1016 SDLT320 tape autoloader	1 drive 16 slots	✓	✓	✓	✓	✓		✓				✓			
	HP StorageWorks SSL1016 LTO 460 tape autoloader	1 drive 16 slots	✓	✓	✓ ¹⁰	✓	✓		✓				✓		✓	
	HP StorageWorks SSL2020TL	1-2 drives 20 slots			✓ ⁶		✓	14	✓				✓		✓	✓ ¹²
	HP StorageWorks MSL5026DLX	1-22 drives 26 slots	✓		✓ ⁶		✓	14	✓				✓			✓ ¹²
	HP StorageWorks MSL2024 Tape Library	1-2 drives 24 slots	✓	✓	✓ ⁶	✓			✓	✓					✓	
	HP StorageWorks MSL5026SL	1-2 drives 26 slots	✓	✓	✓ ⁶	✓	✓	14	✓				✓		✓	✓ ¹²
	HP StorageWorks MSL5026S2	1-2 drives 26 slots	✓	✓	✓ ⁶	✓	✓	14	✓				✓		✓	✓ ¹²
	HP StorageWorks MSL5026 with SDLT 600 tape drives	1-2 drives 26 slots	✓	✓	✓ ⁶	✓	✓	14	✓				✓			✓ ¹²

new	Hewlett-Packard Model	capacity drive/slot	HP-UX PA	HP-UX IA	Windows 2000/XP/ 2003(32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64	OpenVMS
	HP StorageWorks MSL5052SL	1-4 drives 52 slots	✓	✓	✓ ⁶	✓	✓	14	✓				✓		✓	✓ ¹²
	HP StorageWorks MSL5052S2	1-4 drives 52 slots	✓	✓	✓ ⁶	✓	✓	14	✓				✓		✓	✓ ¹²
	HP StorageWorks MSL5052 with SDLT 600 tape drives	1-4 drives 52 slots	✓	✓	✓ ⁶	✓	✓	14	✓				✓			✓ ¹²
	HP StorageWorks MSL5030L1	1-2 drives 30 slots	✓	✓	✓ ⁶	✓	✓	14	✓				✓			✓ ¹²
	HP StorageWorks MSL5030 with Ultrium 960 tape drives	1-2 drives 30 slots	✓	✓	✓ ⁶	✓	✓	14	✓				✓			✓ ¹²
	HP StorageWorks MSL5060L1	1-4 drives 60 slots	✓	✓	✓ ⁶	✓	✓	14	✓				✓			✓ ¹²
	HP StorageWorks MSL5060 with Ultrium 960 tape drives	1-4 drives 60 slots	✓	✓	✓ ⁶	✓	✓	14	✓				✓			✓ ¹²
	HP StorageWorks MSL6030 with Ultrium 460 tape drives	1-2 drives 30 slots	✓	✓	✓	✓	✓	14	✓	✓			✓		✓	✓ ¹²
	HP StorageWorks MSL6060 with Ultrium 460 tape drives	1-4 drives 60 slots	✓	✓	✓	✓	✓	14	✓	✓			✓		✓	✓ ¹²
	HP StorageWorks MSL6030 with Ultrium 960 tape drives	1-2 drives 30 slots	✓	✓	✓	✓	✓	14	✓	✓			✓		✓	✓ ¹²
	HP StorageWorks MSL6060 with Ultrium 960 tape drives	1-4 drives 60 slots	✓	✓	✓	✓	✓	14	✓	✓			✓		✓	✓ ¹²
	HP StorageWorks MSL6026 with SuperDLT 600 tape drives	1-2 drives 26 slots	✓	✓	✓	✓	✓	14	✓	✓			✓		✓	✓ ¹²
	HP StorageWorks MSL6052 with SuperDLT 600 tape drives	1-4 drives 52 slots	✓	✓	✓	✓	✓	14	✓	✓			✓		✓	✓ ¹²
	HP StorageWorks ESL9198SL	4-8 drives 198 slots	✓	✓	✓ ⁶	✓	✓	14	✓				✓		✓	✓ ¹²

new	Hewlett-Packard	capacity drive/slot	HP-UX PA	HP-UX IA	Windows 2000/XP/2003(32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64	OpenVMS
	Model															
	HP StorageWorks ESL9198DLX	4-8 drives 198 slots	✓		✓ ⁶		✓	14	✓				✓			✓ ¹²
	HP StorageWorks ESL9198 with SDLT600 tape drives	4-8 drives 198 slots	✓	✓	✓	✓	✓	14	✓	✓			✓		✓	✓ ¹²
	HP StorageWorks ESL9322S2	1-8 drives 322 slots	✓	✓	✓ ⁶	✓	✓	14	✓	✓			✓		✓	✓ ¹²
	HP StorageWorks ESL9322L1	1-4 drives 322 slots	✓	✓	✓ ⁶	✓	✓	14	✓				✓			✓ ¹²
	HP StorageWorks ESL9322 with Ultrium 460 tape drives	1-8 drives 322 slots	✓	✓	✓	✓	✓	14	✓	✓			✓		✓	✓ ¹²
	HP StorageWorks ESL9322 with SDLT600 tape drives	1-8 drives 322 slots	✓	✓	✓	✓	✓	14	✓	✓			✓		✓	✓ ¹²
	HP StorageWorks ESL9595SL	2-16 drives 595 slots	✓	✓	✓ ⁶	✓	✓	14	✓				✓		✓	✓ ¹²
	HP StorageWorks ESL9595L1	2-16 drives 595 slots	✓	✓	✓ ⁶	✓	✓	14	✓				✓			✓ ¹²
	HP StorageWorks ESL9595 with Ultrium 460 tape drives	1-16 drives 595 slots	✓	✓	✓	✓	✓	14	✓	✓			✓		✓	✓ ¹²
	HP StorageWorks ESL9595S2	2-16 drives 595 slots	✓	✓	✓ ⁶	✓	✓	14	✓	✓			✓		✓	✓ ¹²
	HP StorageWorks ESL9595 with SDLT600 tape drives	2-16 drives 595 slots	✓	✓	✓	✓	✓	14	✓	✓			✓		✓	✓ ¹²
	HP StorageWorks ESL9326DX	8-16 drives 326 slots	✓		✓ ⁶		✓	14	✓				✓			✓ ¹²
	HP StorageWorks ESL9326SL	8-16 drives 326 slots	✓	✓	✓ ⁶	✓	✓	14	✓				✓		✓	✓ ¹²
	HP StorageWorks ESL9326D	8-16 drives 326 slots	✓		✓		✓	14					✓		✓	✓ ¹²

new	Hewlett-Packard	capacity drive/slot	HP-UX PA	HP-UX IA	Windows 2000/XP/2003(32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64	OpenVMS
	Model															
	HP StorageWorks ESL9326 with SDLT600 tape drives	8-16 drives 326 slots	✓	✓	✓	✓	✓	14	✓	✓			✓		✓	✓ ¹²
	HP StorageWorks ESL E-Series 286e	1-24 drives 286 slots	✓	✓	✓	✓	✓	14	✓	✓			✓			✓ ¹²
	HP StorageWorks ESL E-Series 322e	1-24 drives 322 slots	✓	✓	✓	✓	✓	14	✓	✓			✓			✓ ¹²
	HP StorageWorks ESL E-Series 630e	1-24 drives 630 slots	✓	✓	✓	✓	✓	14	✓	✓			✓			✓ ¹²
	HP StorageWorks ESL E-Series 712e	1-24 drives 720 slots	✓	✓	✓	✓	✓	14	✓	✓			✓			✓ ¹²
	HP StorageWorks ESL E-Series with Crosslink mechanism	2-44 drives 1424 slots	✓	✓	✓	✓	✓	14	✓	✓			✓			✓ ¹²
	HP StorageWorks EML E-Series 103e	4-16 drives 103-442 sl.	✓	✓	✓	✓	✓	14	✓	✓			✓		✓	
	HP StorageWorks EML E-Series 245e	4-16 drives 103-442 sl.	✓	✓	✓	✓	✓	14	✓	✓			✓		✓	
	HP StorageWorks 6000 Virtual Library System	1-16 virtual libraries 1-64 virtual drives	✓	✓	✓	✓	✓	14	✓	✓			✓		✓	

new	Pre-merger Compaq	capacity drive/slot	HP-UX PA	HP-UX IA	Windows 2000/XP/2003(32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64	OpenVMS
	Model															
	DLT 15/30 standalone	15-30GB						✓								
	DLT 35/70 standalone	35-70GB						✓				✓				

new	ADIC Model	capacity drive/slot	HP-UX PA	HP-UX IA	Windows 2000/XP/ 2003(32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64
	FastStor 2	1 drive 8 slots			✓		✓		✓				✓		
	FastStor 7	1 drive 7 slots			✓										
	FastStor 22	1 drive 22 slots			✓										
	SCALAR 24	1-2 drives 21-24 slots	●	☑	✓										
	SCALAR 100	1-8 drives 24-96 slots	●	☑	✓			14	✓						
	SCALAR 218	2 drives 18 slots					✓								
	SCALAR 228	2 drives 28 slots					✓								
	SCALAR 448	4 drives 44 slots					✓								
	SCALAR 458	4 drives 58 slots					✓								
	SCALAR 1000 AML/S with SCSI	1-48 drives 158-1182 slots	☑		✓		✓	14							
	SCALAR 1000 AML/S with DAS ²	1-48 drives 158-1182 slots	☑					✓							
	SCALAR i2000	1-48 drives 100-1674 slots	●	☑	✓		✓	14							

new	ADIC Model	capacity drive/slot	HP-UX PA	HP-UX IA	Windows 2000/XP/ 2003 (32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64
	SCALAR 10K with SCSI	1-648 dr. 700-6000 slots	●	☑	✓			14							
	SCALAR 10K with DAS ²	1-648 dr. 700-6000 slots	☑					✓							
	AML/J ²	226 drives 200-6000 slots	☑					✓							
	AML/E ²	50 drives 360-6000 slots	☑					✓							
	AML/2 ²	400 drives 6000-	☑					✓							
	Pathlight VX-450 VTL	1-40 drives 1000 slots	☑	☑	✓										
	Pathlight VX-650 VTL	1-40 drives 1000 slots	☑	☑	✓										

new	Archive Model	capacity GB/slot	HP-UX PA	HP-UX IA	Windows 2000/XP/ 2003 (32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64
	Python 20/40 DAT	20/40 GB			✓				✓						
	Python 12/24 DAT	12/24GB			✓								✓		

new	Certance/Seagate Model	capacity GB/slot	HP-UX PA	HP-UX IA	Windows 2000/XP/ 2003(32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64
	Seagate RSS (Certance) Scorpion 40	40 GB			✓	✓			✓	✓			✓		
	Seagate RSS (Certance) Viper 200 LTO (i/e) Standalone	200 GB			✓	✓	✓	✓	✓	✓			✓		
	Seagate RSS (Certance) Viper 2000 Autoloader	1drive 11 slots			✓										
	Certance (Seagate RSS) CD 40 (DDS-4)	40 GB			✓										
	Certance (Seagate RSS) CD 72 (DAT72)	72 GB			✓	✓			✓				✓		
	Certance (Seagate RSS) CL 432 (DAT72)	1 drive 6 slots			✓	✓			✓				✓		
	Certance (Seagate RSS) CDL 432 (DAT72)	1 drive 6 slots			✓	✓			✓				✓		
	Certance (Seagate RSS) CL 200 (LTO Ultrium 1)	200 GB			✓	✓	✓	✓	✓	✓			✓		
	Certance (Seagate RSS) CL 400 (LTO Ultrium 2)	400 GB			✓	✓			✓	✓			✓		
	Certance (Seagate RSS) CL 800 (LTO Ultrium 3)	800 GB				✓			✓	✓					
	Certance (Seagate RSS) CLL 1600 LTO1 Autoloader	1 drive 8 slots			✓	✓			✓	✓			✓		
	Certance (Seagate RSS) CLL 3200 LTO2 Autoloader	1 drive 8 slots			✓	✓			✓	✓			✓		

New	Exabyte	capacity drive/slot	HP-UX PA	HP-UX IA	Windows 2000/XP/2003(32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64
	430	1-4 drives 30 slots			✓										

New	FalconStor	capacity GB/slot	HP-UX PA	HP-UX IA	Windows 2000/XP/2003(32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64
	VirtualTape Library	1-256 drives 2048 slots			✓										

New	Hitachi	capacity drive/slot	HP-UX PA	HP-UX IA	Windows 2000/XP/2003(32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64
	L1/20 Tape Library	1 drive 20 slots	●	●	✓		✓	14	✓						
	L2/20 Tape Library	2 drives 20 slots	●	●	✓		✓	14	✓						
	L2/40 Tape Library	2 drives 40 slots	●	●	✓		✓	14	✓						
	L4/40 Tape Library	4 drives 40 slots	●	●	✓		✓	14	✓						
	L2/80 Tape Library	2 drives 80 slots	●	●	✓		✓	14	✓						
	L4/80 Tape Library	4 drives 80 slots	●	●	✓		✓	14	✓						

new	IBM Model	capacity drive/slot	HP-UX PA	HP-UX IA	Windows 2000/XP/ 2003(32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64
	3581 Ultrium Tape Autoloader	1 drive 7 slots	☑ ⁵		✓		✓						✓		
	3582 Ultrium Tape Library	2 drives 23 slots	● ⁵		✓										
	3583 Ultrium Tape Library	1-6 drives 18-72 slots	● ⁵		✓			14							
	3584 Ultrium Tape Library	1-72 drives 87-2481 sl.	● ⁵	☑ ⁵	✓		✓	14	✓ ⁸				✓		
	TS3310 Tape Library	2-6 drives 30-122 slots	☑ ⁵		✓										
	3600 series	1-2 drives 20 slots			✓			14							

new	MKE Model	capacity GB/slot	HP-UX PA	HP-UX IA	Windows 2000/XP/ 2003(32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64
	MKE DDS-4	12 GB			✓										

new	NEC Model	capacity drive/slot	HP-UX PA	HP-UX IA	Windows 2000/XP/ 2003(32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64
	iStorage T-Series T40	2-4 drives 20-40 slots	●	●	✓		✓	14	✓						
	iStorage T-Series T80	1-8 drives 40-80 slots	●	●	✓		✓	14	✓						

new	Overland Data	capacity drive/slot	HP-UX PA	HP-UX IA	Windows 2000/XP/2003(32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64
	Model														
	LoaderXpress Series	1 drive 10-19 slots			✓										
	Neo Series 2000	1-16 drives 26-240 sl.	☑		✓			14							
	Neo Series 4100	1-4 drives 52-60 slots	☑		✓			14							
	Neo Series 4200	2-8 drives 104-120 slots	☑		✓			14							
	Neo Series 4300	3-12 drives 156-180 slots	☑		✓			14							
	Neo Series 4400	4-16 drives 208-240 slots	☑		✓			14							
	Neo Series 8000	4-16 drives 208-240 slots	☑		✓										
	Reo Series 1000 VTL	1.6TB	☑		✓										
	Reo Series 4000 VTL	3.2TB	☑		✓										
	Reo Series 9000 VTL	9.6TB	☑		✓										

new	Qualstar	capacity drive/slot	HP-UX PA	HP-UX IA	Windows 2000/XP/2003(32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64
	Model														
	TLS-4210	2 drives 12 slots			✓		✓	14	✓				✓		

new	Qualstar Model	capacity drive/slot	HP-UX PA	HP-UX IA	Windows 2000/XP/ 2003(32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64
	TLS-4212	2 drives 14 slots			✓		✓	14	✓				✓		
	TLS-4222	2 drives 24 slots			✓		✓	14	✓				✓		
	TLS-4420	4 drives 22 slots			✓		✓	14	✓				✓		
	TLS-4440	4 drives 42 slots			✓		✓	14	✓				✓		
	TLS-4480	4 drives 84 slots			✓		✓	14	✓				✓		
	TLS-4660	6 drives 63 slots			✓		✓	14	✓				✓		
	TLS-46120	6 drives 126 slots			✓		✓	14	✓				✓		
	TLS-412180	6 drives 180 slots			✓		✓	14	✓				✓		
	TLS-412360	12 drives 360 slots			✓		✓	14	✓				✓		
	TLS-5433	4 drives 33 slots			✓		✓	14							
	TLS-5466	4 drives 66 slots			✓		✓	14							
	TLS-58132	8 drives 132 slots			✓		✓	14							
	TLS-58264	8 drives 264 slots			✓		✓	14							
	TLS-6110	1 drive 10 slots			✓		✓	14	✓				✓		

new	Qualstar Model	capacity drive/slot	HP-UX PA	HP-UX IA	Windows 2000/XP/ 2003(32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64
	TLS-6210	2 drives 10 slots			✓		✓	14	✓				✓		
	TLS-6220	2 drives 20 slots			✓		✓	14	✓				✓		
	TLS-6430	4 drives 30 slots			✓		✓	14	✓				✓		
	TLS-6460	4 drives 60 slots			✓		✓	14	✓				✓		
	TLS-68120	8 drives 120 slots			✓		✓	14	✓				✓		
	TLS-68240	8 drives 240			✓		✓	14	✓				✓		
	TLS-8110	1 drive 11 slots			✓		✓	14	✓				✓		
	TLS-8211	1-2 drives 11 slots			✓		✓	14	✓				✓		
	TLS-8222	1-2 drives 22 slots			✓		✓	14	✓				✓		
	TLS-8466	1-4 drives 33 slots			✓		✓	14	✓				✓		
	TLS-88132	1-8 drives 132 slots			✓		✓	14	✓				✓		
	TLS-88264	1-8 drives 264 slots			✓		✓	14	✓				✓		

new	Quantum Model	capacity drive/slot	HP-UX PA	HP-UX IA	Windows 2000/XP/ 2003(32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64
	DLT4000 standalone	20 GB			✓		✓	✓					✓		
	DLT7000 standalone	35 GB			✓		✓	✓			✓	✓	✓		✓
	DLT8000 standalone	40 GB			✓	✓	✓	✓	✓				✓	✓	✓
	DLT VS160 standalone	160 GB			✓		✓		✓						
	DLT V-4 standalone	320 GB	☑	☑	✓	✓		✓	✓	✓			✓		✓
	SuperDLT 220 standalone	110GB	☑		✓	✓	✓	✓	✓				✓		✓
	SuperDLT 320 standalone	160GB	☑		✓	✓	✓	✓	✓	✓			✓		✓
	SuperDLT 600 standalone	300GB			✓	✓	✓	✓	✓	✓			✓		✓
	520 series 2/28	2 drives 28 slots	☑				✓				✓ ⁵				
	520 series 2/52	2 drives 28 slots	☑				✓				✓ ⁵				
	520 series 4/52	4 drives 52 slots	☑				✓				✓ ⁵				
	2640 series 9/88	9 drives 88 slots					✓								
	2640 series 6/176	6 drives 176 slots					✓								
	2640 series 3/264	3 drives 264 slots					✓								
	ATL PowerStor L200	1 drive 8 slots					✓	14							

new	Quantum	capacity drive/slot	HP-UX PA	HP-UX IA	Windows 2000/XP/2003 (32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64
	Model														
	DX30 VTL	2-6 drives 2-640 slots	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>								
	DX100 VTL	1-24 drives 2-2,560 slots	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>								
	PX502	1-2 drives 32-38 slots			<input checked="" type="checkbox"/>										
	PX506	1-6 drives 88-100 slots			<input checked="" type="checkbox"/>										
	PX510	1-10 drives 171-201 slots			<input checked="" type="checkbox"/>										

new	Sony	capacity drive/slot	HP-UX PA	HP-UX IA	Windows 2000/XP/2003 (32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64
	Model														
	SDX-400C AIT-1 series	35 GB				<input checked="" type="checkbox"/>									
	SDX-500C AIT-2 series	50 GB			<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>
	SDX-520V AIT-2 series	50 GB			<input checked="" type="checkbox"/>										
	SDX-700C AIT-3 series	260GB	<input checked="" type="checkbox"/> ¹⁶		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		
	SDX-700V AIT-3 series	260GB	<input checked="" type="checkbox"/> ¹⁶												
	SDX-900V AIT-4 series	520GB	<input checked="" type="checkbox"/> ¹⁶		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>
	SDZ-100 SAIT series	1.3TB	<input checked="" type="checkbox"/> ¹⁶	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					

new	Sony Model	capacity drive/slot	HP-UX PA	HP-UX IA	Windows 2000/XP/ 2003(32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64
	SDZ-130 SAIT series	1.3TB	<input checked="" type="checkbox"/> 16		✓	✓	✓		✓	✓					
	Sony LIB-81/A3	1 drive 8 slots	<input checked="" type="checkbox"/> 16												
	Sony LIB-D81/A3	1 drive 8 slots	<input checked="" type="checkbox"/> 16												
	Sony LIB-162/A3	1-2 drives 16 slots	<input checked="" type="checkbox"/> 16												
	Sony LIB-81/A4	1 drive 8 slots	<input checked="" type="checkbox"/> 16												
	Sony LIB-D81/A4	1 drive 8 slots	<input checked="" type="checkbox"/> 16												
	Sony LIB-162/A4	1-2 drives 16 slots	<input checked="" type="checkbox"/> 16												
	Sony Petasite DMS 80/150/8400	1-828 drs. 130-6000 sl.	<input checked="" type="checkbox"/>		✓										
	Sony Petasite CSM-60	1-12 drives 60 slots			✓		✓		✓						
	Sony Petasite CSM-100	1-12 drives 108 slots			✓		✓		✓						
	Sony Petasite CSM-200	1-96 drives 2988 slots			✓		✓		✓						

New	StorageTek Model	capacity drive/slot	HP-UX PA	HP-UX IA	Windows 2000/XP/ 2003(32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64
	Silo Model 4400 with ACSLS	2 -16 drives 2000-6000 slots	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
	Silo Model 9310 Powderhorn with ACSLS ¹	2 -16 drives 2000 – 6000 slots	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
	Silo Model 9360 Wolfcreek	50GB 500 -1000 slots	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
	STK9710 with SCSI	10 drives 252 - 588 slots	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	14							
	STK9710 with ACSLS ¹	10 drives 252 - 588 slots	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
	STK 9714 with SCSI	6 drives 100 slots	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	14							
	STK 9714 with ACSLS ¹	6 drives 100 slots	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
	STK 9730 with SCSI	3 drives 30 slots	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	14							
	STK 9730 with ACSLS ¹	3 drives 30 slots	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
	STK 9738 library	3 drives 30 slots			<input checked="" type="checkbox"/>			14							
	STK9740 with SCSI	10 drives 326–494 slots	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	14							
	STK9740 with ACSLS ¹	10 drives 326 - 494 slots	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							

New	StorageTek Model	capacity drive/slot	HP-UX		Windows 2000/XP/ 2003(32bit)	Windows 64bit	Sun Solaris	IBM AIX	Linux 32bit	Linux 64bit	SNI Sinix	Sco Unix	Novell	MPE	Tru64
			PA	IA											
	STK L20	1-2 drives 10-20 slots	●	●	✓		✓	14	✓				✓		
	STK L40	2-4 drives 20-40 slots	●	●	✓		✓	14	✓				✓		
	STK L80	1-8 drives 40-80 slots	●	●	✓		✓	14	✓				✓		
	STK L180	10 drives 180 slots	●	●	✓		✓	14	✓				✓		✓
	STK L180 with ACSLS ¹	10 drives 326 - 494 slots	☑	☑	✓		✓	✓							
	STK L700	20 drives 700 slots	●	●	✓		✓	14	✓				✓		✓
	STK L700 with ACSLS ¹	20 drives 326-494 slots	☑	☑	✓		✓	✓							
	STK L700E with ACSLS ¹	12-20 dr. 1344 slots	☑	☑	✓		✓	✓							
	STK L700E	12-20 dr. 1344 slots	●	●	✓		✓	14	✓				✓		✓
	STK L1400M	12-20 dr. 1344 slots	☑	☑	✓		✓	14	✓				✓		✓
	STK L1400M with ACSLS ¹	1-40 drives 1356 slots	☑	☑	✓		✓	14					✓		✓
	STK Silo Model L5500 with ACSLS ¹	2 -960 drives 2000 – 6000 slots	☑	☑	✓		✓	✓							
	STK SL500	1-18 drives 30-577 slots	●	●	✓		✓	14							

¹ This device requires the ACSLS software from StorageTek. The following versions of ACSLS have been tested with Data Protector:

- ACSLS 5.2
- ACSLS 5.3
- ACSLS 5.3.2
- ACSLS 5.4
- ACSLS 6.0
- ACSLS 6.01
- ACSLS 6.1
- ACSLS 6.1.1
- ACSLS 7.0
- ACSLS 7.1

HP support covers configuration and usage of ACSLS within Data Protector, but HP provides no support for the ACSLS software. For the MVS-controlled libraries, the following versions have been tested:

- MVS 5.2.2
- Library Station 3.1.0, 4.0, 5.0
- Library Control Facility 3.1.0
- HSC 2.1.0

Please Note: To utilize ACSLS on Windows, StorageTek LibAttach software is a pre-requisite and must be purchased separately from StorageTek.

² This device requires the DAS software from ADIC. The following versions of DAS have been tested with Data Protector:

- DAS 1.30
- DAS 1.30C
- DAS 3.01 (single DAS server)
- DAS 3.10

HP support covers configuration and usage of DAS within Data Protector, but HP provides no support for the DAS software.

3 For the support of these devices on these operating systems, the following SCSI controller driver is required: cpq32fs2.sys, minimum version 3.17. See the following URL:

<http://www.compaq.com/support/files/server/softpaqs/WINNT/ntscsi24.html>

4 Library or autoloader supported only in stacker mode.

5 To utilize IBM LTO on HP-UX, the IBM LTO for HP-UX device driver is required. This can be obtained from the following URL:

http://www-1.ibm.com/support/all_download_drivers.html

Please Note: The native HP-UX driver should be used for the library robotic.

6 For the support of these devices on these operating systems, the following SCSI controller drivers are required:

For 32bit SCSI Controller - cpq32fs2.sys, minimum version 5.12.20.

For 64bit SCSI Controller – adpu160m.sys, minimum version 6.1.530.201

See the following URL: <http://www.compaq.com/support/files/server/softpaqs/WINNT/ntscsi24.html>

8 To utilize IBM 3584 on Linux, the IBM device drivers are required. These can be obtained from the following URL:

http://www-1.ibm.com/support/all_download_drivers.html

9 Please include OB2SHORTSEEK=500 in omnirc/.omnirc file.

10 Insight Storage Agent should be disabled when using the HP StorageWorks SSL1016 tape autoloader with LTO 460 on Windows 2000/XP with the Adaptec U160 SCSI HBA.

11 TL895 option 'Auto Drive Unload' needs to be turned to enabled (this is not the default setting).

12 Minimum revision of SYS\$MKDRIVER required:

VMS 7.3-1:

image file identification: "X-12"

image file build identification: "X9TD-0060030044"

link date/time: 28-JAN-2004 14:33:50.53

14 The IBM AIX media agent supports drives only; the library robotic must be connected to a system that supports a Data Protector Media Agent with robotic support (i.e. an HP-UX, Sun Solaris, Linux or a Windows system) that supports the library.

16 To utilize Sony AIT & SAIT on HP-UX, the Sony device driver is required. This can be obtained from the following URL:

<http://sony.storagesupport.com/ait/hpux.htm>

17 Emulations supported with the Fujitsu-Siemens CentricStor:

CentricStor Tape Emulation	Drive Configured in Data Protector	CentricStor Robot Control Emulation	Robotic Configured in Data Protector	HP-UX PA	HP-UX IA	Windows	Solaris
Generic SCSI-2	3480	ACSL5	ACSL5 Library	✓	✓	✓	✓
Generic SCSI-2	3480	DAS	DAS Library	✓		✓	
Mammoth 2	Exabyte	DAS	DAS Library			✓	

The CentricStor failover function is currently not supported but will be in the future.

Please Note: If required, information regarding the Data Protector omnirc/.omnirc file can be found within the Data Protector 6.0 *Administrator's Guide*.