

HP OpenView Smart Plug-in for Oracle

For HP OpenView Operations for UNIX

Software Version: 10.40

Reference Guide

Document Release Date: November 2006
Software Release Date: November 2006



Legal Notices

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

The information contained herein is subject to change without notice.

Restricted Rights Legend

Confidential computer software. Valid license from HP required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

Copyright Notices

© Copyright 1999-2006 Hewlett-Packard Development Company, L.P.

Trademark Notices

Microsoft® and Windows NT® are US registered trademarks of Microsoft Corporation.

Pentium® is a US registered trademark of Intel Corporation.

UNIX® is a registered trademark of The Open Group.

Oracle® is a registered trademark of Oracle Corporation

Documentation Updates

This manual's title page contains the following identifying information:

- Software version number, which indicates the software version
- Document release date, which changes each time the document is updated
- Software release date, which indicates the release date of this version of the software

To check for recent updates, or to verify that you are using the most recent edition of a document, go to:

http://ovweb.external.hp.com/lpe/doc_serv/

You will also receive updated or new editions if you subscribe to the appropriate product support service. Contact your HP sales representative for details.

Support

You can visit the HP OpenView Support web site at:

www.hp.com/managementsoftware/support

HP OpenView online support provides an efficient way to access interactive technical support tools. As a valued support customer, you can benefit by using the support site to:

- Search for knowledge documents of interest
- Submit and track support cases and enhancement requests
- Download software patches
- Manage support contracts
- Look up HP support contacts
- Review information about available services
- Enter into discussions with other software customers
- Research and register for software training

Most of the support areas require that you register as an HP Passport user and sign in. Many also require a support contract.

To find more information about access levels, go to:

www.hp.com/managementsoftware/access_level

To register for an HP Passport ID, go to:

www.managementsoftware.hp.com/passport-registration.html

Contents

1 Oracle Metrics	11
Introduction	11
Inside DB-SPI Metrics	11
Metric Column Key	11
Oracle Metric Summary	12
Metric Specification Description	28
Metric E001_DbInstanceStat	30
Metric E002_ProcessStatus	32
Metric E003_TblSpaceFreeCnt	33
Metric E203_TableSpaceFree	34
Metric E004_UsersTmpDfltCnt	35
Metric E005_ObjectsForeignCnt	36
Metric E006_TblSpFreePctCnt	37
Metric E206_TblSpFreePctt	38
Metric E007_TblSpStatusCnt	39
Metric E008_TSBReadRatioCnt	40
Metric E009_TSTmpExntPctCnt	41
Metric E011_TblSpFrgmntCnt	43
Metric E014_DataFSatusCnt	44
Metric E016_SegmntExtendCnt	45
Metric E216_SegmntExtendCnt	46
Metric E017_SegMaxExtentCnt	47
Metric E217_SegMaxExtentCnt	48
Metric E018_SegExtRapidCnt	49
Metric E218_SegExtRapidCnt	50
Metric E019_SortDiskRate	51
Metric E020_SortMemoryPct	52
Metric E021_BufferBusyPct	53
Metric E022_TotBufCacHitPct	54
Metric E023_CurBufCacHitPct	55
Metric E024_EQWaitsReqPct	56
Metric E026_DictCacheHitPct	57
Metric E027_LibCachRelodPct	58
Metric E028_LocksUsedPct	59
Metric E029_SessWaitLckCnt	60
Metric E030_FullLgTblScnRate	62
Metric E031_OpenCrsrPctCnt	63
Metric E032_RedoLgSpReqCnt	64
Metric E033_RedoAlocLtchPct	65

Metric E034_RedoCopyLtchPct	66
Metric E035_BckgndCkptRate	67
Metric E037_UserLogonCnt	68
Metric E038_LtchOvrLimitCnt.	69
Metric E039_LibCacGetHitPct	70
Metric E040_LibCacPinHitPct	71
Metric E042_UnlyzTblIndxPct	72
Metric E043_EQTimeoutReqPct.	75
Metric E045_ShrdPoolFreePct	76
Metric E046_RowFetcByIdxPct	77
Metric E048_ChandRowFtchPct.	78
Metric E050_RcsvUsrCalRatio	79
Metric E052_SortTotalRate.	80
Metric E054_RollbackRate	81
Metric E056_ArchvFreeSpCcnt	82
Metric E057_ArchiveFreqRate	83
Metric E058_ArchvFreeSpCpct	84
Metric E059_CursorCachePct.	85
Metric E060_RedoUnarchvdCnt.	86
Metric E061_AutoArchvStatus	87
Metric E062_BkgrDumpSpcePct	88
Metric E063_TraceFileAddCnt	89
Metric E064_UserDumpSpacPct	91
Metric E065_CoreDumpSpacPct.	92
Metric E066_AlertLogSize	93
Metric E067_RBSEgmntStatCnt.	94
Metric E068_RBSgmntShrnkCnt.	95
Metric E069_RBSEgWaitPctCnt	96
Metric E070_PQServrsBusyPct	97
Metric E071_PQSrvHighwtrPct	98
Metric E072__LogArchiveStartStatus	99
Metric E074_PQQueryRate.	100
Metric E075_RcrsvCursrRatio	101
Metric E076_PQRangeScanPct.	102
Metric E077_DualExssRowStat	103
Metric E078_ObjectsInvalidCnt	104
Metric E079_DisbldTrigrsCnt.	105
Metric E080_DisbldCnstrtCnt	106
Metric E081_SnapshotErrCnt	107
Metric E082_SessHighwatrCnt	108
Metric E083_DbwrCkptRate.	109
Metric E085_TransactionPct.	110
Metric E087_ProcessPct	111
Metric E089_EnqueuePct	112
Metric E090_DsptchrBusyPct.	113
Metric E091_NumDsptchrClnts	114
Metric E092_ShrSrvrReqWtPct	115

Metric E093_SharedServerPct	116
Metric E094_SesUGAMemCurPct	117
Metric E095_SesUGAMemMaxPct.	118
Metric E096_ShrdSrvHWMPct.	119
Metric E097_DisbldTblLckNum	120
Metric E101_DiskReadsPerExecRatio & 301 (drill-down)	121
Metric E102_SQLFetchesMax & 302 (drill-down)	122
Metric E103_SQLScanRowsMax & 303 (drill-down)	123
Metric E104_SQLExecRateMax & 304 (drill-down)	124
Metric E105_BufferGetsPerExecRatio & 305 (drill-down)	125
Metric E106_SQLElapsedTimeMax & 306 (drill-down)	126
Metric E107_SQLCPUTimeMax & 307 (drill-down)	127
Metric E108_SQLFullTableScanMax & 308 (drill-down)	128
Metric E109_SessionHardParsesMax & 309 (Drill-down)	129
Metric E110_SessionFreeBufferWaitMax & 310 (Drill-down)	130
Metric E111_SessionLatchFreeWaitMax & 311 (Drill-down)	131
Metric E112_SessionSuspendedMax & 312 (drill-down)	133
Metric E121_GlobalCacheBlockCorruptMax	134
Metric E122_GlobalCacheBlocklostMax	135
Metric E123_GlobalCacheBlockRecTime	136
Metric E124_GlobalCacheBlockConvTime.	137
Metric E125_GlobalCacheBlockConvTimedOutMax.	138
Metric E126_DGLogGapDetection	139
Metric E127_DGStdbyDestErr	140
Metric E128_DGLogsNotAppliedToStandbyDB	141
Metric E129_DGHrsSinceLastSQLApply	142
Metric E130_DGHrsSinceArchLogsRecieved.	143
Metric E131_GlobalCacheCurBlockRecTime.	144
Metric E132_FileWithMaxTransferRate	145
Metric E133_DskGrpStatCnt	146
Metric E334_DskGrpFreePct	147
Oracle Reporting Metrics.	148
Reporter Metric Data Specifications (OSM metrics)	148
2 Oracle Logfile Text.	151
ORA-00018.	151
ORA-00019.	151

ORA-00020	152
ORA-00025	152
ORA-00050	152
ORA-00051	153
ORA-00052	153
ORA-00053	154
ORA-00055	154
ORA-00057	155
ORA-00059	155
ORA-00063	156
ORA-00104	156
ORA-00204	157
ORA-00206	157
ORA-00210	158
ORA-00216	158
ORA-00217	159
ORA-00218	159
ORA-00221	159
ORA-00255	160
ORA-00257	160
ORA-00265	160
ORA-00270	161
ORA-00272	161
ORA-00290	161
ORA-00302	162
ORA-00345	162
ORA-00348	162
ORA-00371	163
ORA-00390	163
ORA-00392	164
ORA-00436	164
ORA-00437	165
ORA-00443	165
ORA-00444	166
ORA-00445	166
ORA-00446	167
ORA-00447	167
ORA-00449	167
ORA-00470	168
ORA-00471	168
ORA-00472	168
ORA-00473	169
ORA-00474	169
ORA-00475	169
ORA-00476	170
ORA-00477	170
ORA-00480	170

ORA-00483	171
ORA-00600	171
ORA-00601	172
ORA-00602	172
ORA-00603	172
ORA-00604	173
ORA-00606	173
ORA-00703	173
ORA-01114	174
ORA-01115	174
ORA-01116	175
ORA-01118	175
ORA-01122	176
ORA-01123	176
ORA-01128	176
ORA-01149	177
ORA-01154	177
ORA-01155	177
ORA-01241	178
ORA-01242	178
ORA-01243	178
ORA-01541	179
ORA-01544	179
ORA-01550	179
ORA-01554	180
ORA-01555	181
ORA-01558	182
ORA-01562	182
ORA-01572	182
ORA-01574	183
ORA-01578	183
ORA-01599	183
ORA-01628	184
ORA-01629	184
ORA-01630	185
ORA-01631	185
ORA-01632	185
ORA-01650	186
ORA-01651	186
ORA-01652	186
ORA-01653	187
ORA-01654	187
ORA-01655	187
ORA-01656	188
Metrics for Oracle Versions 8 & Higher	189

Index	191
-----------------------	-----

1 Oracle Metrics

Introduction

This chapter provides detailed and summary listings of the DB-SPI metrics for Oracle, and explains pertinent information about how they work. The information provided here should prove valuable in understanding each metric, especially if customization is desired. This chapter contains the following information:

- Inside DB-SPI Metrics
- Summary DB-SPI Metric Listing
- Detailed DB-SPI Metric Specifications

Inside DB-SPI Metrics

DB-SPI metric monitor templates are designed to be efficient and easy to use. In fact, you may want to use most of the templates without making any modifications whatsoever. This document provides the detailed information you need if you decide to customize any of the templates.

For easy reference, [Oracle Metric Summary](#) on page 12 lists all metrics contained in the chapter. The tables that follow show the detailed information for each Oracle metric.

Metric Column Key

Some columns in the metric summaries contain abbreviations or values that can be interpreted as follows:

Column Heading	Column content
INTERVAL	Frequency at which metric is collected and analyzed; m= minutes h=hour d=day
RESET	W/O reset: Without reset Cont = Continuous ##% = Reset Value (With Reset)
THRESHOLD (Default Threshold)	Any "0.5" value means that the threshold is set at "0."Because OVO alarms occur on <= or >=, the threshold is set to 0.5.

Column Heading	Column content
TYPE)	S=Server D=Database O=Object
A OR G	A=alarming metric G=graphing metric
RPT ACCESS	Report Access (refers to whether Database SPI-generated ASCII reports are available and how to access them): Auto=Automatic Action Opt=Operator Action App=Application Bank

- ▶ Not all columns appear in all database metrics as some data is not available for some database applications; a blank column represents "Not Applicable or Not Available."

Oracle Metric Summary

Oracle Metric	Description	Area	Interval	Threshold	Min/Max	Reset	Severity	A or G	Rpt Access	Graph
E001_DbInstanceStat	Database status	Status	5m	2.5 1.5 0.5	Max	W/O	Critical	A	N/A	N/A
E002_ProcessStatus	Database process check	Status	5m	0.5	Max	W/O	Critical	A	N/A	N/A
E003_TblSpaceFreeCnt	# of tablespaces with low free extents	Space	N/A	0.5	Max	W/O	Major	A	Auto & App	N/A
E203_TableSpaceFree (drill-down)	Tablespaces with low free space;drill down	Space	15m	1	Min	W/O	Major	A	Auto	N/A
E004_UsersTmpDfltCnt	# of users with default tablespace set to SYSTEM	Space	1h	0.5	Max	W/O	Minor	A	Auto & App	N/A

Oracle Metric	Description	Area	Interval	Threshold	Min/Max	Reset	Severity	A or G	Rpt Access	Graph
E005_ObjetsForignCnt	# of foreign objects in SYSTEM tablespace	Space	1h	0.5	Max	W/O	Minor	A	Auto & App	N/A
E006_TblSpFreePctCnt	# of tablespaces with low free space percentage	Space	(*)	0.5	Max	W/O	Major	A & G	Auto, Opt & App	Table space
E206_TblSpFreePct	Tablespaces with low free space (drill down)	Space	(*)	10%	Min	W/O	Major	A	Opt	N/A
E007_TblSpStatusCnt	# of tablespaces not ONLINE	Space	5m	0.5	Max	W/O	Critical	A & G	Auto, Opt & App	Table space
E008_TSBReadRatioCnt	# of tablespaces with high ratio of block to physical reads	Space	1h	0.5	Max	W/O	Minor	A & G	Auto, Opt & App	Table space
E009_TSTmpExntPctCnt	# of tablespaces with high use of temp segments to total	Space	1h	0.5	Max	W/O	Minor	A & G	Auto, Opt & App	Table space
E011_TblSpCfrgmntCnt	# of fragmented tablespaces	Space	5m	0.5	Max	W/O	Minor	A & G	Auto, Opt & App	Table space

Oracle Metric	Description	Area	Interval	Threshold	Min/Max	Reset	Severity	A or G	Rpt Access	Graph
E014_DataFStatusCnt	# of datafiles not online	Space	5m	0.5	Max	W/O	Critical	A	Auto, Opt & App	
E016_SegmntExtendCnt	# of segments that cannot extend	Space	15m	0.5	Max	W/O	Critical	A & G	Auto, Opt & App	Table space
E216_SegmntExtendCnt	# of segments that cannot extend (drill down)	Space	(*)	100	Min	W/O	Critical	A	Opt	
E017_SegMaxExtentCnt	# of segments approaching max extent	Space	15m	0.5 (*)	Max	W/O	Major	A & G	Auto, Opt & App	Table space
E217_SegMaxExtentCnt	# of segments approaching max extent (drill down)	Space	(*)	80%	Max	W/O	Major	A	Opt	
E018_SegExtRapidCnt	# of segments adding extents rapidly	Space	15m	0.5	Max	W/O	Major	A & G	Auto, Opt & App	Table space
E218_SegExtRapidCnt	# of segments adding extents rapidly (drill down)	Space	(*)	95%	Max	W/O	Major	A	Opt	
E019_SortDiskRate	Disk sort rate	Sort	1h	25/hour	Max	W/O	Minor	A & G	Opt	Sorts

Oracle Metric	Description	Area	Interval	Threshold	Min/Max	Reset	Severity	A or G	Rpt Access	Graph
E020_SortMemoryPct	% of memory sorts	Sort	5m	85% 95%	Min	90% 98%	Minor Warning	A & G	Opt	Sorts
E021_BufferBusyPct	% of buffer busy waits to logical reads	Cache	5m	3%	Max	W/O	Minor	A & G	Opt	Waits
E022_TotBufCacHitPct	Total buffer cache hit %	Cache	5m	70% for 16m 90% for 16m	Min	75% 95%	Minor Warning	A & G	Opt	Shar edpoo l
E023_CurBufCacHitPct	Current buffer cache hit %	Cache	5m	60% for 16m 70% for 16m	Min	65% 75%	Minor Warning	A & G	Opt	Shar edpoo l
E024_EQWaitsReqPct	% of enqueue waits to enqueue requests	Cache	5m	1% for 11m	Max	W/O	Minor	A & G	Opt	Waits
E026_DictCacheHitPct	% of cache get misses to gets in dictionary cache	Share d Pool	5m	15%	Max	W/O	Minor	A & G	Opt	Shar edpoo l
E027_LibCachRelodPct	% of library cache misses to executions	Share d Pool	5m	2%	Max	W/O	Minor	A & G	Opt	Shar edpoo l
E028_LocksUsedPct	% of DML locks used to total configured	Locks	5m	75%	Max	W/O	Minor	A & G	Opt	Limit s
E029_SessWaitLckCnt	# of sessions waiting for release of a lock	Locks	5m	0.5	Max	W/O	Minor	A & G	Auto, Opt & App	Waits

Oracle Metric	Description	Area	Interval	Threshold	Min/Max	Reset	Severity	A or G	Rpt Access	Graph
E030_FulLgTblScnRate	Rate at which full table scans (long tables) occur	Tbls & Indexes	5m	1000	Max	W/O	Warnings	A & G	Opt	Table index
E031_OpenCrsrPctCnt	# of users with % of open cursors to maximum configured	Errors	5m	0.5	Max	W/O	Minor	A & G	Auto, Opt & App	Limits
E032_RedoLgSpcReqCnt	# of waits for redo log space	Redo	5m	20	Max	W/O	Minor	A & G	Opt	Redo
E033_RedoAlocLtchPct	% of redo allocation latch misses	Redo	5m	1%	Max	W/O	Minor	A & G	Opt	Redo
E034_RedoCopyLtchPct	% of redo copy latch misses	Redo	5m	1%	Max	W/O	Minor	A & G	Opt	Redo
E035_BckgndCkptRate	Rate of background checkpoints completed	Checkpoints	5m	.5/min	Max	W/O	Minor	A & G	Opt	Checkpoints
E037_UserLogonCnt	Number of current user logons	Users	5m	N/A	N/A	N/A	N/A	G	App	Session
E038_LtchOvrLimitCnt	Number of latches with high contention ratio > threshold	Performance	5m	0.5	Max	W/O	Minor	A & G	Auto, Opt & App	Waits
E039_LibCacGetHitPct	% of gethits to gets in dictionary cache	Shared Pool	5m	95%	Min	W/O	Minor	A & G	Opt	Sharedpool

Oracle Metric	Description	Area	Interval	Threshold	Min/Max	Reset	Severity	A or G	Rpt Access	Graph
E040_LibCacPinHitPct	% of pinhits to pins in dictionary cache	Share d Pool	5m	95%	Min	W/O	Minor	A & G	Opt	Shar edpool
E041_FulShTblScnRate	Rate at which full tabel scans (Short tables occur)	Tbls & Indexe s	5m	N/A	N/A	N/A	N/A	G	App	Table Index
E042_UnlyzTblIdxPct	% of never analyzed tables and indexes	Tbls & Indexe s	1d	0.01 %	Max	W/O	Minor	A & G	Auto, Opt & App	Table Index
E043_EQTimeoutReqPct	% of enqueue timeouts to enqueue requests	Perfor mance	5m	1%	Max	W/O	Minor	A & G	Opt	Waits
E044_CommitRate	Commit rate	Trans actions	5m	N/A	N/A	N/A	N/A	G		Calls
E045_ShrdPoolFreePct	% of free pool memory	Share d Pool	5m	1% 5%	Min	3% 8%	Major Warnin g	A & G	Auto, Opt & App	Shar edpool
E046_RowFetchbyIdxPct	% rows fetched by index	Tbls & Indexe s	1h	50% 75%	Min	W/O	Major Warnin g	A & G	Opt	Table Index
E047_TablesCachedCnt	Number of tables cached	Tbls & Indexe s	1h	N/A	N/A	N/A	N/A	G	App	Table Index
E048_ChandRowFtchPct	% of chained rows fetched	Tbls & Indexe s	5m	10%	Max	W/O	Minor	A & G	Opt	Table Index
E049_UserCallRate	Rate of user calls	Calls	5m	N/A	N/A	N/A	N/A	G		Calls

Oracle Metric	Description	Area	Interval	Threshold	Min/Max	Reset	Severity	A or G	Rpt Access	Graph
E050_RcsvUsrCalRatio	Ratio of recursive calls to user calls	Calls	5m	15	Max	W/O	Minor	A & G	Opt	Calls
E051_SortRowsAvgCnt	Average number of rows per sort	Sort	5m	N/A	N/A	N/A	N/A	G		Sorts
E052_SortTotalRate	Rate of total sorts on disk and in memory	Sort	1h	100/min	Max	W/O	Minor	A & G	Opt	Sorts
E054_RollbackRate	Rate at which rollbacks are being generated	Transactions	5m	50/min	Max	W/O	Minor	A & G	Opt	Rollbacks
E056_ArchvFreeSpcCnt	# of archive logs that fit in archive device	Archive/Trace	1d	10	Min	W/O	Major	A & G	Opt	Redo
E057_ArchiveFreqRate	Avg time in minutes between archive log writes	Archive/Trace	1h	5 min	Min	W/O	Minor	A & G	Auto, Opt & App	Redo
E058_ArchvFreeSpcPct	% of free space on archive device	Archive/Trace	15m	10%	Min	W/O	Major	A & G	Auto, Opt & App	Redo
E059_CursorCachePct	% of cursors in cache parameter	Shared Pool	5m	90%	Max	W/O	Minor	A & G	Opt	Sharedpool
E060_RedoUnarchvdCnt	# of redo logs not yet archived	Archive/Trace	5m	1.5	Max	W/O	Minor	A	N/A	
E061_AutoArchvStatus	Status of auto archiving	Archive/Trace	1d	0.5	Max	W/O	Warning	A	N/A	

Oracle Metric	Description	Area	Interval	Threshold	Min/Max	Reset	Severity	A or G	Rpt Access	Graph
E062_BkgrDumpSpcePct	% of space used on background dump device	Archive/Trace	15m	98%	Max	W/O	Critical	A & G	Auto, Opt & App	Dump
E063_TraceFileAddCnt	# of trace files in bdump/udump/cdump	Archive/Trace	15m	0.5	Max	W/O	Warning	A	Auto, Opt & App	
E064_UserDumpSpacPct	% of space used on user dump device	Archive/Trace	15m	98%	Max	W/O	Critical	A & G	Auto, Opt & App	Dump
E065_CoreDumpSpacPct	% of space used on core dump device	Archive/Trace	15m	98%	Max	W/O	Critical	A & G	Auto, Opt & App	Dump
E066_AlertLogSize	Size in MB of alert log	Archive/Trace	1h	5mb	Max	W/O	Warning	A & G	Auto, Opt & App	Dump
E067_RBSegmntStatCnt	# of rollback segments not online	Rollbacks	5m	0.5	Max	W/O	Critical	A	Auto & App	
E068_RBSgmntShrnkCnt	# of rollback segment shrinks	Rollbacks	1h	0.5	Max	W/O	Major	A & G	Auto, Opt & App	Rollbacks
E069_RBSegWaitPctCnt	% of rollback segment waits to gets	Rollbacks	5m	0.5	Max	W/O	Minor	A & G	Auto, Opt & App	Rollbacks
E070_PQServrsBusyPct	% of parallel query servers busy	PQO	5m	60%	Max	W/O	Minor	A & G	Auto, Opt & App	PQO

Oracle Metric	Description	Area	Interval	Threshold	Min/Max	Reset	Severity	A or G	Rpt Access	Graph
E071_PQSrvHighwtrPct	% of parallel query servers busy highwatermark	PQO	5m	75%	Max	W/O	Major	A & G	Auto, Opt & App	PQO
E072_LogArchiveStartStatus	Status of log archive start	Archive/Status	1d	0.5%	Max	W/O	Warning	A	N/A	
E074_PQQueryRate	Rate of parallel queries initiated	PQO	5m	50/min	Max	W/O	Warning	A & G	Opt	PQO
E075_RcrsvCursrRatio	Ratio of recursive calls to cumulative opened cursors	Calls	5m	10	Max	W/O	Minor	A & G	Opt	Calls
E076_PQRangeScanPct	% of full table scans via rowid range scans compared to total full table scans.	PQO	5m	10%	Max	W/O	Warning	A & G	Opt	PQO
E077_DualExssRowStat	SYS.DUAL status	Errors	15m	1.5	Max	W/O	Critical	A	Auto & App	
E078_ObjectsInvalidCnt	# of invalid objects	Errors	15m	0.5	Max	W/O	Warning	A	Auto & App	
E079_DisbldTrigrsCnt	# of disabled triggers	Errors	15m	0.5	Max	W/O	Warning	A	Auto & App	
E080_DisbldCnstrtCnt	# of disabled constraints	Errors	15m	0.5	Max	W/O	Warning	A	Auto & App	

Oracle Metric	Description	Area	Interval	Threshold	Min/Max	Reset	Severity	A or G	Rpt Access	Graph
E081_SnapshotErrCnt	# of snapshot errors	Errors	15m	0.5	Max	W/O	Warning	A	Auto & App	
E082_SessHighWatrCnt	Maximum # of sessions since startup	Database Status	1h	500	Max	W/O	Warning	A & G	Opt	Session
E083_DbwrCkptrate	Rate of DBWR checkpoints	Check points	5m	3/ min	Max	W/O	Minor	A & G	Opt	Check-points
E085_TransactionPct	% of current transactions to configured	Transactions	5m	90%	Max	W/O	Minor	A & G	Opt	Limits
E087_ProcessPct	% of current processes to configured	Users	5m	90%	Max	W/O	Minor	A & G	Opt	Limits
E089_EnqueuePct	% of enqueues to configured	Performance	5m	90%	Max	W/O	Minor	A & G	Opt	Limits
E090_DsptchrBusyPct	% Busy (average) for all dispatchers	MTS	5m	50%	Max	W/O	Minor	A & G	Opt	MTS
E091_NumDsptchrClnts	# clients currently connected to all dispatchers	MTS	5m	200	Max	W/O	Warning	A & G	Auto, Opt & App	MTS
E092_ShrSrvrReqWtPct	% shared servers waiting for requests	MTS	5m	10%	Max	W/O	Minor	A & G	Auto, Opt & App	MTS

Oracle Metric	Description	Area	Interval	Threshold	Min/Max	Reset	Severity	A or G	Rpt Access	Graph
E093_SharedServerPct	% of busy to max shared server processes	MTS	5m	80%	Max	W/O	Minor	A & G	Auto, Opt & App	MTS
E094_SesUGAMemCurPct	Current percentage of shared pool allocated to UGA	MTS	5m	10%	Max	W/O	Minor	A & G	Auto, Opt & App	MTS
E095_SesUGAMemMaxPct	Maximum percentage of shared pool allocated to UGA	MTS	5m	10%	Max	W/O	Minor	A & G	Auto, Opt & App	MTS
E096_ShrdSrvHWMPct	% of highwater to max shared server processes	MTS	5m	90%	Max	W/O	Minor	A & G	Auto & App	MTS
E097_DisbldTblLckNum	# tables with table locks disabled	Locks	5m	20	Max	W/O	Warning	A	Auto, Opt & App	
E101_DiskReadsPerExec Ratio (301, Drill-down)	# SQL statement with high disk reads per execution	SQL Query	15m	5	Max	W/O	Warning	A	Auto & App	N/A
E102_SQLFetchesMax (302, Drill-down)	SQL statements with high fetches	SQL Query	15m	150	Max	W/O	Warning	A	Auto & App	N/A

Oracle Metric	Description	Area	Interval	Threshold	Min/Max	Reset	Severity	A or G	Rpt Access	Graph
E103_SQLScanRowsMax (303, Drill-down)	# SQL statements with long table scans	SQL Query	15m	5	Max	W/O	Warning	A	Auto & App	N/A
E104_SQLExecRateMax (304, Drill-down)	# SQL statements with high execution rate	SQL Query	15m	5	Max	W/O	Warning	A	Auto & App	N/A
E105_BufferGetsPerExec Ratio	# SQL statement with high buffer gets per execution	SQL Query	15m	5	Max	W/O	Warning	A	Auto & App	N/A
E106_SQLElapsedTimeMax (306, Drill-down)	SQL statement with high elapsed time per execution	SQL Query	15m	1	Max	W/O	Warning	A	Auto & App	N/A
E107_SQLCPUTimeMax (307, Drill-down)	# SQL statements with high CPU time per execution	SQL Query	15m	1	Max	W/O	Warning	A	Auto & App	N/A
E108_SQLFullTableScan Max (308, Drill-down)	# SQL statements performing full table scans	SQL Query	15m	100	Max	W/O	Warning	A	Auto & App	N/A
E109_SessionHardParses Max (309, Drill Down)	# sessions with high number of hard parses.	Sessions	15m	10	Max	W/O	Warning	A	Auto & App	N/A

Oracle Metric	Description	Area	Interval	Threshold	Min/Max	Reset	Severity	A or G	Rpt Access	Graph
E309_SessionHardParses Max (Drill-down)	# sessions with high number of hard parses.	Sessions	15m	10	Max	W/O	Warning	A	App	N/A
E110_SessionFreeBuffer WaitMax (310, Drill-down)	# sessions with high Free Buffer Waits	Sessions	15m	1	Max	W/O	Warning	A	Auto & App	N/A
E310_SessionFreeBuffer WaitMax (Drill-down)	# sessions with high Free Buffer Waits	Sessions	15m	1	Max	W/O	Warning	A	App	N/A
E111_SessionLatchFree WaitMax (311, Drill-down)	# sessions with high Latch Free Waits	Sessions	15m	1	Max	W/O	Warning	A	Auto & App	N/A
E311_SessionLatchFree WaitMax (Drill-down)	# sessions with high Latch Free Waits	Sessions	15m	1	Max	W/O	Warning	A	App	N/A
E112_SessionSuspended Max (312, Drill-down)	Sessions with high suspended time	Sessions	15m	1	Max	W/O	Warning	A	Auto & App	N/A
E312_SessionSuspended Max (Drill-down)	Sessions with high suspended time	Sessions	15m	1	Max	W/O	Warning	A	App	N/A

Oracle Metric	Description	Area	Interval	Threshold	Min/Max	Reset	Severity	A or G	Rpt Access	Graph
E121_GlobalCacheBlockCorruptMax	"# of blocks that encountered a corruption during interconnect.	RAC	1 hr	0.5	Max	W/O	Warning	A	Auto & App	N/A
E122_GlobalCacheBlockLostMax	"# of blocks that got lost during interconnect	RAC	1 hr	0.5	Max	W/O	Warning	A	Auto & App	N/A
E123_GlobalCacheBlockReadTime	Average time waited for consistent read per block	RAC	1 hr	15	Max	W/O	Warning	A	N/A	N/A
E124_GlobalCacheBlockConversionTime	"Average convert time for a block mode conversion[in milliseconds	RAC	1 hr	15	Max	W/O	Warning	A	N/A	N/A
E125_GlobalCacheBlockConversionTimedOutMax	Numbers of times lock converts in global cache timed out	RAC	1 hr	0.5	Max	W/O	Warning	A	Auto & App	N/A
E126_DGLogGapDetection	Number of hours archived files have not been sent to standby databases.	Data Guard	1 hr	0.5	Max	W/O	Warning	A	N/A	N/A

Oracle Metric	Description	Area	Interval	Threshold	Min/Max	Reset	Severity	A or G	Rpt Access	Graph
E127_DGStbyDestErr	Number of dataguard destinations that are getting errors or in an invalid state.	Data Guard	15m	0.5	Max	W/O	Critical	A	N/A	N/A
E128_DGLogsNotAppliedToStandbyDB	Number of hours the log files are not applied to standby databases	Data Guard	15m	0.5	Max	W/O	Major	A	N/A	N/A
E129_DGHrsSinceLastSQLApply	# number of hours last sql apply occurred on the logical standby databases	Data Guard	1 hr	1	Max	W/O	Warning	A	N/A	N/A
E130_DGHrsSinceArchLogsRecieved	# number of hours since the latest time stamp in the redo received on the logical standby databases	Data Guard	1 hr	1	Max	W/O	Warning	A	N/A	N/A
E131_GlobalCacheCurBlockRecTime	Number of current blocks received over last collection interval	RAC	1 hr	0.5	Max	W/O	Warning	A	N/A	N/A

Oracle Metric	Description	Area	Interval	Threshold	Min/Max	Reset	Severity	A or G	Rpt Access	Graph
E132_FileWithMaxTransferRate	Datafiles of cluster database with highest sum of rate of transfer for consistent read blocks as well as current blocks	RAC	1 hr	1000	Max	W/O	Warning	A	Auto & App	N/A
E133_DskGrpStatCnt	The # of non-mounted diskgroups	Database Status	15m	0.5	Max	W/O	Major	A	Auto & App	N/A
E334_DskGrpFreePct	Diskgroups with low free space	Space Management	15m	10%	Min	W/O	Major	A	N/A	N/A



Metric specification descriptions for graphable only metrics are not provided because most of the fields are not applicable.

Metric Specification Description

	Metric Specification Description
Metric Number	The identification number assigned to the metric All Oracle metrics are in the range 0000 to 0999. 0001 to 0199 : Standard Metrics 0201 to 0399 : Drill Down Metrics 0700 to 0799 : UDM Metrics
Name	The name assigned to the metric All Oracle metrics start with Exxx, where xxx is the last 3 digits of the metric number.
Severity	The severity of the metric (Critical, Major, Minor, Warning, Normal)
Description	What the metric means
Conditions	For example, Restricted Mode, Shutdown Mode
Favorites	Is the metric included in the DB-SPI Default metrics group? (Yes, No)
Alarming and/or Graphing Metric	Is the metric an alarming metric (A) or a graphing metric (G) or both (A & G)? (A, G, or A & G)
Collection Interval	How often is the metric collected and analyzed? (5 min, 15 min, 1 hour, 1 time daily)
Min/Max Threshold	Does the OVO threshold represent a Minimum or Maximum value?
Threshold	What is the default OVO threshold (if any)? (*=Threshold value is really 0, but OVO alarms occur at <= or >= values. Since a 0 value would trigger an alarm, the threshold is set to 0.5)
Reset (value)	What is the Reset (value) for this metric? (Without reset, With reset, Continuous)
Metric Parameter	What is the Metric Parameter (if any) set in the DB-SPI metric template command line? (This overrides the OVO Min/Max Threhold)
Metric Parameter Min/Max	If a Metric Parameter exists, does it represent a Minimum or Maximum value?
Message Text	What messages may be displayed for each Condition?
Instruction Text	Problem-solving information (Probable causes, Potential impact, Suggested actions, and Reports)

	Metric Specification Description (cont'd)
Report Type	<p>If a report is available, how is it generated? (Operator, Automatic, Application Bank, N/A)</p> <p>Note: All the reports that are automatic actions or operator actions are also in the Application Bank in OVO. However, metrics that are for graphing only (no alarms) don't have an OVO template for Operator or Auto actions, so they are ONLY in the Application Bank.</p> <p>N/A means that no report is planned.</p>
Area	<p>To what logical area (if any) does the metric belong? (Database Status, Space Management, Performance, Errors, Archive/Trace, Rollback Segments, PQO (Parallel Query Option), MTS (Multi-threaded Server), MISC)</p>
Subarea	<p>To what logical subarea (if any) does the metric belong? (Table Spaces, Segments, Sort, Buffer Cache, Shared Pool, Initialization limits, Redo, Checkpoints, Table and Indexes, General, Misc, Calls, Transactions)</p>

Metric E001_DbInstanceStat

Metric Number	1
Name	DbInstanceStat
Severity	Critical
Description	Database status
Conditions	This metric has three conditions: Cannot Connect Restricted Mode Shutdown Mode
Favorites Group	Yes
Alarming and/or Graphing Metric	A
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	Cannot Connect: 2.5 Restricted mode: 1.5 Shutdown mode: 0.5
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	<p>Cannot Connect: DBSPI-0001.3: DB-SPI cannot connect to database <i>DB_Name</i>, may be down; Oracle error [<\$OPTION(msg)>].</p> <p>Restricted Mode: DBSPI-0001.1: <i>DB_Name</i> is in restricted mode.</p> <p>Shutdown Mode: <i>DB_Name</i> has a shutdown pending.</p>

Metric Number	1 (cont'd)
Instruction Text	<p>Probable Cause: Not Connected: Database down. A connection to the database using the information in the local.cfg (created by executing DBSPI Config) failed. This could be caused by:</p> <p>Incorrect information in the DB-SPI configuration file (local.cfg). The information in this file is checked when configured but the administrator could have ignored the errors.</p> <ul style="list-style-type: none"> • The user id or password that is used to connect to the database has changed. • The HOME location of the database has changed • The database configured is no longer on the system • The database configured is not in proper running order. The database could have been shutdown for maintenance or this could represent another more serious, unplanned connection problem. <p>Suggested Action: Use the database name in the message to determine which database is failing and why. Restricted Mode:</p> <p>Probable cause: DBA has restricted access to the database or the database is in shutdown pending mode.</p> <p>Potential impact: Failure</p> <p>Suggested action: Investigate and restart database in non-restricted mode if appropriate. Shutdown Mode: None</p>
Report Type	N/A
Area/Subarea	Database Status

Metric E002_ProcessStatus

Metric Number	2
Name	ProcessStatus
Severity	Critical
Description	Database process check
Favorites Group	Yes
Alarming and/or Graphing Metric	A
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	0.5
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0002.1: The process <i>DB_Process</i> was not running for <i>DB_Name</i> .
Instruction Text	<p>Probable cause: The critical Oracle process indicated either aborted or was killed.</p> <p>Potential impact: Failure</p> <p>Suggested action: Database will probably already be shutdown. If not, shut down and restart depending on circumstances.</p>
Report Type	N/A
Area/Subarea	Database Status

Metric E003_TblSpaceFreeCnt

Metric Number	3
Name	TblSpaceFreeCnt
Severity	Major
Description	Number of table spaces with free extents low
Favorites Group	Yes
Alarming and/or Graphing Metric	A
Collection Interval	(*)
Min/Max Threshold	Maximum
Threshold	0.5
Reset (value)	Without Reset
Metric Parameter	1
Message Text	Free extents value for tablespace tablespace_name too low (<=threshold) for database_name.
Instruction Type	<p>Probable cause: One or more tablespaces have a free space percentage that is lower than the DB-SPI metric parameter. Tablespace needs additional datafile space allocated.</p> <p>Potential impact: Failure</p> <p>Suggested actions: Increase size of datafile allocated to tablespace (or set to autoextend) or add a new datafile. If raw disk is used, allocate additional devices.</p> <p>The automatic action report for this metric lists the total space currently allocated and the percentage of total free space to currently allocated space for all the tablespaces.</p> <p>The operator action for this metric generates a tablespace PerfView graph.</p>
Report Type	Automatic Action and Application Bank.

Metric E203_TableSpaceFree

Metric Number	203
Name	TableSpaceFree (drill-down)
Severity	Major
Description	Tablespaces with low free space;drill down
Collection Interval	15 min
Min/Max Threshold	Minimum
Threshold	1
Reset (value)	Without Reset
Metric Parameter	1
Message Text	DBSPI-0003.1: Free extents value for tablespace tablespace_name too low (<=threshold) for database_name.
Instruction Text	<p>Probable cause(s): A tablespace has less than or equal to X number of extents (where X is the OVO threshold) available before becoming full. Tablespace needs additional datafile space allocated.</p> <p>Potential impact: Failure</p> <p>Suggested action(s): Increase datafile size allocated to tablespace (or set to autoextend) or add a new datafile. If raw disk is used, allocate additional devices. The automatic action report for this metric lists information on extents used and free for all the tablespaces in the database.</p>
Report Type	Automatic

Metric E004_UsersTmpDfltCnt

Metric Number	4
Name	UsersTmpDfltCnt
Severity	Minor
Description	# of users with default tablespace set to SYSTEM
Favorites Group	Yes
Alarming and/or Graphing Metric	A
Collection Interval	1 hour
Min/Max Threshold	Maximum
Threshold	0.5 (*)
Reset (value)	Without reset
Metric Parameter	1
Message Text	DBSPI-004.1: <i>Metric_Value</i> users have default/temp tablespace of 'SYSTEM' in <i>DB_Name</i> .
Instruction Text	<p>Probable cause: Users other than 'SYS', 'SYSTEM', 'DBSMP', 'SCOTT', and any defined in a filter have a default or temporary tablespace set to 'SYSTEM'. Incorrect user setup or additional Oracle installed usernames present.</p> <p>Potential impact: Failure</p> <p>Suggested action: Alter temporary and/or default tablespace for users and relocate any resulting misplaced objects out of the SYSTEM tablespace (see DBSPI-E005). The automatic action report for this metric lists users with temporary or default tablespace set to SYSTEM tablespace.</p>
Report Type	Automatic Action report shows all tablespaces and extents left before being full. Application Bank.
Area/Subarea	Space Management/Misc

Metric E005_ObjctsForeignCnt

Metric Number	5
Name	ObjctsForeignCnt
Severity	Minor
Description	# of foreign objects in SYSTEM tablespace
Favorites Group	Yes
Alarming and/or Graphing Metric	A
Collection Interval	1 hour
Min/Max Threshold	Maximum
Threshold	0.5 (*)
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0005.1: <i>Metric_Value</i> foreign objects found in SYSTEM tablespace for <i>DB_Name</i> .
Instruction Text	<p>Probable cause: Objects in system tablespace are not owned by an Oracle installed username such as SYS, SYSTEM, DBSNMP, SCOTT, OUTLN, ORDSYS, MDSYS, AURORA\$ORB\$UNAUTHENTICATED, ORDPLUGINS, ADAMS, JONES, CLARK, BLAKE, AURORA\$JIS\$UTILITY\$, OSE\$HTTP\$ADMIN, ORDPLUGINS, MTSSYS, or those defined in a filter.</p> <p>Potential impact: Fragmentation and/or lack of space in system tablespace.</p> <p>Suggested action: Schedule a time to export, drop and recreate the object in a different tablespace. Note: Oracle installer might create objects in system tablespace not owned by one of the above usernames. Check to make sure the owner of the objects is not an Oracle-installed username. The automatic action report for this metric lists objects found in the SYSTEM tablespace that are not owned by the Oracle usernames SYS, SYSTEM, DBSNMP, SCOTT, OUTLN, ORDSYS, MDSYS, AURORA\$ORB\$UNAUTHENTICATED, ORDPLUGINS, ADAMS, JONES, CLARK, BLAKE, AURORA\$JIS\$UTILITY\$, OSE\$HTTP\$ADMIN, ORDPLUGINS, or MTSSYS.</p>
Report Type	Automatic & Application Bank
Area/Subarea	Space Management/Misc

Metric E006_TblSpFreePctCnt

Metric Number	6
Name	TblSpFreePctCnt
Severity	Major
Description	# of table spaces with low free space percentage
Favorites Group	No
Alarming and/or Graphing Metric	A & G
Collection Interval	(*)
Min/Max Threshold	Maximum
Threshold	0.5 (*)
Reset (value)	Without Reset
Metric Parameter	10%
Metric Parameter Min/Max	Minimum
Message Text	DBSPI-0006.1: <i>Metric_Value</i> tablespaces with free space percentage too low in <i>DB_Name</i> (\leq <i>Metric_Parameter%</i>), most serious is <i>Tablespace_Name</i> at <i>Most_Serious%</i> .
Instruction Text	<p>Probable cause: One or more tablespaces have a free space percentage that is lower than the DB-SPI metric parameter. Tablespace needs additional datafile space allocated.</p> <p>Potential impact: Failure</p> <p>Suggested actions: Increase size of datafile allocated to tablespace (or set to autoextend) or add a new datafile. If raw disk is used, allocate additional devices.</p> <p>The automatic action report for this metric lists the total space currently allocated and the percentage of total free space to currently allocated space for all the tablespaces.</p> <p>The operator action for this metric generates a tablespace PerfView graph.</p>
Report Type	Automatic, Operator Initiated & Application Bank
Area/Subarea	Space Management/Table Spaces

Metric E206_TblSpFreePctt

Metric Number	206
Name	TblSpFreePct
Severity	Major
Description	Tablespaces with low free space (drill down)
Favorites Group	No
Alarming and/or Graphing Metric	A
Collection Interval	(*)
Min/Max Threshold	Minimum
Threshold	10%
Reset (value)	Without Reset
Metric Parameter	10%
Message Text	DBSPI-0206.1: Free space percentage <i>Metric_Value</i> too low for <i>Tablespace_Name</i> in database <i>DB_Name</i> ($\backslash \leq \textit{Threshold_Value}$).
Instruction Text	<p>Probable cause: One or more tablespaces have a free space percentage that is lower than the DB-SPI metric parameter. Tablespace needs additional datafile space allocated.</p> <p>Potential impact: Failure</p> <p>Suggested actions: Increase size of datafile allocated to tablespace (or set to autoextend) or add a new datafile. If raw disk is used, allocate additional devices.</p> <p>The operator action report for this metric lists the total space currently allocated and the percentage of total free space to currently allocated space for all the tablespaces.</p> <p>The operator action for this metric generates a tablespace PerfView graph.</p>
Report Type	Operator Initiated
Area/Subarea	Space Management/Table Spaces

Metric E007_TblSpcStatusCnt

Metric Number	7
Name	TblSpcStatusCnt
Severity	Critical
Description	Number of tablespaces not ONLINE
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	0.5 (*)
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0007.1: <i>Metric_Value</i> tablespaces not ONLINE in <i>DB_Name</i> .
Instruction Text	<p>Probable cause: The DBA or an automatic database function has placed the tablespace in a status other than ONLINE.</p> <p>Potential impact: Failure</p> <p>Suggested action: Ensure tablespace in correct status (might need recovery). The automatic action report for this metric lists the status and default storage parameters for all the tablespaces. The operator action for the metric generates a tablespace PerfView graph.</p>
Report Type	Automatic, Operator Initiated & Application Bank
Area/Subarea	Space Management/Table Spaces

Metric E008_TSBReadRatioCnt

Metric Number	8
Name	TSBReadRatioCnt
Severity	Minor
Description	Number of table spaces with high ratio of block to physical reads
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	1 hour
Min/Max Threshold	Maximum
Threshold	0.5 (*)
Reset (value)	Without Reset
Metric Parameter	10
Metric Parameter Min/Max	Maximum
Message Text	DBSPI-0008.1: <i>Metric_Value</i> tablespaces with blocks read to physical reads too high in <i>DB_Name</i> (\geq <i>Metric_Parameter</i>), most serious is <i>Tablespace_Name</i> at <i>Most_Serious</i> .
Instruction Text	<p>Probable cause: The ratio of blocks read to physical reads is higher than the DB-SPI metric parameter for one or more tablespaces. Full table scans on tables in tablespace.</p> <p>Potential impact: Performance</p> <p>Suggested actions: Load-balance I/O across devices, check for missing indexes and/or tune SQL statements that result in full table scans. The automatic action report for this metric lists important values for all tablespaces in the database.</p>
Report Type	Automatic, Operator Initiated & Application Bank
Area/Subarea	Space Management/Table Spaces

Metric E009_TSTmpExntPctCnt

Metric Number	9
Name	TSTmpExntPctCnt
Severity	Minor
Description	# of tablespaces with high use of temp segments to total
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	1 hour
Min/Max Threshold	Maximum
Threshold	0.5 (*)
Reset (value)	Without reset
Metric Parameter	20%
Metric Parameter Min/Max	Minimum
Message Text	DBSPI-0009.1: <i>Metric_Value</i> tablespaces with high use of TEMPORARY segments to tablespace total in <i>DBname</i> (\leq <i>Metric_Parameter%</i>), most serious is <i>Tablespace_Name</i> at <i>Most_Serious%</i> .

Metric Number	9 (cont'd)
Instruction Text	<p>Probable causes: One or more tablespaces containing TEMPORARY segments that use a higher Percentage of total tablespace than defined in the DB-SPI metric parameter. Disk sorts high, dedicated temporary tablespace allocation low. If the percentage is greater than zero in a tablespace not intended for use as a temporary tablespace, check DBSPI-E004 to ensure users have correct temporary and default tablespaces allocated. Note, SQL*Loader, SQL Alter Index Rebuild and certain other operations might create temporary segments in tablespaces not specified in the temporary tablespace specification in the system table dba_users.</p> <p>Potential impact: Performance</p> <p>Suggested actions: Increase dedicated temporary tablespace allocation, reduce disk sorts (see initialization parameter SORT_AREA_SIZE), issue SQL alter user if temporary segments being created in unintended tablespace. The automatic action report for this metric shows percentage of each tablespace devoted to TEMPORARY segments.</p>
Report Type	Automatic, Operator Initiated & Application Bank
Area/Subarea	Space Management/Table Spaces

Metric E011_TblSpcFrgmntCnt

Metric Number	11
Name	TblSpcFrgmntCnt
Severity	Minor
Description	# of fragmented tablespaces
Favorites Group	No
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	0.5 (*)
Reset (value)	Without reset
Metric Parameter	50
Metric Parameter Min/Max	Maximum
Message Text	DBSPI-0011.1: <i>Metric_Value</i> fragmented tablespaces in <i>DB_Name</i> , most serious is <i>Tablespace_Name</i> at <i>Most_Serious</i> fragments.
Instruction Text	<p>Probable cause: One or more tablespaces have fragmented free space worse then the value specified in the metric parameter. Fragmentation</p> <p>Potential impact: Performance</p> <p>Suggested action: Issue SQL 'Alter tablespace xx coalesce', increase default PCTINCREASE in tablespace storage clause if zero (PCTINCREASE = 1 recommended) to cause SMON to automatically coalesce tablespaces. The automatic action report generates a list of all tablespaces and the number of fragments in each tablespace. The operator action for the metric generates a tablespace PerfView graph.</p>
Report Type	Automatic, Operator Initiated & Application Bank
Area/Subarea	Space Management/Table Spaces

Metric E014_DataFSatusCnt

Metric Number	14
Name	DataFStatusCnt
Severity	Critical
Description	Number of datafiles not ONLINE
Favorites Group	Yes
Alarming and/or Graphing Metric	A
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	0.5 (*)
Reset (value)	Without reset
Metric Parameter	50
Message Text	DBSPI-0014.1: <\$VALUE> datafiles not ONLINE in <\$OPTION(dbname)>.
Instruction Text	<p>Probable cause(s): The DBA or an automatic database function has placed the datafile in a status other than ONLINE.</p> <p>Potential impact: Failure</p> <p>Suggested action(s): Ensure datafile in correct status (might need recovery). The automatic action report for this metric lists the status for datafiles that are not ONLINE. The operator action for the metric generates a tablespace graph.</p>
Report Type	Automatic, Operator Initiated and Application Bank
Area/Subarea	Space

Metric E016_SegmntExtendCnt

Metric Number	16
Name	SegmntExtendCnt
Severity	Critical
Description	# of segments that cannot extend
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	15 min
Min/Max Threshold	Maximum
Threshold	0.5 (*)
Reset (value)	Without reset
Metric Parameter	1
Message Text	DBSPI-0016.1 <i>Metric_Value</i> segments will not be able to extend in database <i>DB_Name</i> .
Instruction Text	<p>Probable causes: One or more contiguous segments have the potential of not being able to extend (grow). Value of NEXT, PCTINCREASE in storage clause needs adjustment, or tablespace needs additional space.</p> <p>Potential impact: Failure</p> <p>Suggested actions: Change object's storage clause to modify NEXT and possibly PCTINCREASE in storage clause. Resize datafile(s) or set to autoextend, or add new datafile(s). The automatic action report for this metric lists segments that cannot extend. The operator action for this metric generates a tablespace PerfView graph.</p>
Report Type	Automatic, Operator Initiated & Application Bank
Area/Subarea	Space Management/Segments

Metric E216_SegmntExtendCnt

Metric Number	216
Name	SegmntExtendCnt
Severity	Critical
Description	Drill down data for # of segments that cannot extend
Favorites Group	No
Alarming and/or Graphing Metric	A
Collection Interval	(*)
Min/Max Threshold	Minimum
Threshold	100
Reset (value)	Without reset
Metric Parameter	1
Message Text	DBSPI-0216.1: <i>Metric_Value</i> segments will not be able to extend in database <i>DB_Name</i> .
Instruction Text	<p>Probable causes: The reported segment has the potential of not being able to extend (grow). Value of NEXT, PCTINCREASE in storage clause needs adjustment, or tablespace needs additional space.</p> <p>Potential impact: Failure</p> <p>Suggested actions: Change object's storage clause to modify NEXT and possibly PCTINCREASE in storage clause. Resize datafile(s) or set to autoextend, or add new datafile(s). The operator action for this metric generates a tablespace PerfView graph.</p>
Report Type	Operator Initiated
Area/Subarea	Space Management/Segments

Metric E017_SegMaxExtentCnt

Metric Number	17
Name	SegMaxExtentCnt
Severity	Major
Description	# of segments approaching max extent
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	15 min
Min/Max Threshold	Maximum
Threshold	0.5 (*)
Reset (value)	Without reset
Metric Parameter	80%
Metric Parameter Min/Max	Maximum
Message Text	DBSPI-0017.1: <i>Metric_Value</i> segments are approaching maximum extents allowed in <i>DB_Name</i> .
Instruction Text	<p>Probable causes: The size of one or more segments is approaching the percentage specified in the DB-SPI metric parameter. NEXT, MAXEXTENTS and/or PCTINCREASE in storage clause need adjustment.</p> <p>Potential impact: Failure</p> <p>Suggested actions: Change NEXT, MAXEXTENTS and/or PCTINCREASE in storage clause (if possible) to avoid failure while awaiting table export and reimport. The automatic action report for this metric lists segments where the size of one or more segments is approaching the percentage specified in the DB-SPI metric parameter. The operator action for this metric generates a tablespace PerfView graph.</p>
Report Type	Automatic, Operator Initiated & Application Bank
Area/Subarea	Space Management/Segments

Metric E217_SegMaxExtentCnt

Metric Number	217
Name	SegMaxExtentCnt
Severity	Major
Description	Drill down data for # of segments approaching max extent
Favorites Group	No
Alarming and/or Graphing Metric	A
Collection Interval	(*)
Min/Max Threshold	Maximum
Threshold	80%
Reset (value)	Without reset
Metric Parameter	80%
Metric Parameter Min/Max	Maximum
Message Text	DBSPI-0217.1: Extents to maximum extents percentage <i>Metric_Value</i> too high for <i>VALUE</i> segments in database <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable causes: The size of the reported segment is approaching the extent to max extents percentage configured in the condition threshold. NEXT, MAXEXTENTS and/or PCTINCREASE in storage clause need adjustment.</p> <p>Potential impact: Failure</p> <p>Suggested actions: Change NEXT, MAXEXTENTS and/or PCTINCREASE in storage clause (if possible) to avoid failure while awaiting table export and reimport. The operator action for this metric generates a tablespace PerfView graph.</p>
Report Type	Operator Initiated
Area/Subarea	Space Management/Segments

Metric E018_SegExtRapidCnt

Metric Number	18
Name	SegExtRapidCnt
Severity	Major
Description	# of segments adding extents rapidly
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	15 min
Min/Max Threshold	Maximum
Threshold	0.5 (*)
Reset (value)	Without reset
Metric Parameter	95%
Metric Parameter Min/Max	Maximum
Message Text	DBSPI-0018.1: <i>Metric_Value</i> segments are growing rapidly in <i>DB_Name</i> (\geq <i>Metric_Parameter</i> %/hour). Most serious is <i>Most_Serious</i> %/hour.
Instruction Text	<p>Probable causes: One or more segments are growing at a rate that is higher than the DB-SPI metric parameter. This metric determines which segments will run out of available space within 1 hour if the growth rate during the current interval (default is 15 minutes) continues. NEXT and/or PCTINCREASE in storage clause is set incorrectly and/or heavy data load is taking place.</p> <p>Potential impact: Failure</p> <p>Suggested actions: Increase NEXT in storage clause. Set PCTINCREASE in storage clause to zero. The automatic action report for this metric lists segments that are growing rapidly. The operator action for this metric generates a tablespace PerfView graph.</p>
Report Type	Automatic, Operator Initiated & Application Bank
Area/Subarea	Space Management/Segments

Metric E218_SegExtRapidCnt

Metric Number	218
Name	Number of segments adding extents rapidly; drill down (E218_SegExtRapidCnt)
Severity	Major
Description	Drill down data for # of segments adding extents rapidly
Favorites Group	No
Alarming and/or Graphing Metric	A
Collection Interval	(*)
Min/Max Threshold	Maximum
Threshold	95
Reset (value)	Without reset
Metric Parameter	95%
Metric Parameter Min/Max	Maximum
Message Text	DBSPI-0218.1: Segment <\$OPTION(segment_name)> is growing rapidly in <\$OPTION(dbname)>. Capacity will reach <\$VALUE>% in one hour (>=<\$THRESHOLD>).
Instruction Text	<p>Probable cause(s): The reported segment is growing rapidly. At the current growth rate (based on samples performed in previous and current polling interval), the capacity of the segment will reach the reported value in one hour. Please note that this is a projection and capacity values greater than 100% can occur. NEXT and/or PCTINCREASE in storage clause is set incorrectly and/or heavy data load is taking place.</p> <p>Potential impact: Failure</p> <p>Suggested action(s): Increase NEXT in storage clause. Set PCTINCREASE in storage clause to zero. The operator action for this metric generates a metric 18 report showing rapidly growing segments (only applicable if metric 18 is run along with metric 218).</p>
Report Type	Operator Initiated
Area/Subarea	Space Management/Segments

Metric E019_SortDiskRate

Metric Number	19
Name	SortDiskRate
Severity	Minor
Description	Disk sort rate
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	1 hour
Min/Max Threshold	Maximum
Threshold	25/hour
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0019.1: Disk sort rate (<i>Metric_Value</i> /hour) is too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i> /hour).
Instruction Text	<p>Probable cause: There are too many sorts occurring on disk as opposed to in memory. Initialization parameter SORT_AREA_SIZE configured too low.</p> <p>Potential impact: Performance</p> <p>Suggested action: Increase initialization parameter SORT_AREA_SIZE if shared memory allows.</p>
Report Type	Operator Initiated
Area/Subarea	Performance/Sort

Metric E020_SortMemoryPct

Metric Number	20
Name	SortMemoryPct
Severity	Minor Warning
Description	% of memory sorts
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Minimum
Threshold	For Minor severity: 85% For Warning severity: 95%
Reset (value)	For Minor severity: With reset 90% For Warning severity: With reset 98%
Metric Parameter	N/A
Message Text	DBSPI-0020.1: Sorts in memory percentage (<i>Metric_Value</i>) too low for <i>DB_Name</i> (\leq <i>Threshold_Value</i>).
Instruction Text	Probable cause: The total percentage of sorts in memory is too low. Too many sorts are occurring on disk. Initialization parameter SORT_AREA_SIZE low. Potential impact: Performance Suggested action: Increase initialization parameter SORT_AREA_SIZE if shared memory allows.
Report Type	Operator Initiated
Area/Subarea	Performance/Sort

Metric E021_BufferBusyPct

Metric Number	21
Name	BufferBusyPct
Severity	Minor
Description	% of buffer busy waits to logical reads
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	3%
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0021.1: Buffer busy percentage (<i>Metric_Value</i>) too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable cause: The percentage of buffer busy waits to logical reads is too high.Freelist or rollback segment contention.</p> <p>Potential impact: Performance</p> <p>Suggested action: If rollback segment metrics show no contention, cause is probably table freelist. Increase freelist on selected tables (see metric DBSPI-E024).</p>
Report Type	Operator Initiated
Area/Subarea	Cache

Metric E022_TotBufCacHitPct

Metric Number	22
Name	TotBufCacHitPct
Severity	Minor Warning
Description	Total buffer cache hit %
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Minimum
Threshold	70% for 16m 90% for 16m
Reset (value)	75% 95%
Message Group	Ora_Perf
Message Text	DBSPI-0022.1: Total buffer cache hit percentage (<i>Metric_Value</i>) too low for <i>DB_Name</i> (\leq <i>Threshold_Value</i>).
Instruction Text	Probable cause: The percentage of buffer cache reads to physical reads since the database was started is lower than the OVO set threshold. Initialization parameter DB_BLOCK_BUFFERS set too low. Potential impact: Performance Suggested action: Increase initialization parameter DB_BLOCK_BUFFERS if shared memory allows.
Report Type	Operator Initiated
Area/Subarea	Performance/Buffer cache

Metric E023_CurBufCacHitPct

Metric Number	23
Name	CurBufCacHitPct
Severity	Minor Warning
Description	Current buffer cache hit %
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Minimum
Threshold	60% for 16m 70% for 16m
Reset (value)	For Minor severity: With reset 65% For Warning severity: With reset 75%
Message Group	Ora_Perf
Message Text	DBSPI-0023.1: Current buffer cache hit percentage (<i>Metric_Value</i>) too low for <i>DB_Name</i> (<= <i>Threshold_Value</i>).
Instruction Text	Probable cause: The current percentage of buffer cache reads to physical reads is lower than the OVO set threshold. Initialization parameter DB_BLOCK_BUFFERS set too low. Potential impact: Performance Suggested action: Increase initialization parameter DB_BLOCK_BUFFERS if shared memory allows.
Report Type	Operator Initiated
Area/Subarea	Performance/Buffer cache

Metric E024_EQWaitsReqPct

Metric Number	24
Name	EQWaitsReqPct
Severity	Minor
Description	% of enqueue waits to enqueue requests
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	1% for 11m
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0024.1: Enqueue waits to requests percentage (<i>Metric_Value</i>) too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable cause: The percentage of enqueue waits to enqueue requests is higher than the OVO set threshold. Initialization parameter ENQUEUE_RESOURCES too low</p> <p>Potential impact: Performance</p> <p>Suggested action: Increase initialization parameter ENQUEUE_RESOURCES</p>
Report Type	Operator Initiated
Area/Subarea	Cache

Metric E026_DictCacheHitPct

Metric Number	26
Name	DictCacheHitPct
Severity	Minor
Description	% of cache get misses to gets in dictionary cache
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	15%
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0026.1: Dictionary cache hit percentage (<i>Metric_Value</i>) too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable cause: The percentage of cache getmisses to gets in dictionary cache is lower than the OVO set threshold. Shared Pool too small.</p> <p>Potential impact: Performance</p> <p>Suggested action: Increase initialization parameter SHARED_POOL_SIZE if system shared memory and semaphore allocation allows.</p>
Report Type	Operator Initiated
Area/Subarea	Performance/Shared Pool

Metric E027_LibCachRelodPct

Metric Number	27
Name	LibCachRelodPct
Severity	Minor
Description	% of library cache misses to executions
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	2%
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0027.1: Library cache reload percentage (<i>Metric_Value</i>) too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable cause: The percentage of cache misses (reloads) to executions (pins) in the dictionary cache is lower than the OVO set threshold. Shared Pool too small.</p> <p>Potential impact: Performance</p> <p>Suggested action: Increase initialization parameter SHARED_POOL_SIZE if system shared memory and semaphore allocation allows.</p>
Report Type	Operator Initiated
Area/Subarea	Performance/Shared Pool

Metric E028_LocksUsedPct

Metric Number	28
Name	LocksUsedPct
Severity	Minor
Description	% of DML locks used to total configured
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	75%
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0028.1: DML locks used percentage (<i>Metric_Value</i>) too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable cause: The percentage of DML locks used to total configured is higher than the OVO set threshold. Initialization parameter DML_LOCKS set too low.</p> <p>Potential impact: Performance</p> <p>Suggested action: Increase initialization parameter DML_LOCKS.</p>
Report Type	Operator Initiated
Area/Subarea	Locks

Metric E029_SessWaitLckCnt

Metric Number	29
Name	SessWaitLckCnt
Severity	Minor
Description	Number of sessions waiting for release of a lock
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	0.5
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	N/A

Metric Number	29 (cont'd)
Instruction Text	<p>Probable Cause(s): The number of sessions waiting for release of a lock is higher than the OVO set threshold.</p> <p>Contention between processes for the same database object.</p> <p>Potential Impact: Performance</p> <p>Suggested Action(s): Look at the automatic action report which shows who holds the lock, the object and who is waiting. From this report, determine if the applications that is holding the lock should be rewritten or if this is a normal condition.</p> <p>The automatic action for this metric shows a report with the following information:</p> <p>WAIT_SID: Waiting Session ID</p> <p>LOCK: Type of lock</p> <p>WAIT_OS_USER: Waiting OS user</p> <p>WAIT_USERNAME: Waiting Oracle user</p> <p>WAIT_TIME: Waiting time</p> <p>HOLD_SID: Blocking Session ID</p> <p>HOLD_OS_USER: Blocking OS user</p> <p>HOLD_USERNAME: Blocking Oracle user</p> <p>LOCK_TYPE: Lock mode in which the blocking session holds the lock</p> <p>HOLD_TIME: Blocking time - the time since holding current lock mode was granted.</p> <p>KILL_STRING: Kill string - the string can be used in 'ALTER SYSTEM KILL SESSION <&Kill string>' to kill the blocking session.</p> <p>The operator action for this metric generates a waits graph.</p>
Report Type	Operator Initiated, Automatic & Application Bank
Area/Subarea	Locks

Metric E030_FullTblScnRate

Metric Number	30
Name	FullTblScnRate
Severity	Warning
Description	Rate at which full table scans (long tables) occur
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	1000
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	N/A
Instruction Text	<p>Probable Cause(s): The full table scan rate (long table scans per minute) is higher than the OVO set threshold. Tables without proper indexing</p> <p>Potential Impact: Performance</p> <p>Suggested Action(s): Add appropriate indexes to tables. The operator action for this metric generates a tableindex graph.</p>
Report Type	Operator Initiated
Area/Subarea	Performance/Table and Indexes

Metric E031_OpenCrsrPctCnt

Metric Number	31
Name	OpenCrsrPctCnt
Severity	Minor
Description	Number of users with % of open cursors to maximum configured
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	0.5 (*)
Reset (value)	Without reset
Metric Parameter	95%
Metric Parameter Min/Max	Maximum
Message Text	DBSPI-0031.1: <i>Metric_Value</i> users approaching maximum configured cursors for <i>DB_Name</i> (<i>Metric_Parameter%</i> of max). Most serious is <i>UserName</i> at <i>Most_Serious%</i> hour.
Instruction Text	<p>Probable cause: The number of open cursors for one or more sessions is approaching the maximum number of cursors per session limit set by initialization parameter OPEN_CURSORS. Initialization parameter OPEN_CURSORS is set too low.</p> <p>Potential impact: Failure</p> <p>Suggested action: Increase initialization parameter OPEN_CURSORS. The automatic action report for this metric will show all users and the number of cursors used by each.</p>
Report Type	Automatic, Operator Initiated & Application Bank
Area/Subarea	Errors/Initialization limits

Metric E032_RedoLgSpcReqCnt

Metric Number	32
Name	RedoLgSpcReqCnt
Severity	Minor
Description	# of waits for redo log space
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	20
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0032.1: Redo log buffer space request count (<i>Metric_Value</i>) too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable cause: The number of waits for redo log buffer space is higher than the OVO set threshold. The initialization parameter LOG_BUFFER is too low, checkpointing or archiving too slow.</p> <p>Potential impact: Performance</p> <p>Suggested action: Increase initialization parameter LOG_BUFFER (specified in bytes, multiple of database block size).</p>
Report Type	Operator Initiated
Area/Subarea	Performance/Redo

Metric E033_RedoAlocLtchPct

Metric Number	33
Name	RedoAlocLtchPct
Severity	Minor
Description	% of redo allocation latch misses
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	1%
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0033.1: Redo allocation latch percentage (<i>Metric_Value</i>) too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable cause: The percentage of misses to gets OR immediate misses to immediate gets on the redo allocation latch is higher than the OVO set threshold. Redo contention</p> <p>Potential impact: Performance</p> <p>Suggested actions: To reduce contention for the redo allocation latch, you should minimize the time that any single process holds the latch. To reduce this time, reduce copying on the redo allocation latch. Decreasing the value of the initialization parameter LOG_SMALL_ENTRY_MAX_SIZE reduces the number and size of redo entries copied on the redo allocation latch.</p>
Report Type	Operator Initiated
Area/Subarea	Performance/Redo

Metric E034_RedoCopyLtchPct

Metric Number	34
Name	RedoCopyLtchPct
Severity	Minor
Description	% of redo copy latch misses
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	1%
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0034.1: Redo copy latch percentage (<i>Metric_Value</i>) too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable cause: The percentage of misses to gets OR immediate misses to immediate gets on the redo copy latch is higher than the OVO set threshold. Redo contention</p> <p>Potential impact: Performance</p> <p>Suggested actions: On multiple-CPU computers, multiple redo copy latches allow multiple processes to copy entries to the redo log buffer concurrently. The default value of initialization parameter LOG_SIMULTANEOUS_COPIES is the number of CPUs available to your Oracle instance. If you observe contention for redo copy latches, add more latches. To increase the number of redo copy latches, increase the value of LOG_SIMULTANEOUS_COPIES. It can help to have up to twice as many redo copy latches as CPUs available to your Oracle instance.</p>
Report Type	Operator Initiated
Area/Subarea	Performance/Redo

Metric E035_BckgndCkptRate

Metric Number	35
Name	BckgndCkptRate
Severity	Minor
Description	Rate of background checkpoints completed
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	.5/min
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0035.1: Background checkpoint rate (<i>Metric_Value</i> /minute) too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i> /minute).
Instruction Text	<p>Probable cause: The rate at which background checkpoints have completed is higher than the OVO set threshold. Setting of initialization parameter LOG_CHECKPOINT_INTERVAL too low.</p> <p>Potential impact: Performance</p> <p>Suggested actions: Set the value of the initialization parameter LOG_CHECKPOINT_INTERVAL larger than the size of the largest redo log file. Set the value of the initialization parameter LOG_CHECKPOINT_TIMEOUT to 0. This value eliminates time-based checkpoints. Set initialization parameter CHECKPOINT_PROCESS to true to cause a separate background process to be created to update data file headers instead of the lgwr process.</p>
Report Type	Operator Initiated
Area/Subarea	Performance/Checkpoints

Metric E037_UserLogonCnt

Metric Number	37
Name	UserLogonCnt
Severity	Minor
Description	Number of current user logons
Favorites Group	No
Alarming and/or Graphing Metric	G
Collection Interval	5 min
Min/Max Threshold	N/A
Threshold	N/A
Reset (value)	N/A
Metric Parameter	N/A
Metric Parameter Min/Max	N/A
Message Text	N/A
Instruction Text	N/A
Report Type	Application Bank
Area/Subarea	Users

Metric E038_LtchOvrLimitCnt

Metric Number	38
Name	LtchOvrLimitCnt
Severity	Minor
Description	Number of latches with high contention ratio > threshold
Favorites Group	No
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	0.5 (*)
Reset (value)	Without Reset
Metric Parameter	2%
Metric Parameter Min/Max	Maximum
Message Text	DBSPI-0038.1: <i>Metric_Value</i> latches with contention percentage too high for <i>DB_Name(>=Metric_Parameter%)</i> .
Instruction Text	<p>Probable cause: There are latches with a contention percentage (misses to gets) that is higher than the set DB-SPI metric parameter. Contention</p> <p>Potential impact: Performance</p> <p>Suggested actions: Review latch ratios that are exceeding threshold and isolate for further investigation. The automatic action report for this metric lists those latches where ratio of misses to gets exceeds specified ratio.</p>
Report Type	Automatic, Operator Initiated & Application Bank
Area/Subarea	Performance/General

Metric E039_LibCacGetHitPct

Metric Number	39
Name	LibCacGetHitPct
Severity	Minor
Description	% of gethits to gets in dictionary cache
Favorites Group	No
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Minimum
Threshold	95%
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0039.1: Library cache gethits percentage (<i>Metric_Value</i>) too low for <i>DB_Name</i> (\leq <i>Threshold_Value</i>).
Instruction Text	<p>Probable cause: The percentage of gethits to gets in dictionary cache is lower than set OVO threshold. It may be common for this metric to alarm immediately after a database is started (or restarted) because the cache has not been filled yet. Shared Pool too small.</p> <p>Potential impact: Performance</p> <p>Suggested action: Increase initialization parameter SHARED_POOL_SIZE if system shared memory and semaphore allocation allows.</p>
Report Type	Operator Initiated
Area/Subarea	Performance/Shared Pool

Metric E040_LibCacPinHitPct

Metric Number	40
Name	LibCacPinHitPct
Severity	Minor
Description	% of pinhits to pins in dictionary cache
Favorites Group	No
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Minimum
Threshold	95%
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0040.1: Library cache pinhits percentage (<i>Metric_Value</i>) too low for <i>DB_Name</i> (\leq <i>Threshold_Value</i>).
Instruction Text	<p>Probable cause: The percentage of pinhits to gets in dictionary cache is lower than set OVO threshold. Shared Pool too small.</p> <p>Potential impact: Performance</p> <p>Suggested action: Increase initialization parameter SHARED_POOL_SIZE if system shared memory and semaphore allocation allows.</p>
Report Type	Operator Initiated
Area/Subarea	Performance/Shared Pool

Metric E042_UnlyzTblIndxPct

Metric Number	42
Name	UnlyzTblIndxPct
Severity	Minor
Description	% of never analyzed tables and indexes
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	Once daily
Min/Max Threshold	Maximum
Threshold	0.01
Reset (value)	Without reset

Metric Number	42 (cont'd)
Filters	<p>To collect metric data on specific Oracle tables and/or index, you can add any of the filter clauses below to the Database SPI configuration file. However, remember to first <i>change the configuration file version to #4</i>.</p> <p>Use metric condition 42.10 to filter metric monitoring to <i>include</i> specific Oracle tables only (whose names you enter in the filter clause). Metric filter clause syntax: <pre>FILTER 42.10 "'TABLE_NAME_A', 'TABLE_NAME_B' "</pre> </p> <p>Use metric condition 42.20 to filter metric monitoring to <i>exclude</i> specific Oracle tables (whose names you enter in the filter clause). Metric filter clause syntax: <pre>FILTER 42.20 "'TABLE_NAME_C', 'TABLE_NAME_D' "</pre> </p> <p>Use metric condition 42.30 to filter metric monitoring to <i>include</i> only specific Oracle indexes (whose names you enter in the filter clause). Metric filter clause syntax: <pre>FILTER 42.30 "'INDEX_NAME_A', 'INDEX_NAME_B' "</pre> </p> <p>Use metric condition 42.30 to filter metric monitoring to <i>include</i> only specific Oracle indexes (whose names you enter in the filter clause). Metric filter clause syntax: <pre>FILTER 42.30 "'INDEX_NAME_A', 'INDEX_NAME_B' "</pre> </p> <p>Use metric condition 42.40 to filter metric monitoring to <i>exclude</i> only specific Oracle indexes (whose names you enter in the filter clause). Metric filter clause syntax: <pre>FILTER 42.40 "'INDEX_NAME_A', 'INDEX_NAME_B' "</pre> </p>
Metric Parameter	The number of days since the object was last analyzed
Metric Parameter Min/Max	N/A
Message Text	DBSPI-0042.1: Unanalyzed tables & indexes percentage (<i>Metric_Value</i>) too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable cause: The percentage of tables and indexes that have never been analyzed is higher than the OVO set threshold (not owned by SYS, SYSTEM, SCOTT & DBSNMP). No analyze executed.</p> <p>Potential impact: Performance for cost based optimizer and for hints.</p> <p>Suggested action: Analyze tables and indexes. The automatic action report for this metric lists tables that have never been analyzed.</p>

Metric Number	42 (cont'd)
Report Type	Automatic, Operator Initiated & Application Bank
Area/Subarea	Performance/Table and Indexes

Metric E043_EQTimeoutReqPct

Metric Number	43
Name	EQTimeoutReqPct
Severity	Minor
Description	% of enqueue timeouts to enqueue requests
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	1%
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0043.1: Enqueue timeouts to requests percentage (<i>Metric_Value</i>) too low for <i>DB_Name</i> (\leq <i>Threshold_Value</i>).
Instruction Text	<p>Probable cause: The percentage of enqueue timeouts to enqueue requests is higher than set OVO threshold. Contention</p> <p>Potential impact: Performance</p> <p>Suggested action: Investigate contention area using sys\$wait tables.</p>
Report Type	Operator Initiated
Area/Subarea	Performance/General

Metric E045_ShrdPoolFreePct

Metric Number	45
Name	ShrdPoolFreePct
Severity	Major Warning
Description	% of free pool memory
Favorites Group	No
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Minimum
Threshold	For Major severity: 1% For Warning severity: 5%
Reset (value)	For Major severity: With reset 3% For Warning severity: With reset 8%
Metric Parameter	N/A
Message Text	DBSPI-0045.1: Shared pool memory free percentage (<i>Metric_Value</i>) too low for <i>DB_Name</i> (<= <i>Threshold_Value</i>).
Instruction Text	Probable cause: The percentage of free memory to total shared pool memory is lower than the OVO set threshold. Shared Pool too small. Potential impact: Performance Suggested action: Increase initialization parameter SHARED_POOL_SIZE if system shared memory and semaphore allocation allows. The automatic action report for this metric lists the detail usage of shared pool.
Report Type	Automatic, Operator Initiated & Application Bank
Area/Subarea	Performance/Shared Pool

Metric E046_RowFetcByIdxPct

Metric Number	46
Name	RowFetcByIdxPct
Severity	Major Warning
Description	% rows fetched by index
Favorites Group	No
Alarming and/or Graphing Metric	A & G
Collection Interval	1 hour
Min/Max Threshold	Minimum
Threshold	For Major severity: 50% For Warning severity: 75%
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0046.1: Rows fetched by index percentage (<i>Metric_Value</i>) too low for <i>DB_Name</i> (\leq <i>Threshold_Value</i>).
Instruction Text	Probable causes: The percentage of rows fetched by index to total rows fetched is lower than the OVO set threshold. Missing or unanalyzed indexes, badly tuned SQL. Potential impact: Performance Suggested actions: Add indexes, analyze tables and indexes if cost-based optimizer or hints used; tune SQL if possible.
Report Type	Operator Initiated
Area/Subarea	Performance/Table and Indexes

Metric E048_ChandRowFtchPct

Metric Number	48
Name	ChandRowFtchPct
Severity	Minor
Description	% of chained rows fetched
Favorites Group	No
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	10%
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0048.1: Chained rows fetched percentage (<i>Metric_Value</i>) too low for <i>DB_Name</i> (\leq <i>Threshold_Value</i>).
Instruction Text	<p>Probable causes: The percentage of chained rows fetched to total is higher than OVO set threshold. Table data block space usage parameters PCTFREE, PCTUSED need adjustment; table(s) need reorganization.</p> <p>Potential impact: Performance</p> <p>Suggested actions: Adjust data block space usage parameters PCTFREE, PCTFREE to affect future storage. To remedy current row chaining, reorganize tables with higher percentages of chained rows.</p>
Report Type	Operator Initiated
Area/Subarea	PerformanceTable and Indexes

Metric E050_RcsvUsrCalRatio

Metric Number	50
Name	RcsvUsrCalRatio
Severity	Minor
Description	Ratio of recursive calls to user calls
Favorites Group	No
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	15
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0050.1: Recursive calls to user calls ratio (<i>Metric_Value</i>) too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable causes: The ratio of recursive calls to user calls is higher than the OVO set threshold. Triggers, PL/SQL executions, dynamic space extension.</p> <p>Potential impact: Performance</p> <p>Suggested action: Review space management for tables, indexes and rollback segments.</p>
Report Type	Operator Initiated
Area/Subarea	Performance/Calls

Metric E052_SortTotalRate

Metric Number	52
Name	SortTotalRate
Severity	Minor
Description	Rate of total sorts on disk and in memory
Favorites Group	No
Alarming and/or Graphing Metric	A & G
Collection Interval	1 hour
Min/Max Threshold	Maximum
Threshold	100/min
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0052.1: Total sort rate (<i>Metric_Value</i> /minute) too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i> /minute).
Instruction Text	<p>Probable cause: The rate of total sorts (disk and memory) is higher than the OVO set threshold. Heavy database query load.</p> <p>Potential impact: Performance</p> <p>Suggested action: Review initialization parameters SORT_AREA_SIZE, SORT_AREA_RETAINED_SIZE.</p>
Report Type	Operator Initiated
Area/Subarea	Performance/Sort

Metric E054_RollbackRate

Metric Number	54
Name	RollbackRate
Severity	Minor
Description	Rate at which rollbacks are being generated
Favorites Group	No
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	50/min
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0054.1: Rollbacks generation rate (<i>Metric_Value</i> /minute) too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i> /minute).
Instruction Text	<p>Probable cause: The rate at which rollbacks are being generated is higher than the OVO set threshold. Programmatic design issues.</p> <p>Potential impact: None</p> <p>Suggested action: Review applications to ensure rollback volume is normative.</p>
Report Type	Operator Initiated
Area/Subarea	Performance/Transactions

Metric E056_ArchvFreeSpcCnt

Metric Number	56
Name	ArchvFreeSpcCnt
Severity	Major
Description	Number of archive logs that fit in archive device
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	Once daily
Min/Max Threshold	Minimum
Threshold	10
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0056.1: Archive logs that can fit in archive device (<i>Metric_Value</i>) is too low for <i>DB_Name</i> (\leq <i>Threshold_Value</i>).
Instruction Text	<p>Probable cause: The number of archive logs that can fit in the archive device is lower than the OVO set threshold. File system full, either due to activity by other users or because archived redo logs are not being deleted after backup.</p> <p>Potential impact: Failure</p> <p>Suggested actions: Free up space on archival device, backup archived logs to tape or other device to avoid failure of archiving process and subsequent suspending of all database activity.</p>
Report Type	Operator Initiated
Area/Subarea	Archive/Trace

Metric E057_ArchiveFreqRate

Metric Number	57
Name	ArchiveFreqRate
Severity	Minor
Description	Avg time in minutes between archive log writes
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	1 hour
Min/Max Threshold	Minimum
Threshold	5 min
Reset (value)	Without reset
Metric Parameter	Average time between archive writes for the past N days
Message Text	DBSPI-0057.1: Archive log writes frequency rate (<i>Metric_Value</i> minute(s)) is too high for <i>DB_Name</i> (<= <i>Threshold_Value</i> minute(s)).
Instruction Text	<p>Probable causes: The average time in minutes between archive log writes is lower than the OVO set threshold. Hot backups in process (normal); redo logs too small; unusual database activity.</p> <p>Potential impact: Performance</p> <p>Suggested action: Investigate size of redo logs for possible enlargement. The automatic action report for this metric lists 2 days of archive redo log statistics.</p>
Report Type	Automatic, Operator Initiated & Application Bank
Area/Subarea	Archive/Trace

Metric E058_ArchvFreeSpcPct

Metric Number	58
Name	ArchvFreeSpcPct
Severity	Major
Description	% of free space on archive device
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	15 min
Min/Max Threshold	Minimum
Threshold	10%
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0058.1: Archive free space percentage (<i>Metric_Value</i>) too low for <i>DB_Name</i> (\leq <i>Threshold_Value</i>).
Instruction Text	<p>Probable cause: The percentage of free space to total available space on the archive device is lower than OVO set threshold. File system getting full, either due to activity by other users or because archived redo logs are not being deleted after backup.</p> <p>Potential impact: Failure</p> <p>Suggested actions: Free up space on archive device, backup archived logs to tape or other device to avoid failure of archiving process and subsequent suspension of all database activity. The automatic action report for this metric lists archive files in archive directory.</p>
Report Type	Automatic, Operator Initiated & Application Bank
Area/Subarea	Archive/Trace

Metric E059_CursorCachePct

Metric Number	59
Name	CursorCachePct
Severity	Minor
Description	% of cursors in cache parameter
Favorites Group	No
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	90%
Reset (value)	Without Reset
Metric Parameter	95%
Metric Parameter Min/Max	N/A
Message Text	DBSPI-0059.1: The session cursor cache percentage (<i>Metric_Value</i>) too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable cause: The percentage of the maximum value of session cursor cache count for all current sessions to the initialization parameter SESSION_CURSORS_CACHED_COUNT is higher than the OVO set threshold. Initialization parameter SESSION_CACHED_CURSORS needs tuning.</p> <p>Potential impact: Performance</p> <p>Suggested action: Increase initialization parameter SESSION_CACHED_CURSORS if shared pool memory allocation allows.</p>
Report Type	Operator Initiated
Area/Subarea	Performance/Shared Pool

Metric E060_RedoUnarchvdCnt

Metric Number	60
Name	RedoUnarchvdCnt
Severity	Minor
Description	# of redo logs not yet archived
Favorites Group	Yes
Alarming and/or Graphing Metric	A
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	1.5
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0060.1: Redo logs unarchived count (<i>Metric_Value</i>) is too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable causes: The number of redo logs not yet archived is higher than the OVO set threshold (usually 1). Archive process stalled or set to manual; archive file system full or archival too slow to keep pace with database activity.</p> <p>Potential impact: Failure</p> <p>Suggested actions: Check archive destination file system space. Check alert log for errors. Verify archiving is automatic.</p>
Report Type	N/A
Area/Subarea	Archive/Trace

Metric E061_AutoArchvStatus

Metric Number	61
Name	AutoArchvStatus
Severity	Warning
Description	Status of auto archiving
Favorites Group	Yes
Alarming and/or Graphing Metric	A
Collection Interval	Once daily
Min/Max Threshold	Maximum
Threshold	0.5 (*)
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0061.1: Archiving is enabled and automatic archiving is not on for <i>DB_Name</i> .
Instruction Text	<p>Probable cause: Archiving is enabled but the initialization parameter LOG_ARCHIVE_START is set to false.</p> <p>Potential impact: Database activities suspended while waiting for operator log switch.</p> <p>Suggested actions: Unless archiving is deliberately set to manual for your installation set initialization parameter LOG_ARCHIVE_START to TRUE and restart database.</p>
Report Type	N/A
Area/Subarea	Archive/Trace

Metric E062_BkgrDumpSpcePct

Metric Number	62
Name	BkgrDumpSpcePct
Severity	Critical
Description	% of space used on background_dump device
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	15 min
Min/Max Threshold	Maximum
Threshold	98%
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0062.1: Background dump device used percentage (<i>Metric_Value</i>) too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable cause: The percentage of disk space full on the background dump device is higher than the OVO set threshold. File system full.</p> <p>Potential impact: Failure</p> <p>Suggested actions: Archive any existing and needed user trace files. Delete unwanted files in file system. See DBSPI-E063 Instruction Text for reducing size of trace files.</p> <p>The annotations for this message contains an automatic command report which shows the disk space utilization on the drive that contains the dump device.</p> <p>The operator action for this metric generates a dump graph.</p>
Report Type	Automatic, Operator Initiated and Application Bank
Area/Subarea	Archive/Trace

Metric E063_TraceFileAddCnt

Metric Number	63
Name	TraceFileAddCnt
Severity	Warning
Description	Number of trace files in bdump/udump/cdump
Favorites Group	No
Alarming and/or Graphing Metric	A
Collection Interval	15 min
Min/Max Threshold	Maximum
Threshold	0.5 (*)
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0063.1: <i>Metric_Value</i> new trace files for <i>DB_Name</i> .

Metric Number	63 (cont'd)
Instruction Text	<p>Probable causes: User or Oracle dump or trace file(s) created.</p> <p>Potential impact: Failure</p> <p>Suggested actions: Archive any existing and needed trace files to another file system or tape. Delete unwanted files in file system. Limit size of trace files with the initialization parameter MAX_DUMP_FILE_SIZE specified in Operating system blocks (normally 512 bytes). For example, if your logical file system block size is 512 bytes and you do not want to exceed 1 MB for the trace file size, you would set the MAX_DUMP_FILE_SIZE to 2,000. It is also possible that DB-SPI tracing was turned on and these trace files are the result of the DB-SPI collector/analyzer running every 5 minutes and generating a new logfile every 5 minutes. To determine if DB-SPI tracing has been turned on, look for the following line in the configuration file using DBSPI Config:</p> <pre>TRACE ALL</pre> <p>Remove this line if tracing is not desired. Besides creating Oracle.trc files, DB-SPI tracing adds information to the file /var/opt/OV/dbspi/log/trace. This file can get very large as well. Tracing should only be enabled when debugging a DB-SPI problem. It should not be enabled during normal processing.</p> <p>The auto action report found in the annotations for this metric lists all current trace and dump files.</p> <p>NOTE!</p> <p>The operator action deletes trace and dump files older than 7 days. The number of days can be modified by changing the following line, found in the automatic action field in the metric template for 0063:</p> <pre>dbspi063 7 <\$OPTION(b0063)> <\$OPTION(u0063)> <\$OPTION(c0063)></pre> <p>Change the '7' after the program name to a different number of days to keep files.</p>
Report Type	Automatic, Operator Initiated & Application Bank
Area/Subarea	Archive/Trace

Metric E064_UserDumpSpacPct

Metric Number	64
Name	UserDumpSpacPct
Severity	Critical
Description	% of space used on user dump device
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	15 min
Min/Max Threshold	Maximum
Threshold	98%
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0064.1: User dump device used percentage <i>Metric_Value</i> too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable cause: The percentage of disk space full on the user dump device is higher than the OVO set threshold. File system full.</p> <p>Potential impact: Failure</p> <p>Suggested actions: Archive any existing and needed trace files to another file system or tape. Delete unwanted files in file system. See DBSPI-E063 Instruction Text for reducing size of trace files.</p> <p>The operator action for this metric generates a dump graph.</p>
Report Type	Automatic, Operator Initiated and Application Bank
Area/Subarea	Archive/Trace

Metric E065_CoreDumpSpacPct

Metric Number	65
Name	CoreDumpSpacPct
Severity	Critical
Description	% of space used on core dump device
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	15 min
Min/Max Threshold	Maximum
Threshold	98%
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0065.1: Core dump device used percentage <i>Metric_Value</i> too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable cause: The percentage of disk space full on the core dump device is higher than the OVO set threshold. File system full.</p> <p>Potential impact: Failure</p> <p>Suggested actions: Archive any existing and needed core dumps and directories to another file system or tape. Delete unwanted files in file system.</p> <p>The operator action for this metric generates a dump graph.</p>
Report Type	Automatic, Operator Initiated & Application Bank
Area/Subarea	Archive/Trace

Metric E066_AlertLogSize

Metric Number	66
Name	AlertLogSize
Severity	Warning
Description	Size in MB of alert log
Favorites Group	No
Alarming and/or Graphing Metric	A & G
Collection Interval	1 hour
Min/Max Threshold	Maximum
Threshold	5mb
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0066.1: Alert log size <i>Metric_Value</i> MB too big for <i>DB_Name</i> (\geq <i>Threshold_Value</i> MB).
Instruction Text	<p>Probable cause: The alert log file has grown unwieldy in size. Inattention</p> <p>Potential impact: Difficulty in reviewing log entries.</p> <p>Suggested actions: Rename alert file or move to a subdirectory. The automatic action report for this metric lists file information about the alert log and its file system and prints the last 250 lines of the alert log.</p>
Report Type	Automatic, Operator Initiated & Application Bank
Area/Subarea	Archive/Trace

Metric E067_RBSegmntStatCnt

Metric Number	67
Name	RBSegmntStatCnt
Severity	Critical
Description	# of rollback segments not online
Favorites Group	Yes
Alarming and/or Graphing Metric	A
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	0.5 (*)
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0067.1: <i>Metric_Value</i> rollback segments not online for <i>DB_Name</i> .
Instruction Text	<p>Probable causes: Rollback segments not specified in initialization file; DBA action (including deliberate placing of big rollback segment offline until long running transactions are scheduled).</p> <p>Potential impact: Performance</p> <p>Suggested actions: Place online if warranted, and possibly add rollback segment name to initialization file. The automatic action report for this metric shows detail statistics and status for all rollback segments.</p>
Report Type	Automatic & Application Bank
Area/Subarea	Rollback Segments

Metric E068_RBSgmtShrnkCnt

Metric Number	68
Name	RBSgmtShrnkCnt
Severity	Major
Description	# of rollback segment shrinks
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	1 hour
Min/Max Threshold	Maximum
Threshold	0.5 (*)
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0068.1: <i>Metric_Value</i> rollback segment shrinks occurred for <i>DB_Name</i> .
Instruction Text	<p>Probable cause: One or more rollback segment shrinks has occurred. Optimal size too low.</p> <p>Potential impact: Performance</p> <p>Suggested action: Increase optimal size or assign long running transactions to an extra-large rollback segment. The automatic action report for this metric shows detail statistics and status for all rollback segments.</p>
Report Type	Automatic, Operator Initiated & Application Bank
Area/Subarea	Rollback Segments

Metric E069_RBSegWaitPctCnt

Metric Number	69
Name	RBSegWaitPctCnt
Severity	Minor
Description	% of rollback segment waits to gets
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	0.5
Reset (value)	Without reset
Metric Parameter	5%
Metric Parameter Min/Max	Maximum
Message Text	DBSPI-0069.1: <i>Metric_Value</i> rollback segment with wait percentage too high for <i>DB_Name</i> (\geq <i>Metric_Parameter</i> %).
Instruction Text	<p>Probable causes: There are rollback segment with a percentage of waits to gets that is higher than the DB-SPI metric parameter. Too few or too small rollback segments.</p> <p>Potential impact: Performance</p> <p>Suggested actions: Increase rollback segment size, or add rollback segments. The automatic action report for this metric shows waits, gets and percentage waits/gets for all rollback segments.</p>
Report Type	Automatic, Operator Initiated & Application Bank
Area/Subarea	Rollback Segments

Metric E070_PQServrsBusyPct

Metric Number	70
Name	PQServrsBusyPct
Severity	Minor
Description	% of parallel query servers busy
Favorites Group	No
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	60
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0070.1: % of busy to maximum Parallel Query Servers <i>Metric_Value</i> too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable cause: The percentage of used Parallel Query Servers is higher than the DB-SPI metric parameter. Initialization parameter PARALLEL_MAX_SERVERS set too low.</p> <p>Potential impact: Queries that are candidates for parallelization ("parallel hint" or PARALLEL declaration in schema object, plus a full table scan or multiple partition index range scan) are not parallelized or return an error (if initialization parameter PARALLEL_MIN_PERCENT is set and in absence of overriding hint - see Oracle Server Tuning guide).</p> <p>Suggested action: Increase value of initialization parameter PARALLEL_MAX_SERVERS, if possible. Recommended value is 2 * CPUs * number_of_concurrent_users. Be sure to remain within process limit defined for the Oracle database and for the server on which it executes. The automatic action report for this metric shows the overall server statistics (such as servers busy, idle, sessions, etc.) and information on the slave servers (such as status, sessions, CPU seconds).</p>
Report Type	Automatic, Operator Initiated & Application Bank
Area/Subarea	PQO

Metric E071_PQSrvHighwtrPct

Metric Number	71
Name	PQSrvHighwtrPct
Severity	Major
Description	% of busy highwater to max parallel query servers.
Favorites Group	No
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	75%
Reset (value)	Without reset
Metric Parameter	Automatic & Application Bank
Message Text	DBSPI-0071.1: % of busy highwater to max parallel query servers. <i>Metric_Value</i> too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable cause: The Parallel Query Servers busy highwater mark as a percentage of maximum servers is higher than the set OVO threshold. Initialization parameter PARALLEL_MAX_SERVERS set too low.</p> <p>Potential impact: Queries that are candidates for parallelization ("parallel hint" or PARALLEL declaration in schema object, plus a full table scan or multiple partition index range scan) are not parallelized or return an error (if initialization parameter PARALLEL_MIN_PERCENT is set and in absence of overriding hint - see Oracle Server Tuning guide).</p> <p>Suggested action: Increase value of initialization parameter PARALLEL_MAX_SERVERS, if possible. Recommended value is 2 * CPUs * number_of_concurrent_users. Be sure to remain within process limit defined for the Oracle database and for the server on which it executes. The automatic action report for this metric shows the overall server statistics (such as servers busy, idle, sessions, etc.) and information on the slave servers (such as status, sessions, CPU seconds).</p>
Report Type	Automatic, Operator Initiated & Application Bank
Area/Subarea	PQO

Metric E072__LogArchiveStartStatus

Metric Number	72
Name	LogArchiveStartStatus
Severity	Warning
Description	Status of log archive start
Favorites Group	Yes
Alarming and/or Graphing Metric	A
Collection Interval	1d
Min/Max Threshold	Maximum
Threshold	0.5
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0072.1: automatic archiving is on for <\$OPTION(dbname)> and archiving is not enabled.
Instruction Text	<p>Probable cause(s): Automatic archiving is on and archiving is not enabled. Archiving is not enabled, even though the initialization parameter LOG_ARCHIVE_START is set to true.</p> <p>Potential impact: Archiving of Redo Log file groups does not occur.</p> <p>Suggested action(s): Turn archiving on by executing: Alter Database <instance_name> ARCHIVELOG</p> <p>Note: The database must be mounted EXCLUSIVE and not open.</p>
Report Type	N/A
Area/Subarea	Archives

Metric E074_PQQueryRate

Metric Number	74
Name	PQQueryRate
Severity	Warning
Description	Rate of parallel queries initiated
Favorites Group	No
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	50/min
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0074.1: Rate of parallel queries initiated <i>Metric_Value</i> too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable cause: The rate of parallel queries initiated is higher than the OVO set threshold. This metric shows the rate at which parallel queries are being initiated. It is informational only and has no meaningful absolute threshold, varying by installation and query mix.</p> <p>Potential impact: If lower than expected, could affect overall performance.</p> <p>Suggested actions: If lower than expected, review degree of parallelization expected for selected queries. Review parallelization initialization parameters.</p>
Report Type	Operator Initiated
Area/Subarea	PQO

Metric E075_RcrsvCursrRatio

Metric Number	75
Name	RcrsvCursrRatio
Severity	Minor
Description	Ratio of recursive calls to cumulative opened cursors
Favorites Group	No
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	10
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0075.1: Recursive calls ratio <i>Metric_Value</i> too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable causes: The rate of recursive calls to cumulative opened cursors is higher than the OVO set threshold. Triggers, PL/SQL executions, Dynamic space extension.</p> <p>Potential impact: Performance</p> <p>Suggested action: Review space management for tables, indexes and rollback segments. The operator action for this metric generates a call PerfView graph.</p>
Report Type	Operator Initiated
Area/Subarea	Performance/Calls

Metric E076_PQRangeScanPct

Metric Number	76
Name	PQRangeScanPct
Severity	Warning
Description	% of full table scans via rowid range compared to total full table scans
Favorites Group	No
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	10%
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0076.1: % of range scans vs full table scans <i>Metric_Value</i> too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable causes: The percentage of full table scans via rowid range scans compared to total full table scans is higher than the OVO set threshold. Too few parallel servers available (see metrics 101, 105); too high value for PARALLEL_MIN_PERCENT; few full table scan queries eligible for parallelization. (Parallel Query option uses rowid range scans including during parallel query on partitioned tables).</p> <p>Potential impact: Performance</p> <p>Suggested actions: Review initialization parameters that affect parallel query. Review database objects (tables and indexes) via EXPLAIN PLAN for striping and/or partitioning, to increase capacity to parallelize. The operator action for this metric generates a PQO PerfView graph.</p>
Report Type	Operator Initiated
Area/Subarea	PQO

Metric E077_DualExssRowStat

Metric Number	77
Name	DualExssRowStat
Severity	Critical
Description	SYS.DUAL status
Favorites Group	Yes
Alarming and/or Graphing Metric	A
Collection Interval	15 min
Min/Max Threshold	Maximum
Threshold	1.5 (*)
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0077.1: The dual excess row status is invalid for <i>DB_Name</i> .
Instruction Text	<p>Probable cause: Software upgrade or installation.</p> <p>Potential impact: Failure</p> <p>Suggested actions: Drop table and recreate with 1 row using "insert into sys.dual values ('X')"; The automatic action report for this metric shows the sys.dual table.</p>
Report Type	Automatic & Application Bank
Area/Subarea	Errors

Metric E078_ObjectsInvalidCnt

Metric Number	78
Name	ObjectsInvalidCnt
Severity	Warning
Description	# of invalid objects
Favorites Group	Yes
Alarming and/or Graphing Metric	A
Collection Interval	15 min
Min/Max Threshold	Maximum
Threshold	0.5 (*)
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0078.1: <i>Metric_Value</i> invalid objects found in database <i>DB_Name</i> .
Instruction Text	<p>Probable cause: Invalid PL/SQL packages or missing dependencies.</p> <p>Potential impact: Failure</p> <p>Suggested actions: Recompile or replace invalid objects. The automatic action report for this metric shows the invalid objects.</p>
Report Type	Automatic & Application Bank
Area/Subarea	Errors

Metric E079_DisbldTrigrsCnt

Metric Number	79
Name	DisbldTrigrsCnt
Severity	Warning
Description	# of disabled triggers
Favorites Group	Yes
Alarming and/or Graphing Metric	A
Collection Interval	15 min
Min/Max Threshold	Maximum
Threshold	0.5 (*)
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0079.1: <i>Metric_Value</i> disabled triggers found in database <i>DB_Name</i> .
Instruction Text	<p>Probable cause: Disabled by DBA action.</p> <p>Potential impact: Failure</p> <p>Suggested action: Investigate - where appropriate enable triggers. The automatic action report for this metric shows the disabled triggers.</p>
Report Type	Automatic & Application Bank
Area/Subarea	Errors

Metric E080_DisbldCnstrtCnt

Metric Number	80
Name	DisbldCnstrtCnt
Severity	Warning
Description	# of disabled constraints
Favorites Group	Yes
Alarming and/or Graphing Metric	A
Collection Interval	15 min
Min/Max Threshold	Maximum
Threshold	0.5 (*)
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0080.1: <i>Metric_Value</i> disabled constraints found in database <i>DB_Name</i>
Instruction Text	<p>Probable cause: Disabled by DBA action.</p> <p>Potential impact: Failure</p> <p>Suggested action: Possibly re-enable constraint, depending on why it was originally disabled. The automatic action report for this metric shows the disabled constraints.</p>
Report Type	Automatic & Application Bank
Area/Subarea	Errors

Metric E081_SnapshotErrCnt

Metric Number	81
Name	SnapshotErrCnt
Severity	Warning
Description	# of snapshot errors
Favorites Group	No
Alarming and/or Graphing Metric	A
Collection Interval	15 min
Min/Max Threshold	Maximum
Threshold	0.5 (*)
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0081.1: <i>Metric_Value</i> snapshot errors found in database <i>DB_Name</i> .
Instruction Text	<p>Probable causes: Communication error, space management or other database error.</p> <p>Potential impact: Failure</p> <p>Suggested action: Investigate errors. The automatic action report for this metric shows the snapshot errors.</p>
Report Type	Automatic & Application Bank
Area/Subarea	Errors

Metric E082_SessHighwatrCnt

Metric Number	82
Name	SessHighwatrCnt
Severity	Warning
Description	Maximum number of sessions since startup
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	1 hour
Min/Max Threshold	Maximum
Threshold	500
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0082.1: Maximum number of sessions since startup <i>Metric_Value</i> too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable cause: The maximum number of sessions since startup (high water mark) is higher than the OVO set threshold. High database usage.</p> <p>Potential impact: Performance and licensing considerations.</p> <p>Suggested action: Review license restrictions and initialization parameter settings.</p>
Report Type	Operator Initiated
Area/Subarea	Database Status

Metric E083_DbwrCkptRate

Metric Number	83
Name	DbwrCkptrate
Severity	Minor
Description	Rate of DBWR checkpoints
Favorites Group	Yes
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	3/min
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0083.1: DBWR checkpoints rate <i>Metric_Value</i> /minute is too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i> /minute).
Instruction Text	<p>Probable causes: Too few db_block_buffers or intensive, episodic DML activity.</p> <p>Potential impact: Performance</p> <p>Suggested actions: Tune buffer cache. Possibly increase value of initialization parameter DB_BLOCK_BUFFERS.</p>
Report Type	Operator Initiated
Area/Subarea	Performance/Checkpoints

Metric E085_TransactionPct

Metric Number	85
Name	TransactionPct
Severity	Minor
Description	% of current transactions to configured
Favorites Group	No
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	90%
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0085.1: Current transactions percentage <i>Metric_Value</i> too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	Probable causes: Increased load; change in database usage. Potential impact: Failure Suggested action: Increase initialization parameter TRANSACTIONS.
Report Type	Operator Initiated
Area/Subarea	Transactions

Metric E087_ProcessPct

Metric Number	87
Name	ProcessPct
Severity	Minor
Description	% of current processes to configured
Favorites Group	No
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	90%
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0087.1: Current processes percentage <i>Metric_Value</i> too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable causes: The percentage of current processes to configured processes is higher than the OVO set threshold. Increased load; change in database usage.</p> <p>Potential impact: Failure</p> <p>Suggested action: Increase initialization parameter PROCESSES.</p>
Report Type	Operator Initiated
Area/Subarea	Users

Metric E089_EnqueuePct

Metric Number	89
Name	EnqueuePct
Severity	Minor
Description	% of enqueues to configured
Favorites Group	No
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	90%
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0089.1: Enqueue resources used percentage <i>Metric_Value</i> too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable cause: The percentage of currently used resources to the initialization parameter ENQUEUE_RESOURCES is higher than the OVO set threshold. The initialization parameter ENQUEUE_RESOURCES set too low.</p> <p>Potential impact: Performance</p> <p>Suggested action: Increase initialization parameter ENQUEUE_RESOURCES.</p>
Report Type	Operator Initiated
Area/Subarea	Performance/Initialization limits

Metric E090_DsptchrBusyPct

Metric Number	90
Name	DsptchrBusyPct
Severity	Minor
Description	Average % busy for all Dispatchers
Favorites Group	No
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	50%
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0090.1: Dispatcher busy percentage <i>Metric_Value</i> too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable cause: The percentage of dispatchers busy is higher than the OVO set threshold. Initialization parameter MTS_DISPATCHERS set too low.</p> <p>Potential impact: Performance</p> <p>Suggested actions: Increase MTS_DISPATCHERS (may need to increase MTS_MAX_DISPATCHERS initialization parameter first). Can also increase while database is running by use of the ALTER SYSTEM SET MTS_DISPATCHERS command. The operator action for this metric generates an MTS PerfView graph.</p>
Report Type	Operator Initiated
Area/Subarea	MTS

Metric E091_NumDsptchrClnts

Metric Number	91
Name	NumDsptchrClnts
Severity	Warning
Description	# of clients connected to all dispatchers
Favorites Group	No
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	200
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0091.1: # of clients connected to dispatchers <i>Metric_Value</i> is too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable cause: The number of clients connected to dispatchers is higher than the OVO set threshold. Dispatchers are currently processing client SQL requests</p> <p>Potential Impact: Performance</p> <p>Suggested Action: If numbers of clients connected are above site specific parameters, increase numbers of dispatchers (see metric E090).</p> <p>The automatic action report for this metric lists network, status and ownership information on clients connected to dispatchers. The operator action for this metric generates an MTS PerfView graph.</p>
Report Type	Automatic, Operator Initiated and Application Bank
Area/Subarea	MTS

Metric E092_ShrSrvrReqWtPct

Metric Number	92
Name	ShrSrvrReqWtPct
Severity	Minor
Description	% of shared severs waiting for requests
Favorites Group	No
Alarming and/or Graphing Metric	A & G
Collection Interval	5min
Min/Max Threshold	Maximum
Threshold	10%
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0092.1: % of shared severs waiting for requests <i>Metric_Value</i> too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable Cause: The percentage of servers waiting for requests is higher than the OVO set threshold. Not enough shared servers available (dynamically created by Oracle)</p> <p>Potential Impact: Performance</p> <p>Suggested Action: Increase value of initialization parameter MTS_MAX_SERVERS. The automatic action report for this metric lists information on the servers such as status, requests, etc. The operator action for this metric generates an MTS PerfView graph.</p>
Report Type	Automatic, Operator Initiated & Application Bank
Area/Subarea	MTS

Metric E093_SharedServerPct

Metric Number	93
Name	SharedServerPct
Severity	Minor
Description	% of busy to max shared server processes
Favorites Group	No
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	80
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0093.1: % of busy to max shared server processes <i>Metric_Value</i> too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable Cause: The number of shared server processes running as a percentage of max allowed is higher than the OVO set threshold. Approaching maximum initialization limit for shared servers. Oracle (PMON) automatically adds shared servers from the MTS_SERVERS number of shared servers started at instance startup until the MTS_MAX_SERVERS value is reached.</p> <p>Potential Impact: Performance</p> <p>Suggested Action: Increase MTS_MAX_SERVERS.</p> <p>The automatic action report for this metric lists information on the servers such as status, requests, etc. The operator action for this metric generates an MTS PerfView graph.</p>
Report Type	Automatic, Operator Initiated & Application Bank
Area/Subarea	MTS

Metric E094_SesUGAMemCurPct

Metric Number	94
Name	SesUGAMemCurPct
Severity	Minor
Description	Current percentage of shared pool allocated to UGA
Favorites Group	No
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	10%
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0094.1: % of UGA memory allocation <i>Metric_Value</i> too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable Cause: The % of UGA memory bytes allocated for all current sessions is higher than the OVO set threshold. This metric reports % of UGA memory in use compared to size of shared pool. Where UGA memory is located is dependent on how each user session is connected to Oracle. For sessions connected to dedicated server processes, this memory is part of the memory of the user process. For sessions connected to shared server processes, this memory is part of the shared pool.</p> <p>Potential Impact: Performance, if shared pool configured too low.</p> <p>Suggested Action: Run action report to determine total UGA size for the shared connections and increase size of shared pool accordingly, or otherwise tune shared pool. The automatic action for this metric will list UGA information by session. The operator action for this metric generates an MTS PerfView graph.</p>
Report Type	Automatic, Operator Initiated & Application Bank
Area/Subarea	MTS

Metric E095_SesUGAMemMaxPct

Metric Number	95
Name	SesUGAMemMaxPct
Severity	Minor
Description	Maximum percentage of shared pool allocated to UGA
Favorites Group	No
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	10%
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0095.1: % of UGA memory allocated <i>Metric_Value</i> too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable Cause: The % of UGA memory bytes ever allocated for all current sessions is higher than the OVO set threshold. This metric reports percentage of UGA memory in use compared to size of shared pool. Where UGA memory is located is dependent on how each user session is connected to Oracle. For sessions connected to dedicated server processes, this memory is part of the memory of the user process. For sessions connected to shared server processes, this memory is part of the shared pool.</p> <p>Potential Impact: Performance, if shared pool configured too low.</p> <p>Suggested Action: Run action report to determine total UGA size for the shared connections and increase size of shared pool accordingly, or otherwise tune shared pool. The automatic action for this metric will list UGA information by session. The operator action for this metric generates an MTS PerfView graph.</p>
Report Type	Automatic, Operator Initiated & Application Bank
Area/Subarea	MTS

Metric E096_ShrdSrvHWMPct

Metric Number	96
Name	ShrdSrvHWMPct
Severity	Minor
Description	% of highwater to max shared server processes
Favorites Group	No
Alarming and/or Graphing Metric	A & G
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	90
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0096.1: % of highwater to max shared servers <i>Metric_Value</i> too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable Cause: The percentage obtained by comparing the number of shared servers ever used (the highwater mark) to the number of shared servers allowed is higher than the OVO set threshold. Approaching maximum initialization limit for shared servers. Oracle (PMON) automatically adds shared servers from the MTS_SERVERS number of shared servers started at instance startup until the MTS_MAX_SERVERS value is reached.</p> <p>Potential Impact: Performance</p> <p>Suggested Action: Increase MTS_MAX_SERVERS.</p> <p>The automatic action report for this metric lists information on the servers such as status, requests, etc. The operator action for this metric generates an MTS PerfView graph.</p>
Report Type	Automatic and Application Bank
Area/Subarea	MTS

Metric E097_DisbldTblLckNum

Metric Number	97
Name	DisbldTblLckNum
Severity	Warning
Description	# of tables with table locks disabled
Favorites Group	No
Alarming and/or Graphing Metric	A
Collection Interval	5 min
Min/Max Threshold	Maximum
Threshold	20
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0097.1: # of tables with locks disabled <i>Metric_Value</i> too high for <i>DB_Name</i> (\geq <i>Threshold_Value</i>).
Instruction Text	<p>Probable Cause: The number of tables with table locks disabled is higher than the OVO set threshold. DBA disabled table locks for Oracle Parallel Server to reduce IDLM locks.</p> <p>Potential Impact: Performance</p> <p>Suggested Action: Review tables on which table locks are disabled. The automatic action report for this metric lists table details with table locks disabled. The operator command for this message generates an MTS graph.</p>
Report Type	Automatic, Operator Initiated & Application Bank
Area/Subarea	Locks

Metric E101_DiskReadsPerExecRatio & 301 (drill-down)



Deployment of Oracle SQL query monitoring metrics (templates) 100-107 and 301-307 requires that you also deploy metric 100 (template: DBSPI-0100, metric name: E100_SQLDataGatherer), which collects the necessary data. Do not modify the collection interval as any change could negatively affect the successful execution of these metrics.

Metric Number	101
Name	DiskReadsPerExecRatio
Severity	Warning
Description	# of SQL statement with high disk reads per execution
Favorites Group	No (Add-Ons)
Alarming and/or Graphing Metric	A
Collection Interval	15 min
Min/Max Threshold	Max
Threshold	5.0 (Setting is low to initially see the metric working, then establish the desired value)
Reset (value)	Without reset
Metric Parameter	Metric parameter can be used to specify how many of the top N SQL statements will be processed. Default 10.
Message Text	DBSPI-0101.1: One or more SQL statements with disk reads per execution too high (>=<\$THRESHOLD>). Worst offender has (<\$VALUE>) disk reads per execution, owned by <\$OPTION(owner)>, query with SQL ID = <\$OPTION(sql_id)>.
Instruction Text	Probable Cause: One or more SQL statements have a high number of disk reads per execution. Inefficient SQL statement(s). Potential Impact: Poor I/O performance. Suggested actions: review the SQL statement(s). The automatic action for this message generates a report for top 10 SQL statements with high disk reads per execution.
Report Type	Automatic and Application Bank
Area/Subarea	SQL Query Monitoring

Metric E102_SQLFetchesMax & 302 (drill-down)



Deployment of Oracle SQL query monitoring metrics (templates) 100-107 and 301-307 requires that you also deploy metric 100 (template: DBSPI-0100, metric name: E100_SQLDataGatherer), which collects the necessary data. Do not modify the collection interval as any change could negatively affect the successful execution of these metrics.

Metric Number	102 (roll-up) 302 (drill-down)
Name	SQLFetchesMax
Severity	Warning
Description	SQL statements with high fetches
Favorites Group	No (Add-On)
Alarming and/or Graphing Metric	A
Collection Interval	15 min
Min/Max Threshold	Max
Threshold	150.000000
Reset (value)	without reset
Metric Parameter	N/A
Message Text	DBSPI-0102.1: One or more SQL statements with fetches per execution too high (>=<\$THRESHOLD>). Worst offender has <\$VALUE> fetches per execution owned by <\$OPTION(owner)>, query with SQL ID = <\$OPTION(sql_id)>."
Instruction Text	Probable Cause: One or more SQL statements have a high number of fetches per execution. SQL statement with high number of fetch operations. Potential Impact: Performance Suggested Action: Modify SQL statement(s), if possible, to reduce number of fetch operations, or increase metric's threshold to avoid triggering an alarm. The automatic action report for this metric provides detailed information for SQL statements exceeding max allowed fetch threshold.
Report Type	Automatic and Application Bank
Area/Subarea	SQL Query Monitoring

Metric E103_SQLScanRowsMax & 303 (drill-down)



Deployment of Oracle SQL query monitoring metrics (templates) 100-107 and 301-307 requires that you also deploy metric 100 (template: DBSPI-0100, metric name: E100_SQLDataGatherer), which collects the necessary data. Do not modify the collection interval as any change could negatively affect the successful execution of these metrics.

Metric Number	103 (roll-up) 303 (drill-down)
Name	SQLScanRowsMax
Severity	Warning
Description	SQL statements with long table scans.
Favorites Group	No
Alarming and/or Graphing Metric	A
Collection Interval	15 min
Min/Max Threshold	Max
Threshold	5.0 (Setting is low to see metric work; then you can establish the desired value.)
Reset (value)	without reset
Metric Parameter	Metric parameter can be used to specify how many of the top N SQL statements will be processed. Default 10.
Message Text	DBSPI-0103.1: One or more SQL statements with rows in a full table scan too high (>=<\$THRESHOLD>). Worst offender has <\$VALUE> rows in a full table scan owned by <\$OPTION(owner)>, query with SQL ID = <\$OPTION(sql_id)>.
Instruction Text	<p>Probable Cause: One or more SQL statements perform a row-by-row scan of a table(s). Inefficient SQL statement(s).</p> <p>Potential Impact: Physical or logical I/O performance.</p> <p>Suggested action: Modify, if possible, SQL statements to reduce number of row-by-row scans. The automatic action report for this metric provides detailed information for SQL statements exceeding scanned rows threshold.</p>
Report Type	Automatic and Application Bank
Area/Subarea	SQL Query Monitoring

Metric E104_SQLExecRateMax & 304 (drill-down)



Deployment of Oracle SQL query monitoring metrics (templates) 100-107 and 301-307 requires that you also deploy metric 100 (template: DBSPI-0100, metric name: E100_SQLDataGatherer), which collects the necessary data. Do not modify the collection interval as any change could negatively affect the successful execution of these metrics.

Metric Number	104 (roll-up) 304 (drill-down)
Name	SQLExecRateMax
Severity	Warning
Description	# SQL statements with high execution rate
Favorites Group	No
Alarming and/or Graphing Metric	A
Collection Interval	15 min
Min/Max Threshold	Max
Threshold	5.0 (Setting is low to see metric work; then you can establish the desire value.)
Reset (value)	without reset
Metric Parameter	Metric parameter can be used to specify how many of the top N SQL statements will be processed. Default 10.
Message Text	DBSPI-0104.1: One or more SQL statements with executions per minute too high (>=<\$THRESHOLD>). Worst offender has <\$VALUE> executions per minute owned by <\$OPTION(owner)>, query with SQL ID = <\$OPTION(sql_id)>.
Instruction Text	<p>Probable Cause: One or more SQL statements have a high execution rate. SQL statement invoked too frequently.</p> <p>Potential Impact: Performance</p> <p>Suggested actions: If possible, reduce the number of times sql statement is invoked. Alternately, increase metric's threshold to avoid triggering an alarm. The automatic action report for this metric provides detailed information for SQL statements exceeding max allowed execution rate threshold.</p>
Report Type	Automatic and Application Bank
Area/Subarea	SQL Query Monitoring

Metric E105_BufferGetsPerExecRatio & 305 (drill-down)



Deployment of Oracle SQL query monitoring metrics (templates) 100-107 and 301-307 requires that you also deploy metric 100 (template: DBSPI-0100, metric name: E100_SQLDataGatherer), which collects the necessary data. Do not modify the collection interval as any change could negatively affect the successful execution of these metrics.

Metric Number	105 (roll-up) rolls up to worst offender 305 (drill-down)
Name	BufferGetsPerExecRatio
Severity	Warning
Description	# of SQL statement with high buffer gets per execution
Favorites Group	No
Alarming and/or Graphing Metric	A
Collection Interval	15 min
Min/Max Threshold	Max
Threshold	5.0
Reset (value)	without reset
Metric Parameter	Metric parameter can be used to specify how many of the top N SQL statement will be processed. Default is 10.
Message Text	DBSPI-0105.1: One or more SQL statements with buffer gets per execution too high (>=<\$THRESHOLD>). Worst offender has <\$VALUE> buffer gets per execution owned by <\$OPTION(owner)>, query with SQL ID = <\$OPTION(sql_id)>.
Instruction Text	Probable Cause: One or more SQL statements have a high number of buffer gets per execution. Inefficient SQL statement(s). Potential Impact: Poor logical I/O performance. Suggested actions: Review the SQL statement or increase metric's threshold to avoid triggering an alarm. The automatic action for this message generates a report for top 10 SQL statements with high buffer gets per execution.
Report Type	Automatic and Application Bank
Area/Subarea	SQL Query Monitoring

Metric E106_SQLElapsedTimeMax & 306 (drill-down)



Deployment of Oracle SQL query monitoring metrics (templates) 100-107 and 301-307 requires that you also deploy metric 100 (template: DBSPI-0100, metric name: E100_SQLDataGatherer), which collects the necessary data. Do not modify the collection interval as any change could negatively affect the successful execution of these metrics.

Metric Number	106 (roll-up) 306 (drill-down)
Name	SQLElapsedTimeMax
Severity	Warning
Description	SQL statement with high elapsed time per execution. These metrics calculate the elapsed time per execution for top N SQL statements during the period between last and current run of the collector. The roll-up metric reports the worst offender and the drill-down metric reports the top N SQL statements.
Favorites Group	No
Alarming and/or Graphing Metric	A
Collection Interval	15 min
Min/Max Threshold	Max
Threshold	1.0
Reset (value)	Without reset
Metric Parameter	Metric parameter can be used to specify how many of the top N SQL statement will be processed. Default is 10.
Message Text	DBSPI-0106.1: One or more SQL statements with elapsed time per execution too high (>=<\$THRESHOLD>). Worst offender has <\$VALUE> seconds elapsed time per execution owned by <\$OPTION(owner)>, query with SQL ID = <\$OPTION(sql_id)>.
Instruction Text	Probable Cause: One or more SQL statements have a high elapsed time per execution. Inefficient SQL statement(s). Potential Impact: Poor logical I/O performance. Suggested actions: Review the SQL statement or increase metric's threshold to avoid triggering an alarm. The automatic action for this message generates a report for top 10 SQL statements with high elapsed time per execution.
Report Type	Automatic and Application Bank
Area/Subarea	SQL Query Monitoring

Metric E107_SQLCPUTimeMax & 307 (drill-down)



Deployment of Oracle SQL query monitoring metrics (templates) 100-107 and 301-307 requires that you also deploy metric 100 (template: DBSPI-0100, metric name: E100_SQLDataGatherer), which collects the necessary data. Please do not modify the collection interval as any change could negatively impact the successful execution of these metrics.

Metric Number	107 (roll-up) 307 (drill-down)
Name	SQL CPU Time Max
Severity	Warning
Description	SQL statements with high CPU time per execution during the period between last and current run of the collector schedule. The roll-up metric reports the worst offender and the drill-down metric reports the top N SQL statements.
Favorites Group	No
Alarming and/or Graphing Metric	A
Collection Interval	15 min
Min/Max Threshold	Max
Threshold	1.0
Reset (value)	Without reset
Metric Parameter	Metric parameter can be used to specify how many of the top N SQL statement will be processed. Default is 10.
Message Text	DBSPI-0107.1: One or more SQL statements with CPU time per execution too high (>=<\$THRESHOLD>). Worst offender has <\$VALUE> seconds CPU time per execution owned by <\$OPTION(owner)>, query with SQL ID = <\$OPTION(sql_id)>.
Instruction Text	Probable Cause: One or more SQL statements have a high CPU time per execution. Inefficient SQL statement(s). Potential Impact: Poor logical I/O performance. Suggested actions: Review the SQL statement or increase metric's threshold to avoid triggering an alarm.
Report Type	Automatic and Application Bank
Area/Subarea	SQL Query Monitoring

Metric E108_SQLFullTableScanMax
& 308 (drill-down)

Metric Number	108
Name	SQLFullTableScanMax
Severity	Warning
Description	Identify the top N SQL statements performing full table scans.
Favorites Group	No
Alarming and/or Graphing Metric	A
Collection Interval	15 min
Min/Max Threshold	Max
Threshold	100.0
Reset (value)	without reset
Metric Parameter	Metric parameter can be used to specify how many of the top N SQL statement will be processed. Default is 10.
Message Text	DBSPI-0108.1: Full table scan by <\$OPTION(Owner)>: on <\$OPTION(Name)> having no of rows <\$VALUE> One or more SQL statements exceeded the threshold of <\$THRESHOLD> rows.
Instruction Text	<p>Probable Cause: One or more SQL statement has performed full table scan. Incorrect query. Joining condition missing.</p> <p>Potential Impact: Query running slower than expected.</p> <p>Suggested actions: Review the SQL statement.</p>
Report Type	Automatic and Application Bank
Area/Subarea	SQL Query Monitoring

Metric E109_SessionHardParsesMax
& 309 (Drill-down)

Metric Number	109
Name	SessionHardParsesMax
Severity	Warning
Description	Identify the top N sessions with high number of hard parses. These metrics identify sessions for which percentage of hard parses to total no of parses is more than the specified threshold. The roll-up metric reports the worst offender and the drill-down metric reports the top N SQL statements.
Favorites Group	No
Alarming and/or Graphing Metric	A
Collection Interval	15 min
Min/Max Threshold	Max
Threshold	10.0
Reset (value)	Without reset
Message Text	DBSPI-0109.1: Session ID <\$OPTION(SID)> of <\$OPTION(Username)>: has <\$VALUE> percentage of hard parses to total parses. One or more Session has exceeded the threshold of <\$THRESHOLD> percentage.
Instruction Text	Probable Cause: High percentage of hard parses to total parses. Size of shared pool is not enough. Potential Impact: Query running slower than expected. Suggested actions: Increase the size of shared pool
Report Type	Automatic and Application Bank
Area/Subarea	Session Monitoring

Metric E110_SessionFreeBufferWaitMax & 310 (Drill-down)

Metric Number	110
Name	SessionFreeBufferWaitMax
Severity	Warning
Description	Identify sessions with high Free Buffer Waits. These metrics will identify sessions for which average wait is more than the specified threshold. The roll-up metric reports the worst offender and the drill-down metric reports the top N SQL statements.
Favorites Group	No
Alarming and/or Graphing Metric	A
Collection Interval	15 min
Min/Max Threshold	Max
Threshold	1.0
Reset (value)	without reset
Message Text	DBSPI-0110.1: Average wait of 'free buffer wait' event for Session ID <\$OPTION(SID)> of <\$OPTION(Username)>: is <\$VALUE> minutes. One or more Session has exceeded the threshold of <\$THRESHOLD> minutes
Instruction Text	Probable Cause: Number of free session buffer waits threshold has been exceeded. Database buffer cache is too small. Potential Impact: Poor performance. Suggested actions: Increase the size of database buffer cache
Report Type	Automatic and Application Bank
Area/Subarea	Session Monitoring

Metric E111_SessionLatchFreeWaitMax
& 311 (Drill-down)

Metric Number	111
Name	SessionLatchFreeWaitMax
Severity	Warning
Description	Identify sessions with high Latch Free Waits. These metrics will identify sessions for which average wait is more than the specified threshold. The roll-up metric reports the worst offender and the drill-down metric reports the top N SQL statements.
Favorites Group	No
Alarming and/or Graphing Metric	A
Collection Interval	15 min
Min/Max Threshold	Max
Threshold	1.00
Reset (value)	Without reset
Message Text	DBSPI-0111.1: Average wait of 'latch free wait' event for Session ID <\$OPTION(SID)> of <\$OPTION(Username)>: is <\$VALUE> minutes. One or more Session has exceeded the threshold of <\$THRESHOLD> minutes.

Metric Number	111
Instruction Text	<p>Probable Cause(s):</p> <ul style="list-style-type: none"> (1) Lack of statement reuse/Statements not using bind variables (2) Cursors closed explicitly after each execution (3) Frequent logon/logoffs (4) Underlying object structure being modified (for example truncate) (5) Shared pool too small <p>Suggested actions: Check and correct Sessions (in V\$SESSTAT) with high:</p> <ul style="list-style-type: none"> (1) parse time CPU (2) parse time elapsed (3) Ratio of parse count(hard) / execute count (4) Ratio of parse count(total) / execute count <p>Check and correct Cursors (in V\$SQLAREA/V\$SQL) with:</p> <ul style="list-style-type: none"> (1) High ratio of PARSE_CALLS / EXECUTIONS EXECUTIONS = 1 differing only in literals in the WHERE clause (that is, no bind variables used) (2) High RELOADS (3) High INVALIDATIONS (4) Large (> 1mb) SHARABLE_MEM
Report Type	Automatic and Application Bank
Area/Subarea	Session Monitoring

Metric E112_SessionSuspendedMax
& 312 (drill-down)

Metric Number	112
Name	SessionSuspendedMax
Severity	Warning
Description	Identify top N sessions for which the suspended time is more than the specified threshold.
Favorites Group	No
Alarming and/or Graphing Metric	A
Collection Interval	15 min
Min/Max Threshold	Max
Threshold	1.0
Reset (value)	Without reset
Message Text	DBSPI-0112.1: Session ID <\$OPTION(SID)> of <\$OPTION(Username)>: is suspended for last <\$VALUE> m inutes. One or more Session has exceeded the threshold of <\$THRESHOLD> minutes
Instruction Text	<p>Probable Cause: Threshold for suspended sessions has been exceeded. Mostly space allocation failure.</p> <p>Potential Impact: Session will be suspended.</p> <p>Suggested actions: Correct the space problem before time out so that session can resume. If this error involves a temporary tablespace, other user sessions can result in the release of temporary segments in the tablespace, thus freeing space for the suspended session.</p>
Report Type	Automatic and Application Bank
Area/Subarea	Session monitoring

Metric E121_GlobalCacheBlockCorruptMax

Metric Number	121
Name	GlobalCacheBlockCorrupt Max
Severity	Warning
Description	<p>"# of blocks that encountered a corruption during interconnect.</p> <p>This metric calculates the number of blocks that got corrupted during the interconnect (transfer) in the period between last and current run of the collector. A message is sent to the management server if the number of corrupted blocks exceeds the threshold as specified in the metric template. The metric reports the worst offender, that is, the instance name with maximum number of corrupt blocks. The metric also reports the corrupted block count over the last collection interval for each instance, if the value is more than the threshold available in the annotation text.</p>
Favorites Group	No
Alarming and/or Graphing Metric	A
Collection Interval	1 hour
Min/Max Threshold	Max
Threshold	0.5
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0121.1: <\$VALUE> of blocks corrupted during interconnect in one instance. One or more instance has encountered block corruption during interconnect.
Instruction Text	<p>Probable cause(s): One or more blocks have encountered a corruption during transfer. Network, or hardware problem.</p> <p>Potential impact: Data loss.</p> <p>Suggested action(s): Check for network or hardware problem.</p>
Report Type	Automatic and Application Bank
Area/Subarea	RAC Monitoring

Metric E122_GlobalCacheBlocklostMax

Metric Number	122
Name	GlobalCacheBlocklostMax
Severity	Warning
Description	<p>"# of blocks that got lost during interconnect.</p> <p>This metric calculates the number of blocks that got lost during the interconnect (transfer) in the period between the last and current run of the collector. A message is sent to the management server if the number of lost blocks exceeds the threshold specified in the metric template. The metric reports the worst offender, that is, the instance name with maximum number of lost blocks. The metric also reports the count of lost blocks over the last collection interval for each instance, if the value is more than the threshold available in the annotation text.</p>
Favorites Group	No
Alarming and/or Graphing Metric	A
Collection Interval	1 hour
Min/Max Threshold	Max
Threshold	0.5
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0122.1: <\$VALUE> of blocks that got lost during interconnect in one instance. One or more instance has encountered block corruption during interconnect.
Instruction Text	<p>Probable Cause: One or more blocks are lost during transfer.Network, or hardware problem.</p> <p>Potential Impact: Performance.</p> <p>Suggested actions: Check the network for dropped packets, retirees, errors, or send/receive buffer overflows.. Some nodes in your Real Application Clusters database may be very loaded and busy. Therefore, look for high CPU usage, long run queues, and memory shortages as indicated by excess paging and swapping</p>
Report Type	Automatic and Application Bank
Area/Subarea	RAC Monitoring

Metric E123_GlobalCacheBlockRecTime

Metric Number	123
Name	GlobalCacheBlockRecTime
Severity	Warning
Description	<p>Monitors average time waited for consistent read per block in Oracle RAC environment. This metric calculates the average time taken to fulfill a consistent block request (in milliseconds) in the period between last and current run of the collector. A message is sent to the management server if the average time exceeds the threshold specified in the metric template.</p> <p><i>global cache cr block receive time</i> is the total amount of time foreground processes waited for a CR block to be sent through the interconnect. This divided by <i>global cache cr blocks received</i> is the time waited per block.</p>
Favorites Group	No
Alarming and/or Graphing Metric	A
Collection Interval	1 hour
Min/Max Threshold	Max
Threshold	15
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0123.1: Average time waited for consistent read per block is <\$VALUE>.
Instruction Text	<p>Probable Cause: Time waited for consistent read per block is too high. High system load, using a public interconnect instead of a private network, network errors, or poor CPU utilization by the LMS processes.</p> <p>Potential Impact: Performance</p> <p>Suggested Action:</p>
Report Type	N/A
Area/Subarea	RAC Monitoring

Metric E124_GlobalCacheBlockConvTime

Metric Number	124
Name	GlobalCacheBlockConvTime
Severity	Warning
Description	<p>Average convert time for a block mode conversion[in milliseconds]</p> <p>This metric calculates the average convert time for a block mode conversion (in milliseconds) in the period between last and current run of the collector. A message is sent to the management server if the average convert time exceeds the threshold specified in the metric template.</p> <p><i>global cache convert time</i> is the accumulated time that all sessions require to perform global conversions on GCS resources. This divided by <i>global cache converts</i> is the average global cache convert time for a block.</p>
Favorites Group	No
Alarming and/or Graphing Metric	A
Collection Interval	1 hour
Min/Max Threshold	Max
Threshold	15
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0124.1: Average convert time for a block mode conversion is <\$VALUE>.
Instruction Text	<p>Probable Cause: Average convert time for a block mode conversion is too high.High values indicate either overall system workload or performance problems or may be caused by excessive use of the Global Cache Service or the same block resources by multiple instances.</p> <p>Potential Impact: Performance</p> <p>Suggested actions: Check for system overall system workload. This problem can be caused by excessive use of the Global Cache Service or the same block resources by multiple instances.</p>
Report Type	N/A
Area/Subarea	RAC Monitoring

Metric E125_GlobalCacheBlockConvTimedOutMax

Metric Number	125
Name	GlobalCacheBlockConvTimedOutMax
Severity	Warning
Description	<p>Monitors the number of times lock converts in global cache are timed out in Oracle RAC environment.</p> <p>This metric calculates the number of times the lock converts in the global cache timed out in the period between the last and current run of the collector. A message is sent to the management server if the number of times the lock convert timed out exceeds the threshold specified in the metric template. The metric reports the worst offender, that is, the instance name with maximum number of blocks mode conversions timed out. The metric also reports the number of times lock converts timed out over the last collection interval for each instance, if the value is more than the threshold available in the annotation text.</p>
Favorites Group	No
Alarming and/or Graphing Metric	A
Collection Interval	1 hour
Min/Max Threshold	Max
Threshold	0.5
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0125.1: Some instance has timed out <\$VALUE> times during block mode conversion. One or more instance has block mode conversion timed outs.
Instruction Text	<p>Probable Cause: Global cache block mode conversion timed out is too high. High values indicate either overall system workload or performance problems or may be caused by excessive use of the Global Cache Service or the same block resources by multiple instances.</p> <p>Potential Impact: Performance</p> <p>Suggested actions: Check for hardware or network failures. This problem can be caused by excessive workloads on the system on the interconnect or by high contention for blocks between instances</p>
Report Type	Automatic and Application Bank
Area/Subarea	RAC Monitoring

Metric E126_DGLogGapDetection

Metric Number	126
Name	DGLogGapDetection
Severity	Warning
Description	Number of hours archived files have not been sent to the standby databases. This metric detects standby log gaps for archives created in the last 24 hours. The metric returns the number of hours since archived files created in the last 24 hours were sent to the standby databases. The metric executes only on the primary database of the data guard environment.
Favorites Group	No
Alarming and/or Graphing Metric	A
Collection Interval	1 hour
Min/Max Threshold	Max
Threshold	0.5
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0126.1: <\$VALUE> number of hours archived files have not been sent to the standby databases since created.
Instruction Text	Probable Cause: Network or hardware problem. Potential impact: Availability of Primary Database. Suggested actions: Identify archived files on Primary Database and copy to Standby Databases.
Report Type	N/A
Area/Subarea	Data Guard Monitoring

Metric E127_DGStbyDestErr

Metric Number	127
Name	DGStbyDestErr
Severity	Critical
Description	Number of dataguard destinations that are getting errors or in an invalid state. The metric detects if any remote standby archive destination is getting errors and that all the destinations are enabled and "VALID". The metric returns the number of dataguard destinations that are getting errors or dataguard destinations that are in an invalid state. The metric executes only on the primary database of the data guard environment.
Favorites Group	No
Alarming and/or Graphing Metric	A
Collection Interval	15 min
Min/Max Threshold	Max
Threshold	0.5
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0127.1: <\$VALUE> of dataguard destinations that are getting errors or in an invalid state.
Instruction Text	Probable Cause: There are Dataguard destinations that are getting errors or in an invalid state. Network or hardware problem. Potential impact: Performance/Database Availability. Suggested actions: Check the ALERT log for error information. Correct the problem that is preventing transmitting of archives to Standby databases. Requires grant select on GV_\$ARCHIVE_DEST to dbspi_account.
Report Type	N/A
Area/Subarea	Data Guard Monitoring

Metric E128_DGLogsNotAppliedToStandbyDB

Metric Number	128
Name	DGLogsNotAppliedToStandbyDB
Severity	Major
Description	This metric returns the number of log files that are not applied to standby databases. The metric executes on the physical and logical standby databases of the data guard environment.
Favorites Group	No
Alarming and/or Graphing Metric	A
Collection Interval	15 min
Min/Max Threshold	Max
Threshold	0.5
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0128.1: Number<\$VALUE> of log files which are not applied to Standby Database Instance id<\$SID>.
Instruction Text	Probable Cause: Log files are not applied. Network or hardware problem. Potential impact: Performance/Database Availability. Suggested actions: Identify logfiles and copy to standby databases.
Report Type	N/A
Area/Subarea	Data Guard Monitoring

Metric E129_DGHrsSinceLastSQLApply

Metric Number	129
Name	DGHrsSinceLastSQLApply
Severity	Warning
Description	"# number of hours last sql apply occurred on the logical standby databases
Favorites Group	No
Alarming and/or Graphing Metric	A
Collection Interval	1 hour
Min/Max Threshold	Max
Threshold	1.0
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0129.1: <\$VALUE> number of hours last sql occurred on the Logical Standby databases.
Instruction Text	<p>Probable Cause: Number of hours since the last sql applies occurred. Network or hardware problem.</p> <p>Potential Impact: Performance.</p> <p>Suggested actions: Identify archived files on Primary Database and copy to Standby Databases.</p>
Report Type	N/A
Area/Subarea	Data Guard Monitoring

Metric E130_DGHrsSinceArchLogsRecieved

Metric Number	130
Name	DGHrsSinceArchLogsRecieved
Severity	Warning
Description	This metric returns the number of hours since the latest time stamp in the redo received on the Logical Standby databases. The metric executes only on the logical standby database of the data guard environment.
Favorites Group	No
Alarming and/or Graphing Metric	A
Collection Interval	1 hour
Min/Max Threshold	Max
Threshold	1
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0130.1: <\$VALUE> number of hours since the latest time stamp in the redo received on the Logical Standby databases since created.
Instruction Text	<p>Probable Cause: Number of hours since the last time stamp redo was received on Logical Standby Database Instance. Network or hardware problem.</p> <p>Potential Impact: Availability of Primary Database.</p> <p>Suggested actions: Identify archived files on Primary Database and copy to Standby Databases.</p>
Report Type	N/A
Area/Subarea	Data Guard Monitoring

Metric E131_GlobalCacheCurBlockRecTime

Metric Number	131
Name	GlobalCacheCurBlockRecTime
Severity	Warning
Description	Number of current blocks that got received during interconnect
Favorites Group	No
Alarming and/or Graphing Metric	A
Collection Interval	1 hour
Min/Max Threshold	Max
Threshold	0.5
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0131.1: Average time waited for current read per block is <\$VALUE>.
Instruction Text	<p>Probable Cause: Time waited for current read per block is too high. High system load, using a public interconnect instead of a private network, network errors, or poor CPU utilization by LMS processes.</p> <p>Potential Impact: Performance</p> <p>Suggested Action:</p>
Report Type	N/A
Area/Subarea	RAC Monitoring

Metric E132_FileWithMaxTransferRate

Metric Number	132
Name	FileWithMaxTransferRate
Severity	Warning
Description	Datafiles of cluster database with highest sum of rate of transfer for consistent read blocks as well as current blocks.
Favorites Group	No
Alarming and/or Graphing Metric	A
Collection Interval	1 hour
Min/Max Threshold	Max
Threshold	1000
Reset (value)	Without reset
Metric Parameter	N/A
Message Text	DBSPI-0132.1: Instance <\$dbname> file <\$OPTION(FILE_NAME)> has transfer rate <\$VALUE>.
Instruction Text	<p>Probable Cause: Location of objects of the file causing excess transfer of blocks between instances.</p> <p>Potential Impact: Performance</p> <p>Suggested actions: Verify use of Oracle hash or range partitioning.</p>
Report Type	Automatic and Application Bank
Area/Subarea	RAC Monitoring

Metric E133_DskGrpStatCnt

Metric Number	133
Name	DskGrpStatCnt
Severity	Major
Description	The number of non-mounted diskgroups
Favorites Group	Yes
Alarming and/or Graphing Metric	A
Collection Interval	15 min
Min/Max Threshold	Max
Threshold	0.5
Reset (value)	Without reset
Metric Parameter	N/A
Metric Parameter Min/Max	N/A
Message Text	DBSPI-0133.1: <\${VALUE}> diskgroups not MOUNTED in ASM instance <\${OPTION(dbname)}>
Instruction Text	<p>Probable cause(s): The reported ASM diskgroup has state that is different from MOUNTED. The diskgroup is not used by any database instances and the DBA unmount it.</p> <p>Potential Impact:</p> <p>Suggested action(s): Ensure ASM diskgroup in correct state. The automatic action report for this metric lists the name and the state for all diskgroups.</p>
Report Type	Automatic and Application Bank
Area/Subarea	Database status

Metric E334_DskGrpFreePct

Metric Number	334
Name	DskGrpFreePct
Severity	Major
Description	Diskgroups with low free space
Favorites Group	Yes
Alarming and/or Graphing Metric	A
Collection Interval	15 min
Min/Max Threshold	Min
Threshold	10
Reset (value)	Without reset
Metric Parameter	N/A
Metric Parameter Min/Max	N/A
Message Text	DBSPI-0334.1: Free space percentage (<\$VALUE>) too low for <\$OPTION(diskgroup)> in database <\$OPTION(dbname)> (\\<=<\$THRESHOLD>%). Free space <\$OPTION(free)>Mb, total space <\$OPTION(total)>Mb
Instruction Text	Probable cause(s): The reported diskgroup currently has a free space percentage that is lower than the configured condition threshold. Diskgroup needs additional space. Potential impact: Failure Suggested action(s): Add new disk(s) in diskgroups.
Report Type	N/A
Area/Subarea	Space Management

Oracle Reporting Metrics

The reports listed in the following table are generated by the respective metrics and are available through HP OpenView Reporter.

Report Category	Description	Interval	Metric
Oracle Availability	Reports uptime information	5-minute	E201_InstUptime
Oracle Instance Size	Instance size in MB allocated and free	daily	E212_Inst Size
Oracle Tablespace Size	Tablespace size in MB allocated and free	daily	E210_TblSpcSize
Oracle Segment Size	Segment size in MB allocated	daily	E215_SegmntSize
Oracle Workload Oracle I/O	Number of physical reads and writes to the disk since the last collection for each tablespace.	daily	E213_TblspcIO
*Oracle Logons	Number of logons	5-minute	E037_UserLogonCnt
*Oracle Transactions	Number of transactions	5-minute	E044_CommitRate

**Session* and *transaction reports* derive from metrics collected for graphing templates (as well as Reporter reports). If you did not enable reports and graphs when you saved your configuration file (answering [yes] to the prompt), to generate these reports, run the *Enable Graphs* application against the managed node:

Admin→**Enable Graphs** [UNIX managed nodes];

Admin Windows→**Enable Graphs** [Windows managed nodes]).

Reporter Metric Data Specifications (OSM metrics)

The following table gives a description of each metric and the table column contents as they appear in tables used by Reporter.

Table 1 Metrics in Reporter table **ORAOSM_METRICS**

Metric	Description	metricid	objectid	valueid	value
E201_InstUptime	Availability metric	201	Instance Name	1	Up=5 Down=0
E212_InstSize	Instance Size	212	Instance Name	1	Megabytes Allocated
"	"	"	"	2	Megabytes Free
E210_TblSpcSize	Tablespace Size	210	Tablespace Name	1	Megabytes Allocated

Table 1 Metrics in Reporter table **ORAOSM_METRICS**

"	"	"	"	2	Megabytes Free
E215_SegmntSize	Segment Size	215	Segment Name	1	Megabytes Allocated
E213_TblSpclO	Tablespace I/O	213	Tablespace Name	1	Delta of physical reads+writes since last collection

2 Oracle Logfile Text

This chapter provides detailed information about the text contained in the DB-SPI Oracle logfile templates.

ORA-00018

Description	Max number of sessions exceeded
Severity	Warning
Message Group	Ora_Conf
Help Text	Probable Cause: The maximum number of sessions allowed is specified by the initialization parameter SESSIONS. When the specified maximum is reached no more requests will be processed. Suggested Action: In general, no specific action is required. However, if the message occurs frequently then: <ol style="list-style-type: none">1 Increase the SESSIONS parameter in the initialization parameter file2 Wait until the next time Oracle is restarted for the value to take effect

ORA-00019

Description	Max number of sessions licenses exceeded
Severity	Warning
Message Group	Ora_Conf
Help Text	Probable Cause: All available licenses are in use. Suggested Action: Increase the number of available session licenses.

ORA-00020

Description	Max number of processes exceeded
Severity	Warning
Message Group	Ora_Conf
Help Text	<p>Probable Cause: The maximum number of processes allowed is specified by the initialization parameter PROCESSES. When the specified maximum is reached no more requests will be processed.</p> <p>Suggested Action: In general, no specific action is required. However, if the message occurs frequently then:</p> <ol style="list-style-type: none">1 Increase the PROCESSES parameter in the initialization parameter file2 Wait until the next time Oracle is restarted for the new value to take effect

ORA-00025

Description	Failed to allocate memory
Severity	Major
Message Group	Ora_Conf
Help Text	<p>Probable Cause: Oracle ran out of memory. An attempt to allocate memory failed.</p> <p>Suggested Action: Restart Oracle with a larger SGA heap.</p>

ORA-00050

Description	O/S error occurred while obtaining enqueue
Severity	Major
Message Group	Ora_Fault
Help Text	<p>Probable Cause: The necessary operating system resources could not be obtained to complete an Oracle enqueue. This is normally an indication that the user resource quota on the operating system is too low.</p> <p>Suggested Action: The error is operating system specific. Look up the operating system error in the operating system-specific Oracle manuals and perform the corrective action(s) suggested.</p>

ORA-00051

Description	Time-out occurred while waiting for resource
Severity	Major
Message Group	Ora_Fault
Help Text	Probable Cause: In most cases this message is caused by a database instance that has terminated abnormally. Suggested Action: Restart the non-recovered database instance(s).

ORA-00052

Description	Max number of enqueue resources exceeded
Severity	Warning
Message Group	Ora_Conf
Help Text	Probable Cause: The maximum number of enqueue resources allowed is specified by the initialization parameter ENQUEUE_RESOURCES. When the specified maximum is reached no more requests will be processed. Suggested Action: In general, no specific action is required. However, if the message occurs frequently then: <ol style="list-style-type: none">1 Increase the ENQUEUE_RESOURCES parameter in the initialization parameter file2 Wait until the next time Oracle is restarted for the new value to take effect

ORA-00053

Description	Max number of enqueues exceeded
Severity	Warning
Message Group	Ora_Conf
Help Text	<p>Probable Cause:</p> <p>The enqueue list for a resource has reached its maximum length. When a request is made for a resource that is unavailable, the request is enqueued to wait for the resource to become available.</p> <p>The number of requests that may be queued for a resource is specified by the initialization parameter ENQUEUE_RESOURCES. No more requests can be added to the enqueue list once it has reached the specified maximum.</p> <p>Suggested Action:</p> <p>In general, no specific action is required. However, if the message occurs frequently then:</p> <ol style="list-style-type: none"> 1 Increase the ENQUEUE_RESOURCES parameter in the initialization parameter file 2 Wait until the next time Oracle is restarted for the new value to take effect

ORA-00055

Description	Max number of DML_LOCKS exceeded
Severity	Warning
Message Group	Ora_Conf
Help Text	<p>Probable Cause:</p> <p>The maximum number of DML_LOCKS allowed is specified by the initialization parameter DML_LOCKS. When the specified maximum is reached no more requests will be processed.</p> <p>Suggested Action:</p> <p>In general, no specific action is required. However, if the message occurs frequently then:</p> <ol style="list-style-type: none"> 1 Increase the DML_LOCKS parameter in the initialization parameter file 2 Wait until the next time Oracle is restarted for the new value to take effect

ORA-00057

Description	Max number of temp table locks exceeded
Severity	Warning
Message Group	Ora_Conf
Help Text	<p>Probable Cause:</p> <p>The number of temporary tables exceeds the number of temporary table locks. The maximum number of temporary table locks allowed is specified by the initialization parameter <code>TEMPORARY_TABLE_LOCKS</code>.</p> <p>When the specified maximum is reached no more requests will be processed. Large sort operations may create several temporary tables.</p> <p>Suggested Action:</p> <p>In general, no specific action is required. However, if the message occurs frequently then</p> <ol style="list-style-type: none"> 1 Increase the <code>TEMPORARY_TABLE_LOCKS</code> parameter in the initialization parameter file 2 Wait until the next time Oracle is restarted for the new value to take effect

ORA-00059

Description	Max number of datafiles exceeded
Severity	Warning
Message Group	Ora_Conf
Help Text	<p>Probable Cause:</p> <p>The maximum number of datafiles allowed is specified by the initialization parameter <code>DB_FILES</code>. When the specified maximum is reached no more requests will be processed.</p> <p>Suggested Action:</p> <p>In general, no specific action is required. However, if the message occurs frequently then:</p> <ol style="list-style-type: none"> 1 Increase the <code>DB_FILES</code> parameter in the initialization parameter file 2 Wait until the next time Oracle is restarted for the new value to take effect <p>If the <code>DB_FILES</code> parameter is already set to the <code>MAXDATAFILES</code> parameter value (which is set when the database is created), then a new control file will have to be created.</p>

ORA-00063

Description	LOG_FILES initialization parameter exceeded
Severity	Warning
Message Group	Ora_Conf
Help Text	<p>Probable Cause: The value of the LOG_FILES initialization parameter was exceeded.</p> <p>Suggested Action: Increase the value of the LOG_FILES parameter in the initialization parameter file. The value should be set to a number higher than the current highest number log file (rather than the count of existing log files).</p> <p>If the LOG_FILES parameter is already set to the MAXLOGFILES parameter value (which is set when the database is created), then a new control file will have to be created.</p>

ORA-00104

Description	Deadlock detected (public servers)
Severity	Warning
Message Group	Ora_Conf
Help Text	<p>Probable Cause: The message occurs when the following situation arises:</p> <ol style="list-style-type: none">1 A client locks a resource and tries to get a shared server2 The maximum number of shared servers are already taken by other clients, who are requesting the locked resource held by the original client3 The original client is unable to get a shared server and cannot release the lock on the held resource <p>Suggested Action: In general, no specific action is required. The system will automatically start up new servers to break the deadlock, until the number of servers reaches the limit specified in the initialization parameter MTS_MAX_SERVERS.</p> <p>However, if the message occurs frequently then ensure that more servers are available by increasing the value of the initialization parameter MTS_SERVERS or MTS_MAX_SERVERS. The increased number of servers will only become available the next time the database instance is restarted.</p>

ORA-00204

Description	Error reading control file
Severity	Critical
Message Group	Ora_Fault
Help Text	<p>Probable Cause:</p> <p>An error occurred while attempting to read from the specified control file. The block where the failure occurred is given in the message. There can be several possible causes:</p> <ol style="list-style-type: none">1 There is a problem accessing the disk where the file is located2 Something is wrong with the file itself <p>Suggested Action:</p> <ol style="list-style-type: none">1 Verify that the disk where the file is located is online2 If the disk is offline, then bring it online and restart Oracle3 If the disk is online, then look for operating system related problems, that are causing Oracle's inability to read from the disk or file. Consult the operating system-specific Oracle documentation4 If required, refer to the Oracle Server Administrator's Guide for information on recovering from the loss of a control file

ORA-00206

Description	Error writing control file
Severity	Critical
Message Group	Ora_Fault
Help Text	<p>Probable Cause:</p> <p>An error occurred while attempting to write to the specified control file. The block where the failure occurred is given in the message. There can be several possible causes:</p> <ol style="list-style-type: none">1 There is a problem accessing the disk where the file is located2 Something is wrong with the file itself <p>Suggested Action:</p> <ol style="list-style-type: none">1 Verify that the disk where the file is located is online2 If the disk is offline, then bring it online and restart Oracle3 If the disk is online, then look for operating system related problems, that are causing Oracle's inability to write to the disk or file. Consult the operating system-specific Oracle documentation4 If required, refer to the Oracle Server Administrator's Guide for information on recovering from the loss of a control file

ORA-00210

Description	Cannot open control file
Severity	Critical
Message Group	Ora_Fault
Help Text	<p>Probable Cause:</p> <p>An error occurred while attempting to open the specified control file. There can be several possible causes:</p> <ol style="list-style-type: none">1 There is a problem accessing the disk where the file is located2 The file is missing or in the wrong location3 An operating system-specific condition is preventing the accessing of the file <p>Suggested Action:</p> <ol style="list-style-type: none">1 Verify that the disk where the file is located is online2 If the disk is offline, then bring it online and restart Oracle3 If the disk is online, then verify that<ul style="list-style-type: none">— The control file exists— The control file is not locked by another program— The operating system limit for number of open files per process has not been exceeded4 Fix the problem and restart Oracle if required

ORA-00216

Description	Unable to determine block size for control file
Severity	Critical
Message Group	Ora_Fault
Help Text	<p>Probable Cause:</p> <p>An error occurred while attempting to determine the physical block size for the specified control file.</p> <p>Suggested Action:</p> <p>Check the accompanying message stack for more details.</p>

ORA-00217

Description	Inconsistent control file block size
Severity	Critical
Message Group	Ora_Fault
Help Text	Probable Cause: The physical block size of the specified control file is different from the physical block size of the operating system. This usually indicates that the control file has been corrupted. Suggested Action: Restore a valid control file or re-create the database.

ORA-00218

Description	Changed control file block size
Severity	Critical
Message Group	Ora_Fault
Help Text	Probable Cause: The physical block size of the specified control file (as stored in its file header) is different than the physical block size returned by the operating system. This usually indicates that the control file has been corrupted. Suggested Action: Restore a valid copy of the control file or re-create the database.

ORA-00221

Description	Error on write to control file
Severity	Critical
Message Group	Ora_Fault
Help Text	Probable Cause: An error occurred while attempting to write to one or more control files. Suggested Action: Check the accompanying message stack for more details.

ORA-00255

Description	Error archiving log
Severity	Major
Message Group	Ora_Fault
Help Text	<p>Probable Cause: An error occurred while the ARCH process was trying to archive a redo log file.</p> <p>Suggested Action: Check the accompanying message stack for more details. If the indicated redo log file is corrupt, it can still be cleared using the UNARCHIVED option. This will however make it impossible to recover from backups for any time after the log was created.</p>

ORA-00257

Description	Archiver stuck
Severity	Major
Message Group	Ora_Fault
Help Text	<p>Probable Cause: An error occurred while the ARCH process was trying to archive a redo log file. The problem is normally caused by a lack of available space on the targeted storage device. If the problem is not resolved, the database will no longer be able to execute transactions.</p> <p>Suggested Action: Review the archiver trace file for more details. Verify that the device specified in the initialization parameter ARCHIVE_LOG_DEST is configured correctly and has enough available space.</p>

ORA-00265

Description	Instance recovery required
Severity	Major
Message Group	Ora_Fault
Help Text	<p>Probable Cause: The database was shut down with the ABORT option or has crashed.Recovery of datafiles from the redo logs may not be possible.</p> <p>Suggested Action: Shutdown the database using either the IMMEDIATE or NORMAL options.</p>

ORA-00270

Description	Error creating archive log
Severity	Major
Message Group	Ora_Fault
Help Text	Probable Cause: An error occurred while creating or opening an archive log. Suggested Action: Verify that the device specified for the archive destination is valid (and available) and has enough available space.

ORA-00272

Description	Error writing archive log
Severity	Major
Message Group	Ora_Fault
Help Text	Probable Cause: An error occurred while archiving a redo log file. Suggested Action: Verify that the device specified for the archive destination is valid (and available) and has enough available space.

ORA-00290

Description	Operating system archiving error
Severity	Major
Message Group	Ora_Fault
Help Text	Probable Cause: An unexpected operating system error occurred while the ARCH process was trying to archive a redo log file. Suggested Action: Review the operating system-specific Oracle documentation and correct the indicated operating system error.

ORA-00302

Description	Limit of number of redo logs exceeded
Severity	Warning
Message Group	Ora_Conf
Help Text	Probable Cause: The maximum number of redo log files (which was set at database creation), has been exceeded. Suggested Action: Increase the value of the MAXLOGFILES parameter using the CREATE CONTROLFILE command.

ORA-00345

Description	Redo log write error
Severity	Major
Message Group	Ora_Fault
Help Text	Probable Cause: An error occurred while writing to a redo log file. Normally this means that the file is not accessible or the device on which it is located is not available. The log may be lost or corrupt. Suggested Action: Make the file accessible or restore the device.

ORA-00348

Description	Single process redo failure
Severity	Critical
Message Group	Ora_Fault
Help Text	Probable Cause: An error occurred during a single-process redo log operation. This error does not occur during multi-process operations. Suggested Action: Restart the database.

ORA-00371

Description	No free buffer handles available
Severity	Warning
Message Group	Ora_Conf
Help Text	<p>Probable Cause:</p> <p>The maximum number of buffer handles allowed is specified by the initialization parameter DB_HANDLES. When the specified maximum is reached no more requests will be processed.</p> <p>Suggested Action:</p> <ol style="list-style-type: none"> 1 Consider allowing DB_HANDLES to take its default value, by not specifying it in the initialization file OR 2 Increase the DB_HANDLES parameter in the initialization parameter file 3 Wait until the next time Oracle is restarted for the new value to take effect

ORA-00390

Description	Log file is being cleared, cannot become current log
Severity	Warning
Message Group	Ora_Fault
Help Text	<p>Probable Cause:</p> <p>The redo thread failed to switch to a new online log, because it could not find a reusable log. A log is being cleared and will be available when the clearing is done. This message is only a problem if the command that started the clearing terminated without completing it.</p> <p>Suggested Action:</p> <ol style="list-style-type: none"> 1 If the clear command is still busy executing then simply wait until it completes 2 If the clear command has terminated then either re-enter the clear command or drop the log file.

ORA-00392

Description	Log file is being cleared, operation not allowed
Severity	Warning
Message Group	Ora_Fault
Help Text	<p>Probable Cause: A log is being cleared and will be available when the clearing is done. This is only a problem if the command that started the clearing terminated without completing it.</p> <p>Suggested Action:</p> <ol style="list-style-type: none">1 If the clear command is still busy executing then simply wait until it completes2 If the clear command has terminated then either re-enter the clear command or drop the log file.

ORA-00436

Description	Oracle is not licensed
Severity	Warning
Message Group	Ora_Admin
Help Text	<p>Probable Cause: The installed Oracle software is not licensed to run on this CPU. Normally this message is an indication that the Oracle software has not been installed correctly or that incorrect licensing codes have been provided.</p> <p>Suggested Action: Verify that Oracle has been installed correctly and that the licensing codes are correct.</p>

ORA-00437

Description	Oracle feature is not licensed
Severity	Warning
Message Group	Ora_Admin
Help Text	<p>Probable Cause: The installed Oracle software is not licensed to run on this CPU. Normally this message is an indication that the Oracle software has not been installed correctly or that incorrect licensing codes have been provided.</p> <p>Suggested Action: Verify that Oracle has been installed correctly and that the licensing codes are correct.</p>

ORA-00443

Description	Background process did not start
Severity	Critical
Message Group	Ora_Fault
Help Text	<p>Probable Cause: The indicated Oracle process failed to start. This is normally an indication that the executable for the process was not found.</p> <p>Suggested Action: Verify the following things:</p> <ol style="list-style-type: none">1 The executable for the process is in the correct location2 The file permissions on the executable are sufficient3 Enough memory is available to start the process (size of SGA) <p>Retry the operation after correcting the problem.</p>

ORA-00444

Description	Background process failed while starting
Severity	Critical
Message Group	Ora_Fault
Help Text	<p>Probable Cause: The indicated Oracle process failed to start. This is normally an indication that the executable for the process was not found.</p> <p>Suggested Action: Verify the following things:</p> <ol style="list-style-type: none">1 The executable for the process is in the correct location2 The file permissions on the executable are sufficient3 Enough memory is available to start the process (size of SGA) <p>Retry the operation after correcting the problem.</p>

ORA-00445

Description	Background process did not start after n seconds
Severity	Critical
Message Group	Ora_Fault
Help Text	<p>Probable Cause: The indicated Oracle process failed to start. This is normally an indication that the executable for the process was not found.</p> <p>Suggested Action: Verify the following things:</p> <ol style="list-style-type: none">1 The executable for the process is in the correct location2 The file permissions on the executable are sufficient3 Enough memory is available to start the process (size of SGA) <p>Retry the operation after correcting the problem.</p>

ORA-00446

Description	Background process started when not expected
Severity	Warning
Message Group	Ora_Fault
Help Text	Probable Cause: A background process started after Oracle was already running. Suggested Action: <ol style="list-style-type: none">1 Review the accompanying messages or corresponding process trace file2 If the reason the process started can not be identified, contact Oracle Support

ORA-00447

Description	Fatal error in background process
Severity	Critical
Message Group	Ora_Fault
Help Text	Probable Cause: An Oracle background process terminated unexpectedly. Suggested Action: <ol style="list-style-type: none">1 Review the corresponding process trace file and correct any problems2 Restart Oracle

ORA-00449

Description	Background process unexpectedly terminated
Severity	Critical
Message Group	Ora_Fault
Help Text	Probable Cause: An Oracle background process terminated unexpectedly. The problem was detected by a foreground process needing service from the background process. Suggested Action: <ol style="list-style-type: none">1 Review the corresponding process trace file and correct any problems2 Restart Oracle

ORA-00470

Description	LGWR process terminated with error
Severity	Critical
Message Group	Ora_Fault
Help Text	Probable Cause: The Oracle Log Writer process terminated abnormally. Suggested Action: <ol style="list-style-type: none">1 Review the corresponding process trace file and correct any problems. It is possible that multiple trace files will have to be reviewed to identify the root cause of the problem2 Shutdown and restart the Oracle instance

ORA-00471

Description	DBWR process terminated with error
Severity	Critical
Message Group	Ora_Fault
Help Text	Probable Cause: The Oracle Database Writer process terminated abnormally. Suggested Action: <ol style="list-style-type: none">1 Review the corresponding process trace file and correct any problems. It is possible that multiple trace files will have to be reviewed to identify the root cause of the problem2 Shutdown and restart the Oracle instance

ORA-00472

Description	PMON process terminated with error
Severity	Critical
Message Group	Ora_Fault
Help Text	Probable Cause: The Oracle Process Monitor process terminated abnormally. Suggested Action: <ol style="list-style-type: none">1 Review the corresponding process trace file and correct any problems. It is possible that multiple trace files will have to be reviewed to identify the root cause of the problem2 Shutdown and restart the Oracle instance

ORA-00473

Description	ARCH process terminated with error
Severity	Critical
Message Group	Ora_Fault
Help Text	Probable Cause: The Oracle Archiver process terminated abnormally. Suggested Action: <ol style="list-style-type: none">1 Review the corresponding process trace file and correct any problems. It is possible that multiple trace files will have to be reviewed to identify the root cause of the problem2 Shutdown and restart the Oracle instance

ORA-00474

Description	SMON process terminated with error
Severity	Critical
Message Group	Ora_Fault
Help Text	Probable Cause: The Oracle System Monitor process terminated abnormally. Suggested Action: <ol style="list-style-type: none">1 Review the corresponding process trace file and correct any problems. It is possible that multiple trace files will have to be reviewed to identify the root cause of the problem2 Shutdown and restart the Oracle instance

ORA-00475

Description	TRWR process terminated with error
Severity	Critical
Message Group	Ora_Fault
Help Text	Probable Cause: The Oracle System Tracing process terminated abnormally. Suggested Action: <ol style="list-style-type: none">1 Review the corresponding process trace file and correct any problems. It is possible that multiple trace files will have to be reviewed to identify the root cause of the problem2 Shutdown and restart the Oracle instance

ORA-00476

Description	RECO process terminated with error
Severity	Critical
Message Group	Ora_Fault
Help Text	Probable Cause: The Oracle Recovery process for two-phase commits terminated abnormally. Suggested Action: <ol style="list-style-type: none">1 Review the corresponding process trace file and correct any problems. It is possible that multiple trace files will have to be reviewed to identify the root cause of the problem2 Shutdown and restart the Oracle instance

ORA-00477

Description	SNP _x process terminated with error
Severity	Critical
Message Group	Ora_Fault
Help Text	Probable Cause: A Oracle Snapshot Refresh process terminated abnormally. Suggested Action: <ol style="list-style-type: none">1 Review the corresponding process trace file and correct any problems. It is possible that multiple trace files will have to be reviewed to identify the root cause of the problem2 Shutdown and restart the Oracle instance

ORA-00480

Description	LCK _x process terminated with error
Severity	Critical
Message Group	Ora_Fault
Help Text	Probable Cause: A Oracle Lock process terminated abnormally. Suggested Action: <ol style="list-style-type: none">1 Review the corresponding process trace file and correct any problems. It is possible that multiple trace files will have to be reviewed to identify the root cause of the problem2 Shutdown and restart the Oracle instance

ORA-00483

Description	During shutdown a process abnormally terminated
Severity	Critical
Message Group	Ora_Fault
Help Text	<p>Probable Cause: One of the Oracle background processes did not exit normally when the instance was shutdown.</p> <p>Suggested Action:</p> <ol style="list-style-type: none">1 Review the corresponding process trace file and correct any problems. It is possible that multiple trace files will have to be reviewed to identify the root cause of the problem2 Shutdown the instance using the SHUTDOWN ABORT command

ORA-00600

Description	Internal error code
Severity	Warning
Message Group	Ora_Fault
Help Text	<p>Probable Cause: This is a generic Oracle error message indicating that a process has encountered a low-level unexpected condition, and no specific Oracle error message has been defined. There can be several causes:</p> <ol style="list-style-type: none">1 Hardware, memory or I/O errors2 File corruption3 Missing files or incorrectly restored files4 Time-outs <p>Suggested Action: Report the error to Oracle Support. Corrective action will vary.</p>

ORA-00601

Description	Cleanup lock conflict
Severity	Warning
Message Group	Ora_Fault OBJECT "PMON"
Help Text	Probable Cause: The Oracle Process Monitor process encountered a lock conflict while trying to recover processes. This internal message should not normally be issued. Suggested Action: Report the error to Oracle Support.

ORA-00602

Description	Internal programming exception
Severity	Warning
Message Group	Ora_Fault
Help Text	Probable Cause: An internal programming exception has occurred within the Oracle software. Suggested Action: Report the error to Oracle Support.

ORA-00603

Description	Oracle Server session terminated by fatal error
Severity	Warning
Message Group	Ora_Fault
Help Text	Probable Cause: An Oracle Server session has terminated unexpectedly and is currently in an unrecoverable state. Suggested Action: <ol style="list-style-type: none">1 Examine the session trace file for more details2 A new session will be created when you login to Oracle again

ORA-00604

Description	Error occurred at recursive SQL level
Severity	Warning
Message Group	Ora_Fault
Help Text	<p>Probable Cause: An error occurred at the indicated level of a recursive SQL statement that relates to internal dictionary tables.</p> <p>Suggested Action: There is normally additional information contained within a subsequent message. If the problem can not be fixed using information from this message, report the error to Oracle Support.</p>

ORA-00606

Description	Internal error code
Severity	Warning
Message Group	Ora_Fault
Help Text	<p>Probable Cause: A call to deferred UPI functions was made in non-deferred mode.</p> <p>Suggested Action: Report the error to Oracle Support.</p>

ORA-00703

Description	Maximum number of dictionary cache instance locks exceeded
Severity	Warning
Message Group	Ora_Conf
Help Text	<p>Probable Cause: The maximum number of dictionary cache instance locks allowed is specified by the initialization parameter ROW_CACHE_INSTANCE_LOCKS. When the specified maximum is reached no more requests will be processed.</p> <p>Suggested Action: In general, no specific action is required. However, if the message occurs frequently then</p> <ol style="list-style-type: none">1 Increase the ROW_CACHE_INSTANCE_LOCKS parameter in the initialization parameter file2 Wait until the next time Oracle is restarted for the value to take effect

ORA-01114

Description	IO error writing block to file
Severity	Critical
Message Group	Ora_Fault
Help Text	<p>Probable Cause:</p> <p>An error occurred while attempting to write to a file. The block where the failure occurred is given in the message. There can be several possible causes:</p> <ol style="list-style-type: none">1 There is a problem accessing the disk where the file is located2 Something is wrong with the file itself <p>Suggested Action:</p> <ol style="list-style-type: none">1 Verify that the disk where the file is located is online2 If the disk is offline, then bring it online and retry the operation that failed3 If the disk is online, then look for operating system related problems, that are causing Oracle's inability to write to the disk or file. Consult the operating system-specific Oracle documentation

ORA-01115

Description	IO error reading block from file
Severity	Critical
Message Group	Ora_Fault
Help Text	<p>Probable Cause:</p> <p>An error occurred while attempting to read from a file. The block where the failure occurred is given in the message. There can be several possible causes:</p> <ol style="list-style-type: none">1 There is a problem accessing the disk where the file is located2 Something is wrong with the file itself <p>Suggested Action:</p> <ol style="list-style-type: none">1 Verify that the disk where the file is located is online2 If the disk is offline, then bring it online and retry the operation that failed3 If the disk is online, then look for operating system related problems, that are causing Oracle's inability to read from the disk or file. Consult the operating system-specific Oracle documentation

ORA-01116

Description	Error in opening datafile
Severity	Critical
Message Group	Ora_Fault
Help Text	<p>Probable Cause:</p> <p>An error occurred while attempting to open the specified data file. There can be several possible causes:</p> <ol style="list-style-type: none"> 1 There is a problem accessing the disk where the file is located 2 The file is missing or in the wrong location 3 An operating system-specific condition is preventing the accessing of the file <p>Suggested Action:</p> <ol style="list-style-type: none"> 1 Verify that the disk where the file is located is online 2 If the disk is offline, then bring it online and retry the operation 3 If the disk is online, then verify that <ul style="list-style-type: none"> — The file exists and its access permissions are correct — The operating system limit for number of open files per process has not been exceeded

ORA-01118

Description	Cannot add more datafiles
Severity	Warning
Message Group	Ora_Conf
Help Text	<p>Probable Cause:</p> <p>An attempt to add a datafile failed. The number of datafiles has reached the allowed limit.</p> <p>Suggested Action:</p> <p>If more space is required for the database, then the following steps are required:</p> <ol style="list-style-type: none"> 1 Export the database 2 Recreate it with a higher limit of datafiles 3 If necessary increase the file size as well

ORA-01122

Description	Datafile failed verification check
Severity	Warning
Message Group	Ora_Fault
Help Text	<p>Probable Cause:</p> <p>The information in the datafile does not match the information specified in the control file. There are several potential causes:</p> <ol style="list-style-type: none">1 The datafile is corrupt2 The datafile is newer than the control file3 The datafile size does not match what is specified in the control file <p>Suggested Action:</p> <p>Verify that the datafile and control file are the correct ones for the database.</p>

ORA-01123

Description	Cannot start online backup
Severity	Warning
Message Group	Ora_Admin
Help Text	<p>Probable Cause:</p> <p>Archiving is not enabled for the specified online tablespace. Online backup cannot start.</p> <p>Suggested Action:</p> <ol style="list-style-type: none">1 Enable archiving for the tablespace2 Retry the operation

ORA-01128

Description	Cannot start online backup
Severity	Warning
Message Group	Ora_Admin
Help Text	<p>Probable Cause:</p> <p>The indicated file can not be backed up online because it is offline.</p> <p>Suggested Action:</p> <p>One of two alternatives can be tried:</p> <ol style="list-style-type: none">1 Bring the file online so that it can be backed up OR2 Perform an offline backup

ORA-01149

Description	Cannot shutdown because online backup set
Severity	Warning
Message Group	Ora_Admin
Help Text	Probable Cause: The online backup is still in progress for the indicated file. A normal shutdown is not possible until it completes. Suggested Action: End the online backup and then retry the shutdown.

ORA-01154

Description	Database busy
Severity	Warning
Message Group	Ora_Admin
Help Text	Probable Cause: An operation that requires the instance to remain open or mounted is still in progress. The database can not be shutdown until it completes. Suggested Action: One of two alternatives can be tried: <ol style="list-style-type: none">1 Wait for the operation to complete and retry the shutdown2 Use the SHUTDOWN ABORT command to force a shutdown

ORA-01155

Description	Database is being open or closed
Severity	Warning
Message Group	Ora_Admin
Help Text	Probable Cause: The database is being open, closed, mounted or dismounted and the operation is still in progress. The database can not be shutdown until it completes. Suggested Action: One of two alternatives can be tried: <ol style="list-style-type: none">1 Wait for the operation to complete and retry the shutdown2 Use the SHUTDOWN ABORT command to force a shutdown

ORA-01241

Description	External cache has died
Severity	Major
Message Group	Ora_Fault
Help Text	Probable Cause: The external cache has died or been restarted. Suggested Action: Perform the following steps on the file mentioned in the error stack: <ol style="list-style-type: none">1 Take it offline2 Perform media recovery on it3 Bring it online again4 Retry the operation5 If necessary, restart all database instances to ensure they are accessing datafiles through a consistent external cache

ORA-01242

Description	Data file suffered media failure
Severity	Major
Message Group	Ora_Fault
Help Text	Probable Cause: A database file is inaccessible due to media failure. Suggested Action: <ol style="list-style-type: none">1 Restore access to the file mentioned in the error stack2 Restart the database instance

ORA-01243

Description	System tablespace file suffered media failure
Severity	Major
Message Group	Ora_Fault
Help Text	Probable Cause: A system tablespace file is inaccessible due to media failure. Suggested Action: <ol style="list-style-type: none">1 Restore access to the file mentioned in the error stack2 Restart the database instance

ORA-01541

Description	System tablespace cannot be brought offline
Severity	Warning
Message Group	Ora_Admin
Help Text	Probable Cause: Someone tried to bring the SYSTEM tablespace offline. Suggested Action: The SYSTEM tablespace must always be online. Find out who is trying to take it offline. It may be necessary to shutdown and do a recovery.

ORA-01544

Description	Cannot drop system rollback segment
Severity	Warning
Message Group	Ora_Admin
Help Text	Probable Cause: Someone tried to drop the SYSTEM rollback segment. Suggested Action: Find out who is trying to drop the SYSTEM rollback segment. No further action is required.

ORA-01550

Description	Cannot drop system tablespace
Severity	Warning
Message Group	Ora_Admin
Help Text	Probable Cause: Someone tried to drop the SYSTEM tablespace. Suggested Action: Find out who is trying to drop the SYSTEM tablespace. No further action is required.

ORA-01554

Description	Out of transaction slots in transaction tables
Severity	Major
Message Group	Ora_Conf
Help Text	Probable Cause: There are too many concurrent transactions. Suggested Action: <ol style="list-style-type: none">1 Shutdown Oracle2 Increase the initialization parameters TRANSACTION and ROLLBACK_SEGMENTS3 Restart Oracle

Description	Snapshot too old
Severity	Warning
Message Group	Ora_Admin
Help Text	<p>Probable Cause:</p> <p>There can be several possible causes:</p> <ol style="list-style-type: none"> 1 Not enough Rollback Segments Rollback data is not available, therefore a query may not be able to reconstruct the snapshot of the blocks it is reading. When there are lots of transactions that are writing data and then committing or rolling back, then it is possible that rollback data can be overwritten, if the rollback segments are too small for the volume and size of changes being made. 2 Not enough Rollback Segments (Precompiler) Rollback data is not available, therefore a query may not be able to reconstruct the snapshot of the blocks it is reading. This can happen when a program does not CLOSE a cursor after repeated FETCH or UPDATE statements, or when a FETCH is executed after a COMMIT. Available rollback segments will be filled and then earlier records will start to be overwritten. 3 Not enough Checkpoints (Trusted Oracle) This error can occur when the time interval between checkpoints in a secondary database is too short. In this case rollback segments may be overwritten. <p>Suggested Action:</p> <ol style="list-style-type: none"> 1 Not enough Rollback Segments Increase the number and size of available rollback segments 2 Not enough Rollback Segments (Precompiler) Ensure that cursors are being CLOSED where necessary. If necessary, increase the number and size of rollback segments. A good estimate of the amount of rollback data that your program will create can be gotten as follows: <ul style="list-style-type: none"> — Set the current transaction to a rollback segment in single user mode — Query V\$ROLLSTAT before and after the transaction — The difference in V\$ROLLSTAT provides the number of bytes of rollback data written by a transaction — Estimate the number of transactions to be executed in a loop 3 Not enough Checkpoints (Trusted Oracle) Decrease the value of the LOG_CHECKPOINT_TIMEOUT initialization parameter so that checkpoints occur more frequently

ORA-01558

Description	Out of transaction IDs in rollback segment
Severity	Major
Message Group	Ora_Conf
Help Text	Probable Cause: There are no available transaction IDs. Suggested Action: <ol style="list-style-type: none">1 Shut down the instance2 Restart it using another rollback segment3 Drop the rollback segment that has no available transaction IDs

ORA-01562

Description	Failed to extend rollback segment
Severity	Major
Message Group	Ora_Fault
Help Text	Probable Cause: The indicated rollback segment could not be extended. It is likely that the database is out of space. Suggested Action: Shutdown the database and take the appropriate action.

ORA-01572

Description	Rollback segment to big
Severity	Major
Message Group	Ora_Conf
Help Text	Probable Cause: The maximum number of system-wide rollback segments allowed is specified by the initialization parameter GC_ROLLBACK_SEGMENTS. When the specified maximum is reached no more requests will be processed. Suggested Action: <ol style="list-style-type: none">1 Increase the GC_ROLLBACK_SEGMENTS parameter in the initialization parameter file to a number greater than the indicated rollback segment ID.2 Wait until the next time Oracle is restarted for the new value to take effect

ORA-01574

Description	Max number of concurrent transactions exceeded
Severity	Warning
Message Group	Ora_Conf
Help Text	<p>Probable Cause: The maximum number of concurrent transactions allowed is specified by the initialization parameter TRANSACTIONS. When the specified maximum is reached no more requests will be processed.</p> <p>Suggested Action: In general, no specific action is required. However, if the message occurs frequently then</p> <ol style="list-style-type: none">1 increase the TRANSACTIONS parameter in the initialization parameter file2 wait until the next time Oracle is restarted for the new value to take effect

ORA-01578

Description	Oracle data block corrupted
Severity	Critical
Message Group	Ora_Fault
Help Text	<p>Probable Cause: The indicated data block is corrupt.</p> <p>Suggested Action: Try to restore the segment containing the corrupted block, by dropping the segment and then recreating it.</p>

ORA-01599

Description	Cache space is full
Severity	Warning
Message Group	Ora_Fault
Help Text	<p>Probable Cause: The allocated space is insufficient.</p> <p>Suggested Action: Take the rollback segment offline.</p>

ORA-01628

Description	Max number of extents reached for rollback segment
Severity	Warning
Message Group	Ora_Conf
Help Text	<p>Probable Cause:</p> <p>There are two possible causes:</p> <ol style="list-style-type: none">1 The rollback segment reached its maximum size2 There is no space in the data dictionary to add the definition of the object <p>Suggested Action:</p> <ol style="list-style-type: none">1 Increase the value of the MAXEXTENTS or PCTINCREASE initialization parameters2 Change the storage parameters of the data relevant data dictionary

ORA-01629

Description	Max number of extents reached saving undo
Severity	Warning
Message Group	Ora_Conf
Help Text	<p>Probable Cause:</p> <p>The maximum amount of space allowed for saving undo entries has been reached for an offline tablespace.</p> <p>Suggested Action:</p> <ol style="list-style-type: none">1 Change the storage parameters of the SYSTEM tablespace if required2 Bring the indicated tablespace offline so that the undo information can be applied

ORA-01630

Description	Max number of extents reached in temp segment
Severity	Warning
Message Group	Ora_Conf
Help Text	<p>Probable Cause:</p> <p>There are two possible causes:</p> <ol style="list-style-type: none">1 The maximum amount of space allowed for saving undo entries has been reached for an temporary segment in the indicated tablespace2 There is no space in the data dictionary to add the definition of the object <p>Suggested Action:</p> <ol style="list-style-type: none">1 Increase the value of the MAXEXTENTS or PCTINCREASE initialization parameters2 Change the storage parameters of the data relevant data dictionary

ORA-01631

Description	Max number of extents reached in table
Severity	Warning
Message Group	Ora_Conf
Help Text	<p>Probable Cause:</p> <p>The maximum amount of space allowed for saving undo entries has been reached for the indicated table.</p> <p>Suggested Action:</p> <p>Increase the value of the MAXEXTENTS or PCTINCREASE initialization parameters.</p>

ORA-01632

Description	Max number of extents reached in index
Severity	Warning
Message Group	Ora_Conf
Help Text	<p>Probable Cause:</p> <p>The maximum amount of space allowed for saving undo entries has been reached for the indicated index.</p> <p>Suggested Action:</p> <p>Increase the value of the MAXEXTENTS or PCTINCREASE initialization parameters.</p>

ORA-01650

Description	Unable to extend rollback segment
Severity	Major
Message Group	Ora_Conf
Help Text	Probable Cause: Could not allocate extent for rollback segment in indicated tablespace. Suggested Action: Use the ALTER TABLESPACE ADD DATAFILE statement to add one or more files to the indicated tablespace.

ORA-01651

Description	Unable to extend save undo segment
Severity	Major
Message Group	Ora_Conf
Help Text	Probable Cause: Could not allocate extent for saving undo entries for the indicated offline tablespace. Suggested Action: <ol style="list-style-type: none">1 Change the storage parameters of the SYSTEM tablespace if required2 Bring the indicated tablespace offline so that the undo information can be applied

ORA-01652

Description	Unable to extend temp segment
Severity	Major
Message Group	Ora_Conf
Help Text	Probable Cause: Could not allocate extent for temp segment in indicated tablespace. Suggested Action: <ol style="list-style-type: none">1 Use the ALTER TABLESPACE ADD DATAFILE statement to add one or more files to the indicated tablespace OR2 Create the object in another tablespace

ORA-01653

Description	Unable to extend table
Severity	Major
Message Group	Ora_Conf
Help Text	Probable Cause: Could not allocate extent for table segment in indicated tablespace. Suggested Action: Use the ALTER TABLESPACE ADD DATAFILE statement to add one or more files to the indicated tablespace.

ORA-01654

Description	Unable to extend index
Severity	Major
Message Group	Ora_Conf
Help Text	Probable Cause: Could not allocate extent for index segment in indicated tablespace. Suggested Action: Use the ALTER TABLESPACE ADD DATAFILE statement to add one or more files to the indicated tablespace.

ORA-01655

Description	Unable to extend cluster
Severity	Major
Message Group	Ora_Conf
Help Text	Probable Cause: Could not allocate extent for cluster segment in indicated tablespace. Suggested Action: Use the ALTER TABLESPACE ADD DATAFILE statement to add one or more files to the indicated tablespace.

ORA-01656

Description	Max number of extents reached in cluster
Severity	Warning
Message Group	Ora_Conf
Help Text	<p>Probable Cause: The maximum amount of space allowed for saving undo entries has been reached for the indicated cluster.</p> <p>Suggested Action: Increase the value of the MAXEXTENTS or PCTINCREASE initialization parameters.</p>

A Oracle Supplementary Template Groups and Metrics

Metrics for Oracle Versions 8 & Higher

A separate template group called DBSPI-Oracle: Oracle 8 & Higher provides you with an additional 12 metrics available within Oracle version 8.x or higher. All these metrics fall within the 5-minute collection interval and support the Oracle parallel query option and multi-threaded server.

Table 2 Template Group Oracle 8-Specific Metrics

Metric Number	Metric Name	Metric Description	Metric Type
70	PQServrsBusyPct	Parallel query servers busy as a percentage of maximum query servers	Parallel Query
71	PQSrvHighwtrPct	Parallel query servers busy high watermark as a percentage of maximum	Parallel Query
74	PQQueryRate	Rate of parallel queries initiated	Parallel Query
76	PQRangeScanPct	Percentage of full table scans using row ID range scans compared to total full table scans.	Parallel Query
90	DsptchrBusyPct	Average percent busy for all dispatchers.	Multi-Threaded Server
91	NumDsptchrClnts	Number of clients currently connected to all dispatchers	Multi-Threaded Server

Metric Number	Metric Name	Metric Description	Metric Type
92	ShrSrvrReqWtPct	Percentage of shared servers waiting for requests	Multi-Threaded Server
93	SharedServerPct	Number of shared server processes running as percent of maximum allowed	Multi-Threaded Server
94	SesUGAMemCurRat	Total UGA memory in bytes allocated for all current sessions.	Multi-Threaded Server
95	SesUGAMemMaxRat	Total Maximum UGA memory in bytes ever allocated for all current sessions.	Multi-Threaded Server
96	ShrdSrvHiWtrMrk	Highwater number of shared servers	Multi-Threaded Server
97	DisbldTblLckNum	Number tables with table locks disabled	Miscellaneous

Index

A

AlertLogSize metric, 93
ArchiveFreqRate metric, 83
Archiver stuck, 160
ARCH process terminated with error, 169
ArchvFreeSpcCnt metric, 82
ArchvFreeSpcPct metric, 84
Area, 29
AutoArchveStatus metric, 87

B

Background process did not start, 165
Background process did not start after n seconds, 166
Background process failed while starting, 166
Background process started when not expected, 167
Background process unexpectedly terminated, 167
BckgndCkptRate metric, 67
BkgrDumpSpcePct metric, 88
BufferBusyPct metric, 53
BufferGetsPerExecRatio, 125

C

Cache space is full, 183
Cannot add more datafiles, 175
Cannot drop system rollback segment, 179
Cannot drop system tablespace, 179
Cannot open control file, 158
Cannot shutdown because online backup set, 177
Cannot start online backup, 176
ChandRowFtchPct metric, 78
Changed control file block size, 159
Cleanup lock conflict, 172
Collection Interval, 28
Conditions, 28

CoreDumpSpacPct metric, 92
CurBufCacHitPct metric, 55
CursorCachePct metric, 85
Customizing Templates, 11

D

Database busy, 177
Database is being open or closed, 177
Datafile failed verification check, 176
Data file suffered media failure, 178
DbInstanceStat metric, 30
DbwrCkptRate metric, 109
DBWR process terminated with error, 168
Deadlock detected (public servers), 156
Default IT/O Threshold, 28
Description, 28
DGHrsSinceArchLogsRecieved, 143
DGHrsSinceLastSQLApply, 142
DGLogGapDetection metric, 139
DGLogsNotAppliedToStandbyDB metric, 141
DGStdbyDestErr metric, 140
DictCacheHitPct metric, 57
DisbldCnstrtcnt metric, 106
DisbldTblLckNum metric, 120
DisbldTriggersCnt metric, 105
DiskReadsPerExecRatio metric, 121
DisptchrBusyPct metric, 113
DualExessRowStat metric, 103
During shutdown a process abnormally terminated, 171

E

EnqueuePct metric, 112
EQTimeoutsReqPct metric, 75
EQWaitsReqPct metric, 56
Error archiving log, 160

Error creating archive log, 161
Error in opening datafile, 175
Error occurred at recursive SQL level, 173
Error on write to control file, 159
Error reading control file, 157
Error writing archive log, 161
Error writing control file, 157
External cache has died, 178

F

Failed to allocate memory, 152
Failed to extend rollback segment, 182
Fatal error in background process, 167
FileWithMaxTransferRate metric, 145
FullLgTblScnRate metric, 62

G

GlobalCacheBlockConvTimedOutMax metric, 137, 138
GlobalCacheBlockCorrupt Max metric, 134
GlobalCacheBlocklostMax metric, 135
GlobalCacheBlockRecTime metric, 136
GlobalCacheCurBlockRecTime, 144

I

Inconsistent control file block size, 159
Instance recovery required, 160
Instruction Text, 28
Internal error code, 171, 173
Internal programming exception, 172
IO error reading block from file, 174
IO error writing block to file, 174
IT/O Threshold Type, 28

L

LatchOvrLimitCnt metric, 69
LCKx process terminated with error, 170
LGWR process terminated with error, 168
LibCacGetHitPct metric, 70
LibCachRelodPct metric, 58
LibCacPinHitPet metric, 71
Limit of number of redo logs exceeded, 162
LocksUsedPct metric, 59

LOG_FILES initialization parameter exceeded, 156
LogArchiveStartStatus, 99
Log file is being cleared, cannot become current log, 163
Log file is being cleared, operation not allowed, 164

M

Maximum number of dictionary cache instance locks exceeded, 173
Max number of concurrent transactions exceeded, 183
Max number of datafiles exceeded, 155
Max number of DML_LOCKS exceeded, 154
Max number of enqueue resources exceeded, 153
Max number of enqueues exceeded, 154
Max number of extents reached for rollback segment, 184
Max number of extents reached in cluster, 188
Max number of extents reached in index, 185
Max number of extents reached in table, 185
Max number of extents reached in temp segment, 185
Max number of extents reached saving undo, 184
Max number of processes exceeded, 152
Max number of sessions exceeded, 151
Max number of sessions licenses exceeded, 151
Max number of temp table locks exceeded, 155
Message Text, 28
Metric 302, 122
Metric E001, 30
Metric E002, 32
Metric E003, 33
Metric E004, 35
Metric E005, 36
Metric E006, 37
Metric E007, 39
Metric E008, 40
Metric E009, 41
Metric E011, 43
Metric E016, 44, 45
Metric E017, 47
Metric E018, 49, 50
Metric E019, 51

Metric E020, 52
Metric E021, 53
Metric E022, 54
Metric E023, 55
Metric E024, 56
Metric E026, 57
Metric E027, 58
Metric E028, 59
Metric E029, 60
Metric E030, 62
Metric E031, 63
Metric E032, 64
Metric E033, 65
Metric E034, 66
Metric E035, 67
Metric E037, 68
Metric E038, 69
Metric E039, 70
Metric E040, 71
Metric E042, 72
Metric E043, 75
Metric E045, 76
Metric E046, 77
Metric E048, 78
Metric E050, 79
Metric E052, 80
Metric E054, 81
Metric E056, 82
Metric E057, 83
Metric E058, 84
Metric E059, 85
Metric E060, 86
Metric E061, 87
Metric E062, 88
Metric E063, 89
Metric E064, 91
Metric E065, 92
Metric E066, 93
Metric E067, 94
Metric E068, 95
Metric E069, 96
Metric E070, 97
Metric E071, 98
Metric E072, 99
Metric E074, 100
Metric E075, 101
Metric E076, 102
Metric E077, 103
Metric E078, 104
Metric E079, 105
Metric E080, 106
Metric E081, 107
Metric E082, 108
Metric E083, 109
Metric E085, 110
Metric E087, 111
Metric E089, 112
Metric E090, 113
Metric E091, 114
Metric E092, 115
Metric E093, 116
Metric E094, 117
Metric E095, 118
Metric E096, 119
Metric E097, 120
Metric E101, 121
Metric E102, 122
Metric E103, 123
Metric E104, 124
Metric E105, 125
Metric E106, 126
Metric E107, 127
Metric E108, 128
Metric E109, 129
Metric E110, 130
Metric E111, 131
Metric E112, 133
Metric E121, 134
Metric E122, 135
Metric E123, 136
Metric E124, 137
Metric E125, 138
Metric E126, 139
Metric E127, 140

Metric E128, 141
 Metric E129, 142
 Metric E130, 143
 Metric E131, 144
 Metric E132, 145
 Metric E203, 34
 Metric E206, 38
 Metric E216, 46
 Metric E217, 48
 Metric E303, 123
 Metric E304, 124
 Metric E306, 126
 Metric E307, 127
 Metric Monitor Templates, 11
 Metric Number, 28
 Metric Parameter, 28
 Metric Parameter Min/Max, 28
 metrics
 Oracle-8 specific, 189
 Metric Specification Description, 28

N

Name, 28
 No free buffer handles available, 163
 NumDsptchrClnts metric, 114

O

O/S error occurred while obtaining enqueue, 152
 ObjectsForeignCnt metric, 36
 ObjectsInvalidCnt metric, 104
 OpenCrsrPctCnt metric, 63
 Operating system archiving error, 161
 ORA-00018, 151
 ORA-00019, 151
 ORA-00020, 152
 ORA-00025, 152
 ORA-00050, 152
 ORA-00051, 153
 ORA-00052, 153
 ORA-00053, 154
 ORA-00055, 154
 ORA-00057, 155
 ORA-00059, 155
 ORA-00063, 156
 ORA-00104, 156
 ORA-00204, 157
 ORA-00206, 157
 ORA-00210, 158
 ORA-00216, 158
 ORA-00217, 159
 ORA-00218, 159
 ORA-00221, 159
 ORA-00255, 160
 ORA-00257, 160
 ORA-00265, 160
 ORA-00270, 161
 ORA-00272, 161
 ORA-00290, 161
 ORA-00302, 162
 ORA-00345, 162
 ORA-00348, 162
 ORA-00371, 163
 ORA-00390, 163
 ORA-00392, 164
 ORA-00436, 164
 ORA-00437, 165
 ORA-00443, 165
 ORA-00444, 166
 ORA-00445, 166
 ORA-00446, 167
 ORA-00447, 167
 ORA-00449, 167
 ORA-00470, 168
 ORA-00471, 168
 ORA-00472, 168
 ORA-00473, 169
 ORA-00474, 169
 ORA-00475, 169
 ORA-00476, 170
 ORA-00477, 170
 ORA-00478, 170, 171
 ORA-00600, 171
 ORA-00601, 172
 ORA-00602, 172

ORA-00603, 172
ORA-00604, 173
ORA-00606, 173
ORA-00703, 173
ORA-01114, 174
ORA-01115, 174
ORA-01116, 175
ORA-01118, 175
ORA-01122, 176
ORA-01123, 176
ORA-01128, 176
ORA-01149, 177
ORA-01154, 177
ORA-01155, 177
ORA-01241, 178
ORA-01242, 178
ORA-01243, 178
ORA-01541, 179
ORA-01544, 179
ORA-01550, 179
ORA-01554, 180
ORA-01555, 181
ORA-01558, 182
ORA-01562, 182
ORA-01572, 182
ORA-01574, 183
ORA-01578, 183
ORA-01599, 183
ORA-01628, 184
ORA-01629, 184
ORA-01630, 185
ORA-01631, 185
ORA-01632, 185
ORA-01650, 186
ORA-01651, 186
ORA-01652, 186
ORA-01653, 187
ORA-01654, 187
ORA-01655, 187
ORA-01656, 188

Oracle
 metric specifications for Reporter, 148
 metrics specifically for version 8.x, 189
Oracle data block corrupted, 183
Oracle feature is not licensed, 165
Oracle is not licensed, 164
Oracle Server session terminated by fatal error, 172
Out of transaction IDs in rollback segment, 182
Out of transaction slots in transaction tables, 180

P

PMON process terminated with error, 168
PQQueryRate metric, 100
PQRangeScanPct metric, 102
PQServrsBusyPct metric, 97
PQSrvHighwtrPct metric, 98
ProcessPct metric, 111
ProcessStatus metric, 32

R

RBSegmntStatCnt metric, 94
RBSegWaitPctCnt metric, 96
RBSgmntShrnkCnt metric, 95
RcrsvCursrRatio metric, 101
RcrvUsrCalRatio metric, 79
RECO process terminated with error, 170
RedoAlocLtchPct, 65
RedoCopyLtchPct metric, 66
RedoLgSpReqCnt metric, 64
Redo log write error, 162
RedoUnarchvdCnt metric, 86
Report Type, 29
RollbackRate metric, 81
Rollback segment to big, 182
RowFetcdByIdxPct metric, 77

S

SegExtRapidCnt metric, 49, 50
SegmntExtendCnt metric, 45
SegmntExtendCnt metric (drill down), 46
SegtMaxExtentCnt metric, 47
SegtMaxExtentCnt metric (drill down), 48
SessHighwatrCnt metric, 108

SessionFreeBufferWaitMax, 130
SessionHardParsesMax metric, 129
SessionLatchFreeWaitMax metric, 131
SessionSuspendedMax, 133
SessWaitLckCnt metric, 60
SesUGAMemCurPct metric, 117
SesUGAMemMaxPct metric, 118
Severity, 28
SharedServerPct metric, 116
ShrdPoolFreePct metric, 76
ShrdSrvHWMPct metric, 119
ShrSrvrReqWtPct, 115
Single process redo failure, 162
SMON process terminated with error, 169
SnapshotErrCnt metric, 107
Snapshot too old, 181
SNP_x process terminated with error, 170
SortDiskRate metric, 51
SortMemoryPct metric, 52
SortTotalRate metric, 80
SQLCPUTimeMax, 127
SQLElapsedTimeMax, 126
SQLExecRateMax, 124
SQLFetchesMax, 122
SQLFullTableScanMax, 128
SQLScanRowsMax, 123
Subarea, 29
Summary DB-SPI Metric Listing, 12
System tablespace cannot be brought offline, 179

System tablespace file suffered media failure, 178

T

TableSpaceFree metric, 12, 33
TableSpaceFree metric (drill-down), 12, 34
TblSpcFrgmntCnt metric, 43
TblSpcStatusCnt metric, 39
TblSpFreePctCnt metric, 37
TblSpFreePctCnt metric (drill down), 38
Templates, 11
Time-out occurred while waiting for resource, 153
TotBufCacHitPct metric, 54
TraceFileAddCnt metric, 89
TransactionPct metric, 110
TRWR process terminated with error, 169
TSBReadRatioCnt metric, 40
TSTmpExntPctCnt metric, 41

U

Unable to determine block size for control file, 158
Unable to extend cluster, 187
Unable to extend index, 187
Unable to extend rollback segment, 186
Unable to extend save undo segment, 186
Unable to extend table, 187
Unable to extend temp segment, 186
UnlyzTblIndxPct metric, 72
UserDumpSpacPct metric, 91
UsersTmpDfltCnt metric, 35